

PH UP

Chemwatch Material Safety Data Sheet
Issue Date: Fri 30-Sep-2005

CHEMWATCH 4827-67
CD 2005/3 Page 1 of 10

Section 1 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME
PH UP

STATEMENT OF HAZARDOUS NATURE

**CONSIDERED A HAZARDOUS SUBSTANCE ACCORDING TO OSHA 29 CFR
1910.1200.**

SUPPLIER

Company: Aquarium Pharmaceuticals Incorporated
Address:
50 East Hamilton Street
Chalfont
PA, 18914
USA
Telephone: +1 215 822 8181

Company: Aquarium Pharmaceuticals Incorporated
Address:
PO Box 218
Chalfont
PA, 18914-0218
USA
Telephone: +1 215 822 8181
Emergency Tel: +1800 222 1222 (US Only)

PRODUCT USE

pH Up for use in aquariums.

SYNONYMS

"Solution ID# 3325", "Product #: 31"

Section 2 - COMPOSITION / INFORMATION ON INGREDIENTS

NAME	CAS RN	%
sodium carbonate	497-19-8	10-19
water	7732-18-5	>60

Section 3 - HAZARDS IDENTIFICATION

CANADIAN WHMIS SYMBOLS



EMERGENCY OVERVIEW

RISK

Cumulative effects may result following exposure*.

*(limited evidence)

continued...

POTENTIAL HEALTH EFFECTS

ACUTE HEALTH EFFECTS

SWALLOWED

The material has NOT been classified as "harmful by ingestion". This is because of the lack of corroborating animal or human evidence. The material may still be damaging to the health of the individual, following ingestion, especially where pre-existing organ (e.g. liver, kidney) damage is evident. Present definitions of harmful or toxic substances are generally based on doses producing mortality (death) rather than those producing morbidity (disease, ill-health). Gastrointestinal tract discomfort may produce nausea and vomiting. In an occupational setting however, unintentional ingestion is not thought to be cause for concern.

EYE

Although the liquid is not thought to be an irritant, direct contact with the eye may produce transient discomfort characterized by tearing or conjunctival redness (as with windburn).

SKIN

The material is not thought to produce adverse health effects or skin irritation following contact (as classified using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an occupational setting. Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.

INHALED

Not normally a hazard due to non-volatile nature of product. The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting.

CHRONIC HEALTH EFFECTS

Long-term exposure to the product is not thought to produce chronic effects adverse to the health (as classified using animal models); nevertheless exposure by all routes should be minimized as a matter of course.

Section 4 - FIRST AID MEASURES

SWALLOWED

- Immediately give a glass of water.
- First aid is not generally required. If in doubt, contact a Poisons Information Center or a doctor.

EYE

- If this product comes in contact with eyes:
- Wash out immediately with water.
 - If irritation continues, seek medical attention.
 - Removal of contact lenses after an eye injury should only be undertaken by

PH UP

Chemwatch Material Safety Data Sheet
Issue Date: Fri 30-Sep-2005

CHEMWATCH 4827-67
CD 2005/3 Page 3 of 10
Section 4 - FIRST AID MEASURES

skilled personnel.

SKIN

If skin or hair contact occurs:

- Flush skin and hair with running water (and soap if available).
- Seek medical attention in event of irritation.

INHALED

- If fumes or combustion products are inhaled remove from contaminated area.
- Other measures are usually unnecessary.

NOTES TO PHYSICIAN

Treat symptomatically.

Section 5 - FIRE FIGHTING MEASURES

Flash Point (°F): Not Applicable

Lower Explosive Limit (%): Not Applicable

Upper Explosive Limit (%): Not Applicable

Autoignition Temp (°F): Not Applicable

EXTINGUISHING MEDIA

The product contains a substantial proportion of water, therefore there are no restrictions on the type of extinguishing media which may be used. Choice of extinguishing media should take into account surrounding areas.

Though the material is non-combustible, evaporation of water from the mixture, caused by the heat of nearby fire, may produce floating layers of combustible substances.

In such an event consider:

- foam
- dry chemical powder
- carbon dioxide.

FIRE FIGHTING

- Alert Emergency Responders and tell them location and nature of hazard.
- Wear breathing apparatus plus protective gloves for fire only.
- Prevent, by any means available, spillage from entering drains or water course.
- Use fire fighting procedures suitable for surrounding area.
- Do not approach containers suspected to be hot.
- Cool fire exposed containers with water spray from a protected location.
- If safe to do so, remove containers from path of fire.
- Equipment should be thoroughly decontaminated after use.

GENERAL FIRE HAZARDS/HAZARDOUS COMBUSTIBLE PRODUCTS

- Non combustible.
- Not considered to be a significant fire risk.
- Expansion or decomposition on heating may lead to violent rupture of containers.
- Decomposes on heating and may produce toxic fumes of carbon monoxide (CO).
- May emit acrid smoke.

Decomposition may produce toxic fumes of, carbon dioxide (CO₂), other pyrolysis products typical of burning organic material.

May emit poisonous fumes.

continued...

PH UP

Chemwatch Material Safety Data Sheet
Issue Date: Fri 30-Sep-2005

CHEMWATCH 4827-67
CD 2005/3 Page 4 of 10
Section 5 - FIRE FIGHTING MEASURES

FIRE INCOMPATIBILITY

None known.

Section 6 - ACCIDENTAL RELEASE MEASURES

MINOR SPILLS

- Clean up all spills immediately.
- Avoid breathing vapors and contact with skin and eyes.
- Control personal contact by using protective equipment.
- Contain and absorb spill with sand, earth, inert material or vermiculite.
- Wipe up.
- Place in a suitable labeled container for waste disposal.

MAJOR SPILLS

Moderate hazard.

- Clear area of personnel and move upwind.
- Alert Emergency Responders and tell them location and nature of hazard.
- Wear breathing apparatus plus protective gloves.
- Prevent, by any means available, spillage from entering drains or water course.
- Stop leak if safe to do so.
- Contain spill with sand, earth or vermiculite.
- Collect recoverable product into labeled containers for recycling.
- Neutralize/decontaminate residue.
- Collect solid residues and seal in labeled drums for disposal.
- Wash area and prevent runoff into drains.
- After clean up operations, decontaminate and launder all protective clothing and equipment before storing and re-using.
- If contamination of drains or waterways occurs, advise emergency services.

ACUTE EXPOSURE GUIDELINE LEVELS (AEG) (in ppm)

AEG 1: The airborne concentration of a substance above which it is predicted that the general population, including susceptible individuals, could experience notable discomfort, irritation, or certain asymptomatic nonsensory effects. However, the effects are not disabling and are transient and reversible upon cessation of exposure.

AEG 2: The airborne concentration of a substance above which it is predicted that the general population, including susceptible individuals, could experience irreversible or other serious, long-lasting adverse health effects or an impaired ability to escape.

AEG 3: The airborne concentration of a substance above which it is predicted that the general population, including susceptible individuals, could experience life-threatening health effects or death.

EMERGENCY RESPONSE PLANNING GUIDELINES (ERPG)

The maximum airborne concentration below which it is believed that nearly all individuals could be exposed for up to one hour WITHOUT experiencing or developing

life-threatening health effects is:

sodium carbonate	500 mg/m ³
water	500 mg/m ³

continued...

PH UP

Chemwatch Material Safety Data Sheet
Issue Date: Fri 30-Sep-2005

CHEMWATCH 4827-67
CD 2005/3 Page 5 of 10

Section 6 - ACCIDENTAL RELEASE MEASURES

irreversible or other serious effects or symptoms which could impair an individual's ability to take protective action is:

sodium carbonate	50 mg/m ³
water	500 mg/m ³

other than mild, transient adverse effects without perceiving a clearly defined odour is:

sodium carbonate	30 mg/m ³
water	500 mg/m ³

The threshold concentration below which most people will experience no appreciable risk of health effects:

sodium carbonate	10 mg/m ³
water	500 mg/m ³

American Industrial Hygiene Association (AIHA)

Ingredients considered according exceed the following cutoffs

Very Toxic (T+) >= 0.1%	Toxic (T)	>= 3.0%
R50 >= 0.25%	Corrosive (C)	>= 5.0%
R51 >= 2.5%		
else >= 10%		

where percentage is percentage of ingredient found in the mixture

Section 7 - HANDLING AND STORAGE

PROCEDURE FOR HANDLING

- Avoid all personal contact, including inhalation.
- Wear protective clothing when risk of exposure occurs.
- Use in a well-ventilated area.
- Prevent concentration in hollows and sumps.
- DO NOT enter confined spaces until atmosphere has been checked.
- DO NOT allow material to contact humans, exposed food or food utensils.
- Avoid contact with incompatible materials.
- When handling, DO NOT eat, drink or smoke.
- Keep containers securely sealed when not in use.
- Avoid physical damage to containers.
- Always wash hands with soap and water after handling.
- Work clothes should be laundered separately.
- Launder contaminated clothing before re-use.
- Use good occupational work practice.
- Observe manufacturer's storing and handling recommendations.
- Atmosphere should be regularly checked against established exposure standards to ensure safe working conditions are maintained.

RECOMMENDED STORAGE METHODS

- Polyethylene or polypropylene container.
- Packing as recommended by manufacturer
- Check all containers are clearly labeled and free from leaks.

STORAGE REQUIREMENTS

- Store in original containers.

continued...

PH UP

Chemwatch Material Safety Data Sheet
Issue Date: Fri 30-Sep-2005

CHEMWATCH 4827-67
CD 2005/3 Page 6 of 10
Section 7 - HANDLING AND STORAGE

- Keep containers securely sealed.
- Store in a cool, dry, well-ventilated area.
- Store away from incompatible materials and foodstuff containers.
- Protect containers against physical damage and check regularly for leaks.
- Observe manufacturer's storing and handling recommendations.

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE CONTROLS

No data available: sodium carbonate as (CAS: 497-19-8)
No data available: water as (CAS: 7732-18-5)

Not available. Refer to individual constituents.

EXPOSURE STANDARDS FOR MIXTURE

"Worst Case" computer-aided prediction of spray/ mist or fume/ dust components and concentration:

"Worst Case" computer-aided prediction of spray/ mist or fume/ dust components and concentration:

Composite Exposure Standard for Mixture (TWA) :100 mg/m³.

INGREDIENT DATA

SODIUM CARBONATE:

Dusts not otherwise classified, as inspirable dust;
ES TWA: 10 mg/m³.
OEL STEL: (Russia) 5 mg/m³

WATER:

No exposure limits set by NOHSC or ACGIH.

PERSONAL PROTECTION

Glasses:
Chemical goggles.
Gloves:
PVC chemical resistant type.
Respirator:
Particulate

EYE

- Safety glasses with side shields
- Chemical goggles.
- Contact lenses pose a special hazard; soft lenses may absorb irritants and all lenses concentrate them.

HANDS/FEET

Wear chemical protective gloves, eg. PVC.
Wear safety footwear or safety gumboots, eg. Rubber.

OTHER

- Overalls.
- P.V.C. apron.
- Barrier cream.
- Skin cleansing cream.

continued...

PH UP

Chemwatch Material Safety Data Sheet
Issue Date: Fri 30-Sep-2005

CHEMWATCH 4827-67
CD 2005/3 Page 7 of 10

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

- Eye wash unit.

RESPIRATOR

Selection of the Class and Type of respirator will depend upon the level of breathing zone contaminant and the chemical nature of the contaminant. Protection Factors (defined as the ratio of contaminant outside and inside the mask) may also be important.

Breathing Zone Level ppm (volume)	Maximum Protection Factor	Half-face Respirator	Full-Face Respirator
1000	10	-1 P	-
1000	50	-	-1 P
5000	50	Airline*	-
5000	100	-	-2 P
10000	100	-	-3 P
	100+		Airline* *

* - Continuous Flow ** - Continuous-flow or positive pressure demand.

The local concentration of material, quantity and conditions of use determine the type of personal protective equipment required.

Use appropriate NIOSH-certified respirator based on informed professional judgement. In conditions where no reasonable estimate of exposure can be made, assume the exposure is in a concentration IDLH and use NIOSH-certified full face pressure demand SCBA with a minimum service life of 30 minutes, or a combination full facepiece pressure demand SAR with auxiliary self-contained air supply. Respirators provided only for escape from IDLH atmospheres shall be NIOSH-certified for escape from the atmosphere in which they will be used.

ENGINEERING CONTROLS

General exhaust is adequate under normal operating conditions. If risk of overexposure exists, wear an approved respirator. Correct fit is essential to obtain adequate protection. Provide adequate ventilation in warehouse or closed storage areas.

Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL PROPERTIES

Liquid.
Mixes with water.

Molecular Weight: Not Applicable
Melting Range (°C): Not Available
Solubility in water (g/L): Miscible
pH (1% solution): Not Available
Volatile Component (%vol): Not Available
Relative Vapor Density (air=1): Not Available
Lower Explosive Limit (%): Not Applicable
Autoignition Temp (°C): Not Applicable
State: Liquid

Boiling Range (°C): Not Available
Specific Gravity (water=1): 1.095
pH (as supplied): 10-12
Vapor Pressure (kPa): Not Available
Evaporation Rate: Not Available
Flash Point (°C): Not Applicable
Upper Explosive Limit (%): Not Applicable
Decomposition Temp (°C): Not Available

APPEARANCE

Clear, colorless odorless liquid.

continued...

PH UP

Chemwatch Material Safety Data Sheet
Issue Date: Fri 30-Sep-2005

CHEMWATCH 4827-67
CD 2005/3 Page 8 of 10

Section 10 - CHEMICAL STABILITY AND REACTIVITY INFORMATION

CONDITIONS CONTRIBUTING TO INSTABILITY

- Presence of incompatible materials.
- Product is considered stable.
- Hazardous polymerization will not occur.

STORAGE INCOMPATIBILITY

Segregate from acids.

Section 11 - TOXICOLOGICAL INFORMATION

pH Up

Not available. Refer to individual constituents.

unless otherwise specified data extracted from RTECS - Register of Toxic Effects of Chemical Substances

SODIUM CARBONATE:

TOXICITY

Oral (rat) LD50: 4090 mg/kg

Inhalation (rat) LC50: 2300 mg/m³/2h

Eye (rabbit): 100 mg/30s mild

Eye (rabbit): 50 mg SEVERE

IRRITATION

Skin (rabbit): 500 mg/24h mild

Eye (rabbit): 100 mg/24h Moderate

WATER:

TOXICITY

No significant acute toxicological data identified in literature search.

IRRITATION

Section 12 - ECOLOGICAL INFORMATION

DO NOT discharge into sewer or waterways.

Section 13 - DISPOSAL CONSIDERATIONS

Disposal Instructions

All waste must be handled in accordance with local, state and federal regulations.

- Recycle wherever possible.
 - Consult manufacturer for recycling options or consult Waste Management Authority for disposal if no suitable treatment or disposal facility can be identified.
 - Dispose of by: Burial in a licensed land-fill or Incineration in a licensed apparatus (after admixture with suitable combustible material)
 - Decontaminate empty containers. Observe all label safeguards until containers are cleaned and destroyed.
- Puncture containers to prevent re-use and bury at an authorized landfill.

continued...

PH UP

Chemwatch Material Safety Data Sheet
Issue Date: Fri 30-Sep-2005

CHEMWATCH 4827-67
CD 2005/3 Page 9 of 10

Section 14 - TRANSPORTATION INFORMATION

DOT Information
Shipping Name: None
Hazard Class: None
SubRisk: None
UN/NA Number: None
Packing Group: None
Additional Shipping Information:
International Transport Regulations:
IMO: None

Section 15 - REGULATORY INFORMATION

RISK

US Federal Regulations

A. General Product Information

In addition to Federal and State regulation, local regulations may apply. Check with your local regulatory authorities.

B. Component Information

This material contains one or more of the following chemicals required to be identified under SARA Section 302 (40 CFR 455 Appendix A) SARA Section 313 (40 CFR 372.65) and/or CERCLA (40 CFR 302.4):

None

Component TSCA
sodium carbonate Y

State Regulations

A. General Product Information

B. Component Information

The following components appear on one or more of the following state hazardous substance lists.

Component	CAS No	CA	FL	MA	MN	NJ	PA
sodium carbonate	497-19-8	N	N	N	N	N	N

Y=Yes this material appears on that state's hazardous substances list.

N=No this material does not appear on that state's hazardous substances list.

Other Regulations

A. General Product Information

All components are listed in the European Inventory of New and Existing Chemical Substances (EINECS)

B. Component Information

CANADA

The following component(s) are identified under the Canadian Hazardous Products Act Ingredient Disclosure List:

Component	CAS No	%	Min Conc.
sodium carbonate	497-19-8	10-19	1% item 1431 (392)

continued...

PH UP

Chemwatch Material Safety Data Sheet
Issue Date: Fri 30-Sep-2005

CHEMWATCH 4827-67
CD 2005/3 Page 10 of 10
Section 15 - REGULATORY INFORMATION

All of this product's components are on the Canadian Domestic

REGULATIONS

sodium carbonate (CAS: 497-19-8) is found on the following regulatory lists
Canadian Domestic Substances List (DSL)
US Toxic Substances Control Act (TSCA)
US EPA High Production Volume Chemicals Additional List
Canadian Ingredient Disclosure List (SOR/88-64)
US Food Additive Database
US DOE Temporary Emergency Exposure Limits (TEELs)

water (CAS: 7732-18-5) is found on the following regulatory lists
Canadian Domestic Substances List (DSL)
US Toxic Substances Control Act (TSCA)
US DOE Temporary Emergency Exposure Limits (TEELs)
US Californian Proposition 65 - Priority List for the Development of MADLs for
Chemicals Causing Reproductive Toxicity

Section 16 - OTHER INFORMATION

Reasonable care has been taken in the preparation of this information, but the author makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The author makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use. For additional technical information please call our toxicology department on +800 CHEMCALL.

Issue Date: Fri 30-Sep-2005
Print Date: Fri 7-Oct-2005

This document is copyright. Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH. TEL (+61 3) 9572 4700.