

## Material Safety Data Sheet

**MSDS:** 0001A  
**Date Approved:** 12/20/2002  
Clairol, A Division of P&G  
One Blachley Road  
Stamford, CT 06922

**Status:**

**Emergency Telephone Number:**  
(203) 357-5678

**Transportation Emergency:**  
Call Chemtrec 1-800-424-9300

This sheet has been prepared in accordance with the Requirements of the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

### Section I - Categorization

**Category:** Oxidation (Permanent) Hair Colors Ammoniacal - Non-Flammable  
**Pertinent Text:** Oxidation Hair Colors contain low concentrations of dye intermediates in an aqueous base. They are mixed with the developer (hydrogen peroxide) before use. A separate MSDS exists for hydrogen peroxide.  
**Product Names:** Hydrience, Motif, Revitalique, Herbal Essences High Lift Hair Colors (XL2,XL4,XL10) Ultress , L'Image Hairpainting Auburn and Golden

### Section II - Ingredients

Oxidative (Permanent), Ammoniacal, Non-Flammable Hair Colors generally contain the following hazardous ingredients (1% concentration or greater; 0.1% for carcinogens):

CTFA NAME	CAS#
4-AMINO-2-HYDROXYTOLUENE	2835952
M-AMINOPHENOL	591275
N,N-BIS(2-HYDROXYETHYL)-P-PHENYLENEDIAMINE SULFATE	58262445
RESORCINOL	108463
P-PHENYLENEDIAMINE	106503
AMMONIUM HYDROXIDE	1336216
ETHOXYDIGLYCOL	111900
ETHANOLAMINE	141435
LAURETH-23	9002920
OLEIC ACID	112801
STEARETH-21	977080811
LINOLEAMIDOPROPYL DIMETHYLAMINE DIMER DILINOLEATE	125804106
COCAMIDE MEA	68140001
BEHENTRIMONIUM CHLORIDE	17301530
POLYQUATERNIUM-22	53694170
DILINOLEIC ACID	6144281
FRAGRANCE	999999999
C11-15 PARETH-9	977054902
OLEAMIDE MIPA	111057
CETYL ALCOHOL	36653824
OLEYL ALCOHOL	143282
C12-15 PARETH-3	98000085
PROPYLENE GLYCOL	57556
SOYTRIMONIUM CHLORIDE	61790418
STEARETH-21	977080811
OLETH-10	24871349
SODIUM SULFATE	7727733
CAMEL	8028895

### Section III - Physical/Chemical Characteristics

**Specific Gravity (H<sub>2</sub>O=1):** 0.974-1.009

**Solubility in Water:** Partially miscible.

**Appearance and Odor:** Fragranced liquids. Ammoniacal odor.

**pH:** 9.5-10.8

10.4 –11.0 (high lift)

### Section IV - Fire and Explosion Hazard Data

**Flashpoint:** >141<sup>0</sup>

**Unit:** Fahrenheit

**Type:** Not applicable.

**Method:** closed cup

#### Fire Fighting Procedures:

Extinguish fires with ABC all-purpose extinguisher. The type of extinguisher used should be in conformance with local fire regulations. Fire fighters should use self contained breathing apparatus in enclosed areas.

#### Unusual Fire and Explosion Hazards:

Not applicable.

#### Physical Hazards:

Combustible.

### Section V - Reactivity Data

#### Stability:

Stable.

#### Conditions to Avoid:

None.

#### Incompatibility (Materials to Avoid):

Acids.

#### Hazardous Decomposition or By Products:

May form toxic materials (carbon dioxide, carbon monoxide and ammonia).

### Section VI - Health Hazards and Hazard Data

The TLV of the mixture has not been established.

#### 1. Effects of Acute Accidental Exposure

##### Eye Contact:

CAUTION. Unmixed oxidation hair colors are eye irritants. When oxidation hair colors are mixed with developers (hydrogen peroxide), the mixture may cause severe irritation and possible permanent eye injury.

##### Skin Contact:

May cause skin irritation or sensitization in sensitized individuals.

##### Inhalation:

Inhalation of ammonia vapors may result in respiratory irritation.

##### Ingestion:

Moderately toxic.

#### 2. Effects of Chronic Exposure

A composite mixture of oxidation dyes has been tested in prolonged topical exposure studies of laboratory animals. No adverse effects on growth, reproduction or general health were observed. In topical studies no target organ toxicity was observed other than limited effect on treated skin.

#### 3. Carcinogen Status:

OSHA: No

NTP: No

IARC: No

#### 4. Route of Entry:

Inhalation: Yes

Ingestion: Yes

Skin: Yes

5. Pre-existing dermatitis would likely be made worse by exposure to these products. Bronchitis may be aggravated by irritant vapors.

#### 6. Emergency and First Aid Procedures

##### Eye Contact:

Remove contact lenses. Flush immediately with plenty of water for 15 minutes. Get medical attention IMMEDIATELY.

##### Skin Contact:

If spilled, wash skin immediately with soap and water (do not use solvents). Change into clean clothing. If skin irritation or sensitization develops, contact dermatologist.

##### Inhalation:

Remove person to fresh air. Increase ventilation.

##### Ingestion:

Rinse out mouth with water and administer large amounts of milk. Contact Poison Control Center.

## **Section VII - Precautions for Safe Handling and Use**

### **Steps to be taken in Case Material is released or Spilled:**

Contain spill and promptly clean up. Flush with water and wipe with towel or rinse to drain. Floor can be slippery when wet.

### **Waste Disposal Method:**

Products covered by this MSDS, in their original form, are considered non-hazardous waste according to RCRA. Additionally, disposal should be in accordance with all applicable Local, State and Federal regulations.

### **Precautions to be Taken in Handling and Storage:**

Do not expose to sunlight. Keep away from radiators and heat. Do not store any hair color after it has been mixed with developer. Decomposition of hydrogen peroxide may occur with increase in pressure and possible container rupture.

## **Section VIII - Control Measures**

### **Ventilation:**

Exhaust system ventilation should be adequate to avoid buildup of vapors.

### **Hand Protection:**

Use impervious gloves to avoid possible skin irritation/sensitization.

### **Eye Protection:**

Avoid contact with eyes. Use protective eyewear, if splashing is possible.

### **Other Types of Protection:**

Not applicable.

### **Respiratory Protection:**

Avoid inhalation.

### **Work Hygienic Practices:**

Always follow good hygienic work practices. Avoid all skin, eye, and clothing contact with products. In case of contact, rinse thoroughly with water. Promptly clean up all spills.

## **Section IX - Transportation Information**

**DOT Class:** Consumer Commodity ORM-D applies only to the following products: Hydrience Shades XL01, XL02, XL03, Ultress 10N, 11N, and 11G and all Herbal Essences High Lifts XL2,XL4,XL10. All others not regulated.

**IMDG:** Oxidizing Solid N.O.S., 5.1, UN 1479, PG II or III. Limited Quantity applies only to the following products:

Hydrience XL01, XL02, XL03, Ultress 10N, 11N, and 11G, all Herbal Essences High Lifts XL2,XL4,XL10, L'Image 798, 799, 800, 801 and Revitalique 8, 10, 12, 14, 16 . All others not regulated.

**IATA/ICAO:** Not Authorized For Air Transportation applies only to the following products: Hydrience XL01, XL02, XL03, Ultress 10N, 11N, and 11G, all Herbal Essences High Lifts XL2,XL4,XL10, L'Image 798, 799, 800, 801, and Revitalique 8, 10, 12, 14, 16. All others not regulated.

## Material Safety Data Sheet

**MSDS:** 00008  
**Date Approved:** 12/20/2002

**Status:**

Clairol, A Division of P&G  
One Blachley Road  
Stamford, CT 06922

**Emergency Telephone Number:**  
(203) 357-5678

**Transportation Emergency:**  
Call Chemtrec 1-800-424-9300

This sheet has been prepared in accordance with the Requirements of the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

### Section I - Categorization

**Category:** Conditioners.

**Pertinent Text:** Fragranced emulsions designed to enhance the appearance and feel of hair, increase hair body or suppleness, facilitate styling, improve gloss or sheen and improve the texture of hair.

**Product Names:** Color ProTec Conditioner and Balm, L'Image Conditioner, Loving Care Conditioner, Herbal Essences Hair Color After-Treatment, Miss Clairol Revitalizing Treatment, Motif Conditioner, Natural Instincts Treatment & Conditioner, Nice 'N Easy Conditioner, Revitalique Conditioner, Shimmer Lights Conditioner, Summer Blonde After Sun Conditioner, Textures & Tones Conditioner, Ultress Conditioner, Maxi Blonde Conditioner, Lasting Color Conditioner, Infusium 23 Pro-Vitamin Treatment in Frost & Tip, Shimmer Lights Conditioner

### Section II – Ingredients

**Conditioners generally contain the following hazardous ingredients (1% concentration or greater; 0.1% for carcinogens):**

CTFA NAME	CAS#
PROPYLENE GLYCOL	57556
GLYCERIN	56815
STEARALKONIUM CHLORIDE	122190
CETEARYL ALCOHOL	67762270
ACETAMIDE MEA	142267
CETYL ALCOHOL	36653824
POLYSORBATE 20	9005645
SORBITOL	50704
CETYL ALCOHOL	36653824
MINERAL OIL	8012951
CETYL ESTERS	8002231
STEARYL ALCOHOL	112925
DICETYLDIMONIUM CHLORIDE	1812539
GLYCERYL STEARATE	31566311
PEG-40 STEARATE	9004993G
GLYCOL STEARATE	111604
AMODIMETHICONE	977091647
CETRIMONIUM CHLORIDE	112027
QUATERNIUM-18	61789808
MYRISTYL MYRISTATE	3234853
DISODIUM WHEATGERMAMPHODIACETATE	977169304
LINOLEAMIDOPROPYL DIMETHYLAMINE DIMER DILINOLEATE	125804106

**TRADE  
MSDS #8**

## Section II – Ingredients (Continued)

CYCLOMETHICONE	69430246
TRIMETHYLSILYLAMODIMETHICONE	977088826
CYCLOPENTASILOXANE	541026
DIMETHICONE	9006659
BEHENTRIMONIUM CHLORIDE	17301530
SODIUM COCOAMPHOPROPIONATE	68988636
CETEARETH-20	68439496
OLEYL ALCOHOL	143282
POLYQUATERNIUM-11	53633548
POLYQUATERNIUM-7	26590056
STEARAMIDOPROPYL DIMETHYLAMINE	16889148

## Section III - Physical/Chemical Characteristics

**Specific Gravity (H<sub>2</sub>O=1):** 0.8-1.15

**pH:** N/A

**Solubility in Water:** Poor. Dispersible in water.

**Appearance and Odor:** Mild fragranced liquids, cremes, pourable emulsions.

## Section IV - Fire and Explosion Hazard Data

**Flashpoint:** N/A

**Unit:** N/A

**Type:** Not applicable.

**Method:** Not applicable.

### Fire Fighting Procedures:

Extinguish fires with ABC all-purpose extinguisher. The type of extinguisher used should be in conformance with local fire regulations. Fire fighters should use self contained breathing apparatus in enclosed areas.

### Unusual Fire and Explosion Hazards:

None.

### Physical Hazards:

None.

## Section V - Reactivity Data

### Stability:

Stable.

### Conditions to Avoid:

None.

### Incompatibility (Materials to Avoid):

Not applicable.

### Hazardous Decomposition or By Products:

None.

## Section VI - Health Hazards and Hazard Data

The TLV of the mixture has not been established.

### 1. Effects of Acute Accidental Exposure

#### Eye Contact:

Potential eye irritant.

#### Skin Contact:

Non-irritating.

#### Inhalation:

Not applicable.

#### Ingestion:

Practically non toxic.

### 2. Effects of Chronic Exposure

For purposes of chronic exposure under the OSHA Hazard Communication Standard, this is an untested mixture. These products have been used extensively by consumers and Beauty Care is not aware of any significant adverse effects.

**Target Organs:** These products contain ingredients which have been shown to affect tissues or organs when fed at high levels of exposure in animal studies not encountered in normal use. Target Organs identified in animal studies are as follows: Propylene Glycol: CNS;

## Section VI – Health Hazards and Hazard Data (Continued)

### 3. Carcinogen Status:

OSHA: No                      NTP: No                      IARC: No

### 4. Route of Entry:

Inhalation: No                      Ingestion: Yes                      Skin: Yes

5. Pre-existing dermatitis would likely be made worse by exposure to these products.

### 6. Emergency and First Aid Procedures

#### Eye Contact:

Remove contact lenses, if used. Flush immediately with plenty of water for 15 minutes. Get medical attention IMMEDIATELY.

#### Skin Contact:

If spilled, wash skin immediately with soap and water (do not use solvents). Change into clean clothing. If skin reaction develops, contact dermatologist.

#### Inhalation:

Remove person to fresh air. Increase ventilation.

#### Ingestion:

Rinse out mouth with water and administer large amounts of milk. Contact Poison Control Center.

## Section VII - Precautions for Safe Handling and Use

### Steps to be taken in Case Material is Released or Spilled:

Contain spill and promptly cleanup. Flush with copious amounts of water until floor is not slippery.

### Waste Disposal Method:

Products covered by this MSDS, in their original form, are considered non-hazardous waste according to RCRA. Additionally, disposal should be in accordance with all applicable Local, State and Federal regulations.

### Precautions to be Taken in Handling and Storage:

None.

## Section VIII - Control Measures

### Ventilation:

Exhaust system ventilation should be adequate to avoid buildup of vapors.

### Hand Protection:

Use impervious gloves to avoid possible skin reaction.

### Eye Protection:

Avoid contact with eyes. Use protective eyewear, if splashing is possible.

### Other Types of Protection:

Not applicable.

### Respiratory Protection:

Avoid inhalation.

### Work Hygienic Practices:

Always follow good hygienic work practices. Avoid all eye, clothing and prolonged skin contact with products. In case of contact, rinse thoroughly with water. Promptly clean up all spills.

## Section IX - Transportation Information

**DOT Class:** Not regulated.

**IMDG:** Not regulated.

**IATA/ICAO:** Not regulated.

## Material Safety Data Sheet

**MSDS:** 00004  
**Date Approved:** 12/20/2002  
Clairol, A Division of P&G  
One Blachley Road  
Stamford, CT 06922

**Status:**

**Emergency Telephone Number:**  
(203) 357-5678

**Transportation Emergency:**  
Call Chemtrec 1-800-424-9300

This sheet has been prepared in accordance with the Requirements of the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

### Section I - Categorization

**Category:** Peroxides (Ten (10) and Twenty (20) Volume Developers).

**Pertinent Text:** Water-like or white emulsions containing 3% or 6% levels of hydrogen peroxide, emulsifying waxes and pH buffer.

**Product Names:** A Touch of Sun, Balsam Color Developing Lotion for all Shades except Shades 598 and 599 (See MSDS #4A). Born Blonde Lotion Developer, Clairoxide Developers 10 and 20 Volumes, Complements Color Prompter, Frost & Tip Developers, Hair Painting Developers, Hydrience Developers for all Shades except Shades XL01, XL02 and XL03 (See MSDS #4A), Lasting Color Developers, L'Image Developers for all Shades except Shades 798, 799, 800, 801, (See MSDS #4A), Luminize Developer, Maxi Blonde Lotion Developer, Men's Choice Developer, Miss Clairol Shampoo Developers for all Shades except Shades A1 and 15S (See MSDS #4A), Natural Instincts Developer, Natural Instincts for Men Developer, Natural Instincts Exotics Developer, Nice 'N Easy Developers for all for Shades except 87, 88, 89, 97, 98, 101B, 103B, 106B, 114C, 116B, 118B, 118C, 120C, 126, (See MSDS #4A), Nuances Highlighting Mixing Creme, Pure White Crème Developers 10 and 20 Volumes, Radiance Color Infuser, Revitalique Developers for all Shades except Shades 08, 10, 12, 14, 16 (See MSDS #4A), Summer Blonde Developer, Ultra Blue Creme Lightening Developers, Ultress Developers for all Shades except Shades 11N, 11G and 10N (See MSDS #4A), Xtreme FX Bleach Out Developer and Herbal Essences Developer for Color Shades 26, 34, 36, 38, 40, 42, 44, 45, 46, 48, 50, 52, 54, 55, 56, 58, 60, 61, 61.7, 62, 63, 64, 65, 67, 70, 72, 74 .

### Section II - Ingredients

Peroxides (Ten (10) and Twenty (20) Volume Developers) generally contain the following hazardous ingredients (1% concentration or greater; 0.1% for carcinogens):

CTFA NAME	CAS#
NONOXYNOL-4	7311275
LAURETH-23	9002920
ISOPROPYL PALMITATE	142916
POLYSORBATE 20	9005645
NONOXYNOL-9	26571119
HYDROGEN PEROXIDE	7722841
PEG-50 TALLOW AMIDE	8051636
OLETH-5	5353275
GLYCERYL STEARATE	31566311
CETEARYL ALCOHOL	67762270
ACRYLATES/STEARETH-20 METHACRYLATE COPOLYMER	977109355
STEARETH-21	977080811
CETEARETH-20	68439496
CETEARYL ALCOHOL	67762270
OLETH-2	5274657
ACRYLATES COPOLYMER	25085692
C12-15 PARETH-3	98000085
PEG-50 HYDROGENATED PALMAMIDE	98000050

**Section III - Physical/Chemical Characteristics**

**Specific Gravity (H<sub>2</sub>O=1):** 0.985-1.192

**pH:** approximately 3.5

**Solubility in Water:** Complete.

**Appearance and Odor:** Clear-water-thin liquids or viscous creamy white and bluish emulsion. Faint fragrance or no odor.

**Section IV - Fire and Explosion Hazard Data**

**Flashpoint:** Non combustible.

**Unit:** N/A

**Type:** Not applicable.

**Method:** Not applicable.

**Fire Fighting Procedures:**

Extinguish fires with ABC all-purpose extinguisher. The type of extinguisher used should be in conformance with local fire regulations. Fire fighters should use self contained breathing apparatus in enclosed areas.

**Unusual Fire and Explosion Hazards:**

Decomposition, which may be caused by heat or combustion, will release oxygen which will increase the explosive limit range and burning rate of flammable vapors.

**Physical Hazards:**

None.

**Section V - Reactivity Data**

**Stability:**

Unstable.

**Conditions to Avoid:**

Heat and sunlight.

**Incompatibility (Materials to Avoid):**

Reducing agents; such as waving lotions; heavy metals and many many flammables. Do not use metallic bowls or stirrers.

**Hazardous Decomposition or By Products:**

Oxygen.

**Section VI - Health Hazards and Hazard Data**

The TLV of the mixture has not been established.

**1. Effects of Acute Accidental Exposure**

**Eye Contact:**

CAUTION. Developers are eye irritants. May cause severe irritation and possible permanent eye injury.

**Skin Contact:**

Prolonged contact with skin may bleach it and cause burns.

**Inhalation:**

Not likely to be inhaled.

**Ingestion:**

Moderately toxic.

**2. Effects of Chronic Exposure**

When developers were mixed with hair dyes and applied to the skin of animals for prolonged periods, no adverse effects on growth, reproduction or general health were observed. Prolonged contact with skin may result in bleaching and irritation of skin.

Target Organs: Skin.

**3. Carcinogen Status:**

OSHA: No

NTP: No

IARC: No

**4. Route of Entry:**

Inhalation: No

Ingestion: Yes

Skin: Yes

5. Pre-existing dermatitis would likely be made worse by exposure to these products.

**6. Emergency and First Aid Procedures**

**Eye Contact:**

Remove contact lenses, if used. Flush immediately with plenty of water for 15 minutes. Get medical attention IMMEDIATELY.

**Skin Contact:**

If spilled, wash skin immediately with soap and water (do not use solvents). Change into clean clothing. If irritation develops, contact dermatologist.

**Inhalation:**

Remove person to fresh air. Increase ventilation.

**Ingestion:**

Rinse out mouth with water and administer large amounts of milk. Contact Poison Control Center.

## **Section VII - Precautions for Safe Handling and Use**

### **Steps to be taken in Case Material is released or Spilled:**

Contain spill and promptly clean up. Flush with water and wipe with towel or rinse to drain. Floor can be slippery when wet.

### **Waste Disposal Method:**

Products covered by this MSDS, in their original form, are considered non-hazardous waste according to RCRA. Additionally, disposal should be in accordance with all applicable Local, State and Federal regulations.

### **Precautions to be Taken in Handling and Storage:**

Keep in cool place. Avoid contamination. Keep closed when not in use. Store in the original tightly capped containers away from sunlight, heat, sparks and flame. Do not store any tint, lightener lotion or bleach powder after it has been mixed with developer; the container may rupture. Never return unused material to original container. Empty containers should be rinsed with water before discarding. Keep out of reach of children. Other precautions: Decomposition of hydrogen peroxide may occur with increase in pressure and possible container rupture.

## **Section VIII - Control Measures**

### **Ventilation:**

Exhaust system ventilation should be adequate to avoid buildup of vapors.

### **Hand Protection:**

Use impervious gloves to avoid possible skin irritation.

### **Eye Protection:**

Avoid contact with eyes. Use protective eyewear, if splashing is possible.

### **Other Types of Protection:**

Not applicable.

### **Respiratory Protection:**

Avoid inhalation.

### **Work Hygienic Practices:**

Always follow good hygienic work practices. Avoid all skin, eye, and clothing contact with products. In case of contact, rinse thoroughly with water. Promptly clean up all spills.

## **Section IX - Transportation Information**

**DOT Class:** Not regulated.

**IMDG:** Not regulated.

**IATA/ICAO:** Not regulated.