

MATERIAL SAFETY DATA SHEET

Manufacturer's Name: GAMBLIN ARTISTS COLORS CO.
PO Box 625

Portland, OR 97207

Product: CADMIUM YELLOW LIGHT, CADMIUM YELLOW MEDIUM,
CADMIUM YELLOW DEEP ART Sketching OILS

 SECTION 1 -- PRODUCT IDENTITY

Date prepared: 10/04/94 Emergency telephone no. 503/235-1945

Preparer's Name: R. Gamblin HMIS Information

Health 2

Chemical name: Vegetable oil/pigment mixture Flammability 1

Reactivity 0

Chemical formula: N/A (mixture)

DOT shipping class: Compound paint, N.O.S., Not regulated by DOT as a hazardous material.

 SECTION II -- HAZARDOUS INGREDIENTS

Chemical names	CAS#	Wt%	OSHA PEL	ACGIH TLV
Cadmium Sulfide (as Cd) (as Cd)	1306-23-6	64-100	.05mg/m3	.5mg/m3
Zinc Sulfide	1314-98-3	0-15	5mg/m3	N/A

These are reportable chemicals under 40 CFR 372. SARA Title III Section 313

 SECTION III -- PHYSICAL CHARACTERISTICS

Boiling range: N/A Specific gravity: 1 - 1.4

Vapor pressure: N/A % volatile (volume): 0

Vapor density: N/A Evaporation rate (BuOAc = 1): N/A

Solubility (specify solvents): Insoluble in water. Soluble in most petroleum solvents.

Appearance and odor: Yellow paste; linseed oil odor.

 SECTION IV -- FIRE & EXPLOSION DATA

Flash point: 620 degree F

Extinguishing media: CO2 , dry chemical, water fog

Special firefighting procedures: water or foam may cause frothing if directed into container of burning material. Use water to cool containers exposed to heat.

Unusual fire & explosion hazards: contaminated rags or other easily ignited organic materials are spontaneously combustible. Immerse in water after use.

Reactivity: product is stable

Hazardous polymerization: will not occur
Conditions to avoid: avoid extreme heat

CADMIUM YELLOW LIGHT, CADMIUM YELLOW MEDIUM, CADMIUM YELLOW DEEP ART Sketching OILS

MSDS PAGE 2

Hazardous decomposition products:
Usual products of combustion: CO, CO2 and possibly acrolein.

SECTION V -- HEALTH HAZARD DATA

Route(s) of entry: Eye contact, ingestion of paint
Acute health effects: Eye contact may cause redness or irritation
Inhalation: N/A
Ingestion: No known adverse health effects
Skin contact: No know adverse health effects
EMERGENCY FIRST AID PROCEDURES:
Eye contact: wash with clean water for at least fifteen minutes. If irritation persists,
get medical attention.
Inhalation: N/A
Skin contact: N/A

CHRONIC HEALTH EFFECTS:
Cadmium is listed as a carcinogen by the NTP & IARC; however, there is
conflicting evidence as to whether cadmium pigments offer any risk to human
health.
No known adverse health affects to linseed oil.

SECTION VI -- SPILL OR LEAK PROCEDURE

Steps to be taken in case material is spilled: remove all sources of ignition. Soak up spill with absorbent materials.
Waste disposal method: Rags and absorbent materials should be immersed in water. Small amounts can be dried and disposed of as
ordinary trash.

SECTION VII - SPECIAL PROTECTION DATA

Respiratory protection: none normally required
Ventilation: none normally required

Protective gloves: none normally required
Eye protection: safety glasses if eye contact is likely; eyewash fountain should be accessible.

SECTION III -- STORAGE & HANDLING DATA

Precautions to be taken in handling and storage: store away from high temperature, sparks or open flame. Read and observe all
precautions on product label.
Other precautions: wash hands after use. Immerse contaminated rags in water.

The information contained herein is based on the data available to use and is believe to be correct. However, Gamblin Artists Colors Co. makes no warranty, expressed or implied, regarding the accuracy of these data or the results to be obtained from the use thereof. Gamblin assumes no responsibility for injury from the use of the product described herein.