

# MATERIAL SAFETY DATA SHEET

## SECTION 1 – CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

TRADE NAME (AS LABELED): MAGIC COMPLETE CABINET & WOOD WIPES  
PRODUCT CODE: 50331020,5011502  
SUPPLIER: **MAGIC AMERICAN PRODUCTS**  
ADDRESS: 26901 CANNON ROAD, SUITE 190  
 BEDFORD HEIGHTS, OH 44146  
EMERGENCY: CHEMTEL 800-255-3924  
TELEPHONE: 800-729-9029 M-F, 9-5 EST  
DATE OF PREPARATION: December 12, 2007

## SECTION 2 – COMPOSITION, INFORMATION ON INGREDIENTS

<u>Ingredients</u>	<u>CAS #</u>	<u>Percent (%)</u>
PROPRIETARY BLEND	MIXTURE	100

\*THE INGREDIENTS OF THIS PRODUCT DO NOT CONTRIBUTE SIGNIFICANT HAZARDS BEYOND THOSE DESCRIBED IN THIS DOCUMENT. ALL PERTINENT HEALTH, SAFETY AND ENVIRONMENTAL INFORMATION HAS BEEN PRESENTED, PER THE REQUIREMENTS OF THE US FEDERAL OSHA HAZARD COMMUNICATION STANDARD (29CFR 1910.1200).

## SECTION 3 – HAZARDS IDENTIFICATION

### EFFECTS OF OVEREXPOSURE:

**EYE:** CAUSES IRRITATION

**SKIN CONTACT:** IRRITATION MAY OCCUR ON PROLONGED EXPOSURE.

**INGESTION:** MAY BE HARMFUL IF SWALLOWED IN LARGE QUANTITIES.

**INHALATION:** MAY CAUSE RESPIRATORY TRACT IRRITATION.

**CHRONIC EFFECTS OF OVEREXPOSURE:** NO KNOWN CHRONIC EFFECTS OF OVEREXPOSURE.

**OTHER HEALTH HAZARDS:** NONE KNOWN.

## SECTION 4 - FIRST AID MEASURES

**INHALATION:** IF INHALED, REMOVE TO FRESH AIR.

**SKIN:** IMMEDIATELY WASH SKIN WITH SOAP AND PLENTY OF WATER. REMOVE AND WASH CONTAMINATED CLOTHING PROMPTLY. IF IRRITATION OCCURS, SEEK MEDICAL ATTENTION.

**EYE:** IN CASE OF CONTACT, IMMEDIATELY FLUSH EYES WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES. CALL A PHYSICIAN.

**INGESTION:** DO NOT INDUCE VOMITING. IF VOMITING SHOULD OCCUR SPONTANEOUSLY, KEEP AIRWAY CLEAR. SEEK MEDICAL ATTENTION. NEVER GIVE ANYTHING TO AN UNCONSCIOUS PERSON.

**NOTE TO PHYSICIAN:** THERE IS NO SPECIFIC ANTIDOTE. TREATMENT OF OVEREXPOSURE SHOULD BE DIRECTED AT THE CONTROL OF SYMPTOMS AND CLINICAL CONDITION.

## SECTION 5 - FIRE FIGHTING MEASURES

**FLASH POINT :** > 200 DEG F

**LEL:** NOT DETERMINED

**UEL:** NOT DETERMINED

**AUTOIGNITION TEMPERATURE:** NOT DETERMINED

**EXTINGUISHING MEDIA:** ALCOHOL FOAM, CO2, DRY CHEMICAL, WATER FOG

**SPECIAL FIRE FIGHTING PROCEDURES:** NONE.

**UNUSUAL FIRE AND EXPLOSION HAZARDS:** NONE.

## SECTION 6 – ACCIDENTAL RELEASE MEASURES

**LEAK AND SPILL PROCEDURE:** ISOLATE SPILL OR LEAK AREA IMMEDIATELY. KEEP UNAUTHORIZED PERSONNEL AWAY. STAY UPWIND. KEEP OUT OF LOW AREAS. VENTILATE CLOSED SPACES BEFORE ENTERING. DO NOT TOUCH OR WALK THROUGH SPILLED MATERIAL. WEAR APPROPRIATE PERSONAL PROTECTIVE EQUIPMENT DURING CLEANUP. SMALL SPILLS: ABSORB WITH EARTH, SAND OR OTHER NON-COMBUSTIBLE MATERIAL AND TRANSFER TO CONTAINERS FOR LATER DISPOSAL. LARGE SPILLS: DIKE AHEAD OF LIQUID SPILL FOR LATER DISPOSAL. PREVENT ENTRY INTO WATERWAYS, SEWERS, BASEMENTS OR CONFINED AREAS. SURFACES MAY BECOME SLIPPERY AFTER SPILLAGE.

---

## SECTION 7 – HANDLING AND STORAGE

---

AVOID CONTACT WITH SKIN AND EYES. WASH THOROUGHLY AFTER HANDLING. AS WITH ALL CHEMICALS, GOOD INDUSTRIAL HYGIENE PRACTICES SHOULD BE FOLLOWED WHEN HANDLING THIS MATERIAL. AVOID FREEZING OR EXCESSIVE HEAT. KEEP CONTAINER CLOSED AND IN A COOL, WELL-VENTILATED PLACE. **KEEP OUT OF REACH OF CHILDREN.**

---

## SECTION 8 – EXPOSURE CONTROLS, PERSONAL PROTECTION

---

### **AIRBORNE EXPOSURE LIMITS:**

PROPRIETARY BLEND (MIXTURE): NONE ESTABLISHED

**ENGINEERING CONTROLS:** USE WITH ADEQUATE VENTILATION. PROVIDE ADEQUATE LOCAL EXHAUST VENTILATION TO MAINTAIN WORKER EXPOSURE BELOW EXPOSURE LIMITS. LOCAL EXHAUST IS SUGGESTED FOR USE, WHERE POSSIBLE, IN ENCLOSED OR CONFINED SPACES.

**RESPIRATORY PROTECTION:** IF VAPORS ARE PRESENT OR IRRITATION IS EXPERIENCED, A NIOSH RESPIRATOR SHOULD BE WORN.

**EYE PROTECTION:** WEAR CHEMICAL GOGGLES.

**SKIN PROTECTION:** WEAR SUITABLE PROTECTIVE CLOTHING. USE IMPERVIOUS GLOVES.

**OTHER PROTECTIVE CLOTHING OR EQUIPMENT:** EYE WASH FOUNTAIN AND EMERGENCY SHOWERS ARE RECOMMENDED.

---

## SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

---

<b>APPEARANCE:</b>	LIQUID ON WIPE
<b>ODOR:</b>	CHARACTERISTIC
<b>BOILING POINT:</b>	100 – 187.2 C (212 - 369 F)
<b>VAPOR DENSITY:</b>	NOT DETERMINED
<b>EVAPORATION RATE:</b>	SLOWER THAN ETHER
<b>VAPOR PRESSURE:</b>	0.68 @ 70 F
<b>WEIGHT/GALLON:</b>	8.0 LBS/GAL

---

## SECTION 10 – STABILITY AND REACTIVITY

---

**STABILITY:** STABLE.

**CONDITIONS TO AVOID:** HEAT.

**INCOMPATIBLE MATERIALS:** STRONG OXIDIZING AGENTS.

**HAZARDOUS DECOMPOSITION PRODUCTS:** CARBON MONOXIDE AND CARBON DIOXIDE.

**HAZARDOUS POLYMERIZATION:** WILL NOT OCCUR.

---

## SECTION 11 - TOXICOLOGICAL INFORMATION

---

PRODUCT WAS NOT TESTED.

---

## SECTION 12 – ECOLOGICAL INFORMATION

---

PRODUCT WAS NOT TESTED.

---

## SECTION 13 – DISPOSAL CONSIDERATIONS

---

DISPOSE IN ACCORDANCE WITH LOCAL, STATE, AND FEDERAL REGULATIONS.

---



---

**SECTION 14 - TRANSPORT INFORMATION**


---



---

**U.S. DOT (ROAD OR RAIL):**

PROPER SHIPPING NAME: NOT REGULATED  
 HAZARD CLASS:  
 ID NUMBER:  
 PACKING GROUP:

**AIR / WATER / INTERNATIONAL TRANSPORT:**

PROPER SHIPPING NAME: NOT REGULATED  
 HAZARD CLASS:  
 ID NUMBER:  
 PACKING GROUP:

---



---

**SECTION 15 - REGULATORY INFORMATION**


---



---

**TOXIC SUBSTANCES CONTROL ACT (TSCA):** ALL THE INGREDIENTS ARE LISTED ON THE TSCA INVENTORY.  
**CANADIAN DOMESTIC SUBSTANCE LIST (DSL):** ALL INGREDIENTS ARE LISTED ON THE DSL INVENTORY.

**SARA 302:** NONE

**SARA 313:** NONE

**CERCLA:** NONE

**PROP 65:** NONE

**WHMIS CLASSIFICATION:** NOT CONTROLLED

**OSHA & WHMIS:** MSDS PREPARED PURSUANT TO THE HAZARD COMMUNICATION STANDARD (CFR29 1910.1200) AND CANADIAN WHMIS REGULATIONS (CONTROLLED PRODUCTS REGULATIONS UNDER THE HAZARDOUS PRODUCTS ACT).

---



---

**SECTION 16 - OTHER INFORMATION**


---



---

THIS PRODUCT IS SOLD TO CONSUMERS FOR HOUSEHOLD USE IN CONTAINERS OF RELATIVELY SMALL VOLUME (I.E. 5 GALLON OR LESS IN SIZE). THIS MSDS HAS BEEN DEVELOPED TO ADDRESS SAFETY CONCERNS AFFECTING THOSE INDIVIDUALS WORKING IN WAREHOUSES AND OTHER PLACES WHERE LARGE NUMBERS OF THESE CONTAINERS ARE STORED, AS WELL AS THOSE AFFECTING POTENTIAL USERS OF THIS PRODUCT IN INDUSTRIAL /OCCUPATIONAL SETTINGS. ALL PERTINENT HEALTH, SAFETY AND ENVIRONMENTAL INFORMATION HAVE BEEN PRESENTED IN THIS DOCUMENT, PER THE REQUIREMENTS OF THE US FEDERAL OSHA HAZARD COMMUNICATION STANDARD (29 CFR 1910.1200) AND CANADIAN WHMIS.

**DISCLAIMER:** AS THE HANDLING AND USE OF PRODUCTS UNDER USER'S CONDITIONS ARE BEYOND OUR CONTROL, NO WARRANTY, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE, IS MADE CONCERNING THIS PRODUCT. THE USER ASSUMES ALL RISK OF USE OR HANDLING WHETHER OR NOT IN ACCORDANCE WITH ANY DIRECTIONS OR SUGGESTIONS OF THE SUPPLIER. SELLER SHALL NOT BE LIABLE TO PURCHASER OR ANY OTHER PERSON FOR LOSS OR DAMAGES DIRECTLY OR INDIRECTLY ARISING FROM THE USE OF OUR PRODUCTS, FROM BREACH OF ANY WARRANTY OR FROM ANY OTHER CAUSE, THE EXCLUSIVE REMEDY AGAINST THE SELLER BEING TO REQUIRE REPLACEMENT OR REPAIR OF DEFECTIVE GOODS.

---



---