

Material Safety Data Sheet

0409 Create a Color Caulk

MSDS No. 0020 Rev. 4

Emergency Phone No.
(918)825-5744

SECTION 1 – PRODUCT NAME & MANUFACTURER INFORMATION

| | |
|--|------------------------------|
| PRODUCT NAME | Create a Color Caulk |
| MANUFACTURER'S NAME & TELEPHONE NUMBER | Red Devil, Inc. 918-825-5744 |
| STREET ADDRESS | 4175 Webb Street |
| CITY / STATE / ZIP | Pryor, Oklahoma 74361 |

SECTION 2 – COMPOSITION / HAZARDOUS INGREDIENTS

| | % | TLV | PEL | UNITS |
|--|-------|-----|-----|-------|
| PRODUCT CONSISTS OF: | | | | |
| Acrylic Emulsion (mixture) | <95 | NE | NE | |
| Acrylic Thickener (mixture) | <5 | NE | NE | |
| Petroleum Distillate (64742-48-9) | <0.75 | 100 | 100 | ppm |
| Non-hazardous ingredients* | <5 | NA | NA | |
| *Unlisted ingredients are not considered hazardous under the OSHA Hazard Communication Standard (29 CFR 1910.1200). Calculated VOC: <0.5%/wt (<10 g/L). CARB Compliance: Yes. Prop 65 Ingredients: Yes (See Section 16) | | | | |

SECTION 3 – HAZARDS IDENTIFICATION

| | | | | | |
|---|--|---|---|--|---|
| PRIMARY ROUTE(S) OF ENTRY | <input checked="" type="checkbox"/> Skin Contact | <input checked="" type="checkbox"/> Skin Absorption | <input checked="" type="checkbox"/> Eye Contact | <input checked="" type="checkbox"/> Inhalation | <input checked="" type="checkbox"/> Ingestion |
| EMERGENCY OVERVIEW | White paste, w/ slight ammoniacal odor. Harmful if swallowed or absorbed through skin. May cause eye & skin irritation. May cause nose, throat & respiratory tract irritation. | | | | |
| EFFECTS OF OVEREXPOSURE | May cause eye, skin, nose, throat & respiratory tract irritation. Prolong, repeated or high exposures may cause weakness & depression of central nervous system. Harmful if swallowed. If ingested, may cause vomiting, diarrhea & breathing difficulty. Prolonged & repeated skin contact may result in dermatitis. | | | | |
| MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE | None known. | | | | |

SECTION 4 – FIRST AID MEASURES

| | |
|--------------|---|
| SKIN CONTACT | Wash w/ soap & water for @ least 15 minutes. Get medical attention if symptoms persist. Remove & wash contaminated clothing. |
| EYE CONTACT | Immediately flush w/ large quantities of water for @ least 15 minutes until irritation subsides. Get medical attention. |
| INHALATION | Remove to fresh air. If breathing difficult, leave area to obtain fresh air. If breathing remains difficult, get medical attention. |
| INGESTION | DO NOT INDUCE VOMITING. Get immediate medical attention. |

SECTION 5 – FIRE FIGHTING MEASURES

| | | | |
|-------------------------------------|--|-------------------------------------|----|
| FLAMMABLE | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | | |
| EXTINGUISHING MEDIA | Carbon Dioxide, Dry Chemical, Foam, Water Fog | | |
| FLASHPOINT (°F) & METHOD | >200F (Seta Closed Cup) | UPPER EXPLOSIVE LIMIT (% BY VOLUME) | NE |
| LOWER EXPLOSIVE LIMIT (% BY VOLUME) | NE | AUTOIGNITION TEMPERATURE (°F) | NE |
| UNUSUAL FIRE & EXPLOSION HAZARDS | None required. | | |
| SPECIAL FIREFIGHTING PROCEDURES | Wear self-contained breathing apparatus pressure demand (NIOSH approved or equivalent) & full protective gear. Use water spray to cool exposed surfaces. | | |

SECTION 6 – ACCIDENTAL RELEASE MEASURES

| | | | |
|------------|---|--|--|
| PROCEDURES | Wear proper protective equipment (Section 8). Use absorbent material or scrape up dried material & place in approved container. | | |
|------------|---|--|--|

SECTION 7 – HANDLING & STORAGE

| | | | |
|---------------------------------|--|--|--|
| HANDLING PROCEDURES & EQUIPMENT | Keep out of reach of children & pets. Do not take internally. Do not breathe vapors. Use only w/ adequate ventilation. Wash thoroughly after handling. Avoid contact w/ eyes, skin & clothing. Open windows & doors to ensure cross-ventilation & fresh air during application & curing. Odor is not sufficient warning of hazardous conditions. | | |
| STORAGE REQUIREMENTS | Close container after each use. Store containers away from excessive heat & freezing. Do not store @ temperatures above 120F. Store away from caustics & oxidizers. | | |

SECTION 8 – EXPOSURE CONTROL / PERSONAL PROTECTION

| | | | |
|-------------------|--|--|--|
| RESPIRATORY | In case of insufficient ventilation, wear suitable respiratory equipment. A NIOSH-approved air purifying respirator w/ organic vapor cartridge may be necessary under circumstances where concentrations are expected to exceed exposure limits. | | |
| EYEWEAR | Goggles or safety glasses w/ side shields. | | |
| CLOTHING / GLOVES | Rubber gloves. | | |
| HYGENIC PRACTICES | Remove & wash contaminated clothing before re-use. Wash hands before breaks & @ end of workday. | | |

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

| | | | |
|------------------------|-----------------------------|-----------------------|---|
| PHYSICAL STATE | Paste | ODOR & APPEARANCE | Mild acrylic w/ slt ammoniacal. Smooth paste. |
| SPECIFIC GRAVITY | Approximately 1.0 to 1.10 | VAPOR DENSITY (AIR=1) | Heavier than air |
| EVAPORATION RATE | Slower than n-Butyl Acetate | BOILING RANGE (°F) | 210 to 220F |
| pH | Approximately 8.5 to 9.5 | SOLUBILITY IN WATER | Slight, before cure. |
| VAPOR PRESSURE (MM Hg) | NE | %/WT VOLATILE (TNV) | Approximately 35 to 40% |

SECTION 10 – STABILITY AND REACTIVITY

| | | | |
|---|---|--|--|
| STABILITY | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Stable under normal conditions. | | |
| INCOMPATIBILITY | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Incompatible w/ strong bases & oxidizing agents. | | |
| CONDITIONS TO AVOID | Excessive heat & freezing. | | |
| HAZARDOUS POLYMERIZATION/HAZARDOUS DECOMPOSITION PRODUCTS | Hazardous polymerization will not occur under normal conditions. Normal decomposition products, ie: COx, NOx. | | |

SECTION 11 – TOXICOLOGICAL INFORMATION / CARCINOGENICITY

| | |
|--|---|
| ACGIH | Trace residual Formaldehyde present in base emulsion is suspected human carcinogens. |
| OSHA | Trace residual Formaldehyde present in base emulsion viewed as a possible cancer hazard. |
| IARC | Trace residual Formaldehyde: Human carcinogen. |
| NTP | Trace residual Formaldehyde: Anticipated carcinogen. |
| DATA WITH POSSIBLE RELEVANCE TO HUMANS | Product contains trace amounts of residual Formaldehyde. OSHA & NTP identify Formaldehyde as a potential carcinogen. IARC identifies Formaldehyde as a human carcinogen. Formaldehyde has been shown to cause mutations in a variety of in-vitro test systems, w/ human significance unknown. Rats have shown carcinogenic effects in respiratory system. Risk should be minimal when used w/ adequate ventilation. Maintain adequate ventilation to prevent exposure above OSHA exposure limits. |

SECTION 12 – ECOLOGICAL INFORMATION

| | |
|------------------|---|
| AQUATIC TOXICITY | Not known or expected under normal use. |
|------------------|---|

SECTION 13 – DISPOSAL CONSIDERATIONS

| | |
|---|--|
| WASTE DISPOSAL | Dispose of material in accordance w/ Federal, State & Local regulations. |
| EPA WASTE CODE IF DISCARDED (40CFR Sec.261) | None. |

SECTION 14 – TRANSPORT INFORMATION

| | |
|------------------------------|---|
| SPECIAL SHIPPING INFORMATION | Shipping information applicable for domestic ground transport only. Different categorization may be necessary if shipped via other modes of transportation &/or to non-domestic destinations. PRODUCT NOT REGULATED BY DOT. |
|------------------------------|---|

SECTION 15 – REGULATORY INFORMATION

| | | | |
|-------------------------------|---|-----------------|---|
| CERCLA – SARA HAZARD CATEGORY | Immediate health hazard; chronic health hazard. | U.S. STATE REGS | See Section 16. |
| SARA 313 | None. | TSCA | All ingredients either on TSCA Inventory or exempt. |

SECTION 16 – OTHER INFORMATION / SPECIAL PRECAUTIONS / LEGEND

NJ Right-to-Know: (Top 5 Ingredients): Base Acrylic Emulsion (mixture), Acrylic Thickener (mixture), Water (7732-18-5), Petroleum Distillate (64742-48-9), Propylene Glycol (57-55-6). Pennsylvania Right-to-Know (Non-Haz @ >3%): Water (7732-18-5). Ingredients Known to State of California to cause cancer &/or developmental toxicity &/or reproductive toxicity: Formaldehyde (50-00-0). HMIS Ratings: Health: 1, Flammability: 1, Reactivity: 0, Personal Protection: X. **WARNING:** This product contains chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

LEGEND: NA – Not Applicable, NE – Not Established, UN – Unavailable, VOC – Volatile Organic Compound, PEL – Permissible Exposure Limit, TLV – Threshold Limit Value, STEL – Short Term Exposure Limit, MSDS – Material Safety Data Sheet, ACGIH – American Conference of Governmental Industrial Hygienists, SARA – Superfund Amendments & Reauthorization Act of 1986, OSHA – Occupational Safety & Health Administration, HMIS – Hazardous Materials Identification System, NTP – National Toxicology Program, CEIL – Ceiling Exposure Limit, CASRN (CAS Number) – Chemical Abstracts Service Registry Number, TSCA – Toxic Substances Control Act

| | | |
|--------------------------------------|--|-------------------------|
| Reviewed By: <u>Larry G. Brandon</u> | <u>VP Technology & General Manager</u> | <u>February 3, 2010</u> |
| NAME | TITLE | DATE |

The information contained herein has been developed based upon currently available scientific data. New information may be developed from time to time which may render the conclusions of this report obsolete. Therefore, no warranty is extended as to the applicability of this information to the user's intended purpose or for the consequences of its use or misuse.