

# Material Safety Data Sheet

0420, 0422, 0424, 0425, 0428, 0438 Pre-mixed Tile Grout - White

MSDS No. 0022 Rev. 4

Emergency Phone No.  
(918)825-5744

## SECTION 1 – PRODUCT NAME & MANUFACTURER INFORMATION

PRODUCT NAME	Pre-mixed Tile Grout - White		
MANUFACTURER'S NAME & TELEPHONE NUMBER	Red Devil, Inc.	918-825-5744	
STREET ADDRESS	4175 Webb Street		
CITY / STATE / ZIP	Pryor, Oklahoma 74361		

## SECTION 2 – COMPOSITION / HAZARDOUS INGREDIENTS

	%	TLV	PEL	UNITS
<b>PRODUCT CONSISTS OF:</b>				
Calcium Carbonate ** (1317-65-3)	< 70	10	15	mg/m3
Acrylic Emulsion Blend (mixture)	< 25	NE	NE	
Titanium Dioxide ** (13463-67-7)	< 2	10	10	mg/m3
Petroleum Distillate/Mineral Spirits (64742-48-9)	< 1	100	100	ppm
Ammonium Hydroxide (7664-41-7)	< 0.15	25	50	ppm
Non-hazardous ingredients*	< 15	NA	NA	
*Unlisted ingredients are not considered hazardous under the OSHA Hazard Communication Standard (29 CFR 1910.1200). **Inhalation of particulate not likely due to products physical state. Calculated VOC: < 1.50%/wt., < 40 g/L CARB Compliance: Yes. Prop 65 Ingredients: Yes (See Section 16)				

## SECTION 3 – HAZARDS IDENTIFICATION

PRIMARY ROUTE(S) OF ENTRY	<input checked="" type="checkbox"/> Skin Contact	<input checked="" type="checkbox"/> Skin Absorption	<input type="checkbox"/> Eye Contact	<input checked="" type="checkbox"/> Inhalation	<input checked="" type="checkbox"/> Ingestion
EMERGENCY OVERVIEW	White, slightly textured paste. Harmful if swallowed.				
EFFECTS OF OVEREXPOSURE	<u>Eye</u> : Causes eye irritation. <u>Skin</u> : Causes skin irritation. <u>Inhalation</u> : Harmful if inhaled. May cause nose & throat irritation. <u>Ingestion</u> : Harmful if swallowed. <u>Chronic Hazards</u> : Formaldehyde vapor (trace residual Formaldehyde present in base acrylic emulsion) is a known animal carcinogen (IARC & NTP) & is considered possibly carcinogenic to humans by inhalation.				
MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE	None known.				

## SECTION 4 – FIRST AID MEASURES

SKIN CONTACT	Wash w/ soap & water for @ least 15 minutes. Get medical attention if symptoms persist. Remove & wash contaminated clothing.
EYE CONTACT	Immediately flush w/ large quantities of water for @ least 15 minutes until irritation subsides. Get medical attention.
INHALATION	Remove to fresh air. If breathing difficult, leave area to obtain fresh air. If breathing remains difficult, get medical attention.
INGESTION	DO NOT INDUCE VOMITING. Get immediate medical attention.

## SECTION 5 – FIRE FIGHTING MEASURES

<b>FLAMMABLE</b>	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		
<b>EXTINGUISHING MEDIA</b>	Carbon Dioxide, Dry Chemical, Foam, Water Fog		
<b>FLASHPOINT (°F) &amp; METHOD</b>	>200F (Seta Closed Cup)	<b>UPPER EXPLOSIVE LIMIT (% BY VOLUME)</b>	NE
<b>LOWER EXPLOSIVE LIMIT (% BY VOLUME)</b>	NE	<b>AUTOIGNITION TEMPERATURE (°F)</b>	NE
<b>UNUSUAL FIRE &amp; EXPLOSION HAZARDS</b>	None known.		
<b>SPECIAL FIREFIGHTING PROCEDURES</b>	Wear self-contained breathing apparatus pressure demand (NIOSH approved or equivalent) & full protective gear. Use water spray to cool exposed surfaces.		

## SECTION 6 – ACCIDENTAL RELEASE MEASURES

<b>PROCEDURES</b>	Wear proper protective equipment (Section 8). Use absorbent material or scrape up dried material & place in approved container.
-------------------	---

## SECTION 7 – HANDLING & STORAGE

<b>HANDLING PROCEDURES &amp; EQUIPMENT</b>	Keep out of reach of children & pets. Do not take internally. Do not breathe vapors. Use only w/ adequate ventilation. Wash thoroughly after handling. Avoid contact w/ eyes, skin & clothing. Open windows & doors to ensure cross-ventilation & fresh air during application & curing.
<b>STORAGE REQUIREMENTS</b>	Close container after each use. Store containers away from excessive heat & freezing. Do not store @ temperatures above 120F. Store away from caustics & oxidizers.

## SECTION 8 – EXPOSURE CONTROL / PERSONAL PROTECTION

<b>RESPIRATORY</b>	In case of insufficient ventilation, wear suitable respiratory equipment. A NIOSH-approved air purifying respirator w/ organic vapor cartridge may be necessary under circumstances where concentrations are expected to exceed exposure limits.
<b>EYEWEAR</b>	Goggles or safety glasses w/ side shields.
<b>CLOTHING / GLOVES</b>	Rubber gloves. Other protective equipment not required under normal use.
<b>HYGENIC PRACTICES</b>	Remove & wash contaminated clothing before re-use. Wash hands before breaks & @ end of workday.

## SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

<b>PHYSICAL STATE</b>	Paste	<b>ODOR &amp; APPEARANCE</b>	Mild acrylic/ammonia odor, v slightly textured white paste
<b>SPECIFIC GRAVITY</b>	Approximately 1.50 to 2.0	<b>VAPOR DENSITY (AIR=1)</b>	> 1
<b>EVAPORATION RATE</b>	NE	<b>BOILING RANGE (°F)</b>	NE
<b>pH</b>	Approximately 7 to 10	<b>SOLUBILITY IN WATER</b>	Slightly soluble prior to full cure
<b>VAPOR PRESSURE (MM Hg)</b>	NE	<b>%/WT VOLATILE (TNV)</b>	< 25

## SECTION 10 – STABILITY AND REACTIVITY

<b>STABILITY</b>	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Stable under normal conditions.
<b>INCOMPATIBILITY</b>	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Incompatible w/ strong bases & oxidizing agents.
<b>CONDITIONS TO AVOID</b>	Excessive heat & freezing.	
<b>HAZARDOUS POLYMERIZATION/HAZARDOUS DECOMPOSITION PRODUCTS</b>	Hazardous polymerization will not occur under normal conditions. Normal decomposition products, ie: COx, NOx.	

## SECTION 11 – TOXICOLOGICAL INFORMATION / CARCINOGENICITY

ACGIH	Small amount of Silica, crystalline present in Calcium Carbonate & trace residual Formaldehyde present in base emulsion are suspected human carcinogens.
OSHA	Trace residual Formaldehyde present in base emulsion viewed as a possible cancer hazard.
IARC	Trace residual Formaldehyde: Potential human carcinogen.
NTP	Silica, crystalline, present in small amount in Calcium Carbonate Filler: Known carcinogen. Trace residual Formaldehyde: Anticipated carcinogen.
DATA WITH POSSIBLE RELEVANCE TO HUMANS	Product contains trace amounts of residual Formaldehyde. OSHA, NTP & IARC identify Formaldehyde as a potential carcinogen. Formaldehyde has been shown to cause mutations in a variety of in-vitro test systems, w/ human significance unknown. Rats have shown carcinogenic effects in respiratory system. Risk should be minimal when used w/ adequate ventilation. Maintain adequate ventilation to prevent exposure above OSHA exposure limits.

## SECTION 12 – ECOLOGICAL INFORMATION

AQUATIC TOXICITY	Not known or expected under normal use.
------------------	---

## SECTION 13 – DISPOSAL CONSIDERATIONS

WASTE DISPOSAL	Dispose of material in accordance w/ Federal, State & Local regulations.
EPA WASTE CODE IF DISCARDED (40CFR Sec.261)	None.

## SECTION 14 – TRANSPORT INFORMATION

SPECIAL SHIPPING INFORMATION	Product not regulated by DOT.
------------------------------	-------------------------------

## SECTION 15 – REGULATORY INFORMATION

CERCLA – SARA HAZARD CATEGORY	Immediate health hazard; chronic health hazard.	U.S. STATE REGS	See Section 16.
SARA 313	None.	TSCA	All ingredients either on TSCA Inventory or exempt.

## SECTION 16 – OTHER INFORMATION / SPECIAL PRECAUTIONS / LEGEND

NJ Right-to-Know: (Top 5 Ingredients): Calcium Carbonate (1317-65-3), Base Acrylic Emulsion (mixture), Water (7732-18-5), Petroleum Distillate (64742-48-9), Titanium Dioxide (13463-67-7), Pennsylvania Right-to-Know (Non-Haz @ >3%): Water (7732-18-5). Ingredients Known to State of California to cause cancer &/or developmental toxicity &/or reproductive toxicity: Silica, crystalline & Formaldehyde. HMIS Ratings: Health: 1, Flammability: 0, Reactivity: 0. Titanium Dioxide added to Massachusetts Right to Know List, Minnesota Hazardous Substance List, New Jersey Right to Know List, Pennsylvania Right to Know List & Rhode Island Hazardous Substance List. **WARNING**: This product contains chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

**LEGEND**: NA – Not Applicable, NE – Not Established, UN – Unavailable, VOC – Volatile Organic Compound, PEL – Permissible Exposure Limit, TLV – Threshold Limit Value, STEL – Short Term Exposure Limit, MSDS – Material Safety Data Sheet, ACGIH – American Conference of Governmental Industrial Hygienists, SARA – Superfund Amendments & Reauthorization Act of 1986, OSHA – Occupational Safety & Health Administration, HMIS – Hazardous Materials Identification System, NTP – National Toxicology Program, CEIL – Ceiling Exposure Limit, CASRN (CAS Number) – Chemical Abstracts Service Registry Number, TSCA – Toxic Substances Control Act

Reviewed By: <u>Larry G. Brandon</u>	<u>VP Technology &amp; General Manager</u>	<u>February 3, 2010</u>
NAME	TITLE	DATE

The information contained herein has been developed based upon currently available scientific data. New information may be developed from time to time which may render the conclusions of this report obsolete. Therefore, no warranty is extended as to the applicability of this information to the user's intended purpose or for the consequences of its use or misuse.