

April 25, 2006

We appreciate your interest in Natural Match.

Please find our confidential Material Data Safety Sheet for the product(s) you requested.

Please let us know if you should need additional assistance.

Sincerely,
Linda Barton
Consumer Affairs Coordinator
Ref # 3453175

Material Safety Data Sheet
U.S. Department of Labor #99-028
May be used to comply with
Occupation Safety and Health Administration
OSHA's Hazard Communication Standard
(Non-Mandatory Form)
29 CFR 1910.1200. Standard must be
Form Approved
consulted for specific requirements
OMB No. 1218-0072
IDENTITY

Note: Blank spaces are not permitted. If any item is not applicable, or no
0-25 Volume Developer and Other Products Containing < 8% Hydrogen Peroxide
information is available, the space must be marked to indicate that.

Section I

Manufacturer's Name
Emergency Telephone Number
L'Oreal USA Products, Inc.
(800) 535-5053 (Int'l 352-323-3500)
Address (Number, Street, City, State, and ZIP Code)
Telephone Number For Information
111 Terminal Avenue
(732) 499-2745

Date Prepared
Clark, NJ 07066
September 27, 2004

Signature of Preparer (optional)

GCD
Section II - Hazardous Ingredients/Identity Information



Hazardous Components (Specific Chemical Identity;Common Name(s))

OSHA PEL
ACGIH TLV
Other Limits Recommended

% (optional)

Hydrogen Peroxide
1 ppm

<8%



Section III - Physical/Chemical Characteristics

Boiling Point

Specific Gravity (H₂O = 1)

~212°F

~1

Vapor Pressure (mm Hg)

Melting Point

N/A

N/A

Vapor Density (AIR = 1)

Evaporation Rate

N/A

(Butyl Acetate = 1)

<1

Solubility in Water

Miscible pH = ~2.5

Appearance and Odor

White, creamy, thick liquid with a faint odor.

Section IV - Fire and Explosion Hazard Data

Flash Point (Method Used)

Flammable Limits

LEL

UEL

>200°F (closed cup)

None

N/A

N/A

Extinguishing Media

Use media appropriate for materials actually involved in the fire.

Special Fire Fighting Procedures

Upon decomposition, peroxides yield oxygen and may thereby stimulate the combustion of flammable and combustible materials. Extinguish fires with media appropriate for the burning material.



Unusual Fire and Explosion Hazards

Caution: Oxidizer. Residual product on towels, sponges, or mops may cause fire. Rinse towels thoroughly before disposal. Rinse sponges and mops thoroughly before storage.

Forms published by ChemSW (707)864-0845

Section V - Reactivity

Data

#99-

028

Stability

Unstable

Conditions to Avoid

Avoid contact with iron, zinc, and reducing agents.

Stable

X

Incompatibility (Materials to Avoid)

Organic compounds (including flammables and combustibles), iron, zinc, and reducing agents.

Hazardous Decomposition or Byproducts

None known.

Hazardous

May Occur

Conditions to Avoid

Polymerization

Will Not Occur

X

None known.

Section VI - Health Hazard Data

Route(s) of Entry:

Inhalation?

Skin?

Ingestion?

Yes

Yes

Not likely.

Health Hazards (Acute and Chronic)

May cause skin and severe eye irritation. Harmful if swallowed. May cause severe irritation of gastric mucous membranes if swallowed.

Carcinogenicity:

NTP?



IARC Monographs?
OSHA Regulated?

No
No
No

Signs and Symptoms of Exposure
Irritation of skin, eyes, and/or mucous membranes.

Medical Conditions Generally Aggravated by Exposure
None known.

Emergency and First Aid Procedure

If swallowed, drink one or two glasses of water or milk. Call a physician, hospital emergency room, or poison control center immediately. Do not induce vomiting. Get medical attention. If in eyes, flush with water for at least 15 minutes and get medical attention. If on skin, flush with water, then wash with soap and plenty of water. Consult a physician if irritation occurs.

Section VII - Precautions for Safe Handling and Use

Steps to be Taken in Case Material is Released or Spilled

For small spills, wipe up with paper towels or a sponge. Wash area with water. Rinse paper towels, sponges, or mops thoroughly prior to disposal or storage. For large spills, dike and contain the free liquid. Use absorbant material to solidify spill and then place in proper containers for disposal.

Waste Disposal Method

Although dilute (<8%) hydrogen peroxide solutions are not regulated as hazardous wastes under RCRA, physical and/or chemical deactivation/degradation of the peroxide solution is the recommended method of treatment and disposal for these products.

Precautions to be Taken in Handling and Storage

Do not use or store with or near fuels, solvents, or other organic materials. Avoid iron, zinc, and reducing agents. Store in a cool place away from direct sunlight. Keep out of reach of children.

Other Precautions

For external use only. Use only as directed.

Section VIII - Control Measures

#99-028

Respiratory Protection (Specify Type)

None required for product use. For handling bulk quantities, use a NIOSH-approved respirator if peroxide TLV is exceeded. For spills or fires, wear a self-contained breathing apparatus.

Ventilation

Local Exhaust
Recommended
Special

Mechanical(General)

Acceptable
Other

Protective Gloves

Plastic or rubber.
Other Protective Clothing or Equipment



Safety glasses with side shields or full face shield) and protective clothing are recommended for manufacturing operations. Safety shower and eyewash station should be immediately available.

Work/Hygienic Practices

OSHA hazard classification: Oxidizer, irritant, slightly toxic.

DOT classification: Bulk - Not regulated.

Finished Product - Not regulated.

Forms published by ChemSW (707)864-0845

Material Safety Data Sheet

U.S. Department of Labor #99-023

May be used to comply with

Occupation Safety and Health Administration

OSHA's Hazard Communication Standard

(Non-Mandatory Form)

29 CFR 1910.1200. Standard must be

Form Approved

Consulted for specific requirements

OMB No. 1218-0072

IDENTITY

Note: Blank spaces are not permitted. If any item is not applicable, or no Semi-Permanent and Permanent Hair Dyes Containing No Alcohols information is available, the space must be marked to indicate that.

Section I

Manufacturer's Name

Emergency Telephone Number

L'Oreal USA Products, Inc.

(800) 535-5053 (Int'l 352-323-3500)

Address (Number, Street, City, State, and ZIP Code)

Telephone Number For Information

111 Terminal Avenue

(732) 499-2745

Date Prepared

Clark, NJ 07066

December 18, 2003

Signature of Preparer (optional)

GCD

Section II - Hazardous Ingredients/Identity Information

Hazardous Components (Specific Chemical Identity;Common Name(s))

OSHA PEL

ACGIH TLV

Other Limits Recommended

% (optional)

Ethanolamine

3 ppm



<10
Ethoxydiglycol

<10
Ammonium Hydroxide

25 ppm

<7
p-Phenylenediamine
0.1mg/m³

<5
Aminophenols
None

<2
Resorcinol

10 ppm

<1
Hydroquinone
2 mg/m³

<1

Section III - Physical/Chemical Characteristics
Boiling Point

Specific Gravity (H₂O = 1)

170-200°F



~1

Vapor Pressure (mm Hg)

Melting Point

N/A

N/A

Vapor Density (AIR = 1)

Evaporation Rate

<1

(Butyl Acetate = 1)

<1

Solubility in Water

Dispersible

Appearance and Odor

White to tan viscous liquid or cream with an ammonical odor.

Section IV - Fire and Explosion Hazard Data

Flash Point (Method Used)

Flammable Limits

LEL

UEL

>200°F (closed cup)

None

N/A

N/A

Extinguishing Media

Not applicable.

Special Fire Fighting Procedures

Not applicable.

Unusual Fire and Explosion Hazards

None known.

Forms published by ChemSW (707)864-0845

Section V - Reactivity

Data

Stability

Unstable

Conditions to Avoid

Stable



X

None known.

Incompatibility (Materials to Avoid)

None known.

Hazardous Decomposition or Byproducts

None known.

Hazardous

May Occur

Conditions to Avoid

Polymerization

Will Not Occur

X

None known.

Section VI - Health Hazard Data

Route(s) of Entry:

Inhalation?

Skin?

Ingestion?

Yes

Yes

Not likely.

Health Hazards (Acute and Chronic)

Harmful if swallowed, inhaled, or absorbed through skin. This product may cause serious irritant, respiratory, and/or allergic reactions in sensitive individuals.

Carcinogenicity:

NTP?

IARC Monographs?

OSHA Regulated?

No

No

No

Signs and Symptoms of Exposure

Irritation of eyes, skin, and mucous membranes. Possible irritant/allergic dermatitis and respiratory signs and symptoms, the onset of which may be delayed.

Medical Conditions Generally Aggravated by Exposure

Existing dermatological conditions, such as eczema, and respiratory conditions, such as bronchial asthma and/or chronic bronchitis, may be exacerbated.

Emergency and First Aid Procedure

If swallowed, call a physician, hospital emergency room, or poison control center immediately. Induce vomiting only if recommended by medical personnel. Get prompt medical attention if affected by inhalation, move to fresh air. If symptoms persist, get medical attention. If eye or skin contact occurs, immediately flush with water and get medical attention if irritation occurs.

Section VII - Precautions for Safe Handling and Use

Steps to be Taken in Case Material is Released or Spilled

Dike and contain the free liquid, if any, and absorb on vermiculite, spill pillows, or other suitable



absorbant material. Place spent absorbants in proper containers for disposal.

Waste Disposal Method

This material is not regulated under RCRA. Accordingly, incineration at a non-hazardous waste treatment facility is the preferred method of disposal.

Precautions to be Taken in Handling and Storage

Use only with adequate ventilation and avoid inhalation. Avoid contact with eyes and skin (other than areas of application). Do not inhale or ingest. Prepare and use in a well-ventilated area. To assure maximum shelf-life, avoid direct sunlight.

Other Precautions

For external use only. Use only as directed. Keep out of reach of children. Patch test is intended to indentify skin reaction only; it will not necessarily predict sensitization or irritation secondary to inhalation. Read the product package insert completely.

Section VIII - Control Measures

#99-023

Respiratory Protection (Specify Type)

For manufacturing/filling, wear a NIOSH-approved respirator if constituent TLVs are exceeded. For spill management, use an approved self-contained breathing apparatus. For product use, respiratory protection is generally unnecessary.

Ventilation

Local Exhaust

Recommended

Special

Mechanical(General)

Generally Acceptable

Other

Protective Gloves

Plastic or rubber gloves.

Other Protective Clothing or Equipment

Safety glasses with side shields and protective clothing for bulk quantities.

Work/Hygienic Practices

OSHA hazard classification: Irritant, slightly toxic, possible sensitizer.

DOT classification: Bulk - Not regulated.

Finished Product - Not regulated.

Forms published by ChemSW (707)864-0845

This message and any attachments (hereunder the « message ») are confidential and intended solely for the addressees. If you receive this message in error, please delete it and immediately notify the sender. If the reader of this message is not the intended recipient, you are hereby notified that any unauthorized use, copying or dissemination is prohibited. E-mails are susceptible



to alteration. Neither L'OREAL nor any of its subsidiaries or affiliates shall be liable for the message if altered, changed or falsified.

=====

