

Material Safety Data Sheet

ITW Consumer - Devcon/Versachem

1 of 4

CONNECTOR & SPARK PLUG BOOT GREASE

This product appears in the following stock number(s):
15309

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Tradename: CONNECTOR & SPARK PLUG BOOT GREASE

General use: This product does not contain hazardous ingredients

Chemical family: Organosilicone/Plasticizer Blend

MANUFACTURER

ITW Consumer - Devcon/Versachem
2107 West Blue Heron Blvd.
Riviera Beach, Florida 33404

EMERGENCY INFORMATION

Emergency telephone number
(CHEMTEL): (800) 255-3924
(CHEMTEL International): (+01) 813-248-0585
Other Calls: (561) 845-2425

2. COMPOSITION/INFORMATION ON INGREDIENTS

Component	Abbr.	Weight%	ACGIH; TLV-TWA	OSHA PEL:	Other Limits
TRADE SECRET (Non-hazardous) MIXTURE	n/e	100		n/e	n/e

"TLV" means the Threshold Limit Value exposure (eight-hour, time-weighted average, unless otherwise noted) established by the American Conference of Governmental Industrial Hygienists. "STEL" indicates a short-term exposure limit. "PEL" indicates the OSHA Permissible Exposure Limit. "n/e" indicates that no exposure limit has been established. An asterisk (*) indicates a substance whose identify is a trade secret of our supplier and unknown to us.

3. HAZARDOUS IDENTIFICATION

Emergency Overview

Appearance, form, odor: Translucent grease with slight, sweet odor

CAUTION!. Eye and skin irritant. May be harmful if swallowed.

Potential health effects

Primary Routes of Exposure: Eye, skin

Symptoms of acute overexposure

Skin: May cause mild skin irritation.

Eyes: May cause mild eye irritation Conjunctivitis under extreme conditions

Inhalation: Under extreme conditions when material is heated, vapor may be irritating to respiratory tract and cause dizziness or nausea.

Ingestion: None known.

Effects of Chronic Exposure: None known.

Medical Conditions Recognized as Being Aggravated by Exposure:

None known.

4. FIRST AID MEASURES

Eye Contact: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention if irritation persists.

Skin Contact: Wash with soap and water. If skin irritation persists, call a physician.

Inhalation: Move to fresh air; get medical attention if symptoms persist

Ingestion: If swallowed, DO NOT induce vomiting. Keep individual calm. Obtain medical attention

5. FIRE FIGHTING MEASURES

Recommended Extinguishing Media: Water, Dry chemical, foam

Flash point: >575°F

Method: Estimate

Lower Explosive

Upper Explosive

Limit: n/d

Limit: n/d

Special Fire-Fighting Procedures: Firefighters should wear self-contained breathing apparatus.

Unusual Fire/Explosion Hazards:

None.

Hazardous Products of Combustion:

Carbon monoxide, Carbon dioxide, Oxides of silicon

6. ACCIDENTAL RELEASE MEASURES

Spill Control: Absorb with absorbent material.

Containment: N/A

Cleanup: Place in an appropriate waste container for disposal.

Special procedures: Prevent spill from entering drainage/sewer systems, waterways and surface water.

7. HANDLING AND STORAGE

Handling precautions: If sanding or grinding cured material, avoid breathing dusts which contain amorphous silica. A TLV of 10 mg/m³ should be observed for nuisance dusts.

Storage: Store in a cool, dry area. Keep containers closed when not in use.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls:

Ventilation:

General ventilation is usually adequate.

Other engineering controls: Eye wash station.

Personal protective equipment

Eye and face protection: Safety glasses with side shields

Skin protection: Impervious gloves.

Respiratory protection: With good ventilation, none required. If material is heated or mists are created, a NIOSH-approved organic vapor respirator may be required.

9. PHYSICAL AND CHEMICAL PROPERTIES

Specific Gravity: 1.03

Boiling Point: >572°F

Melting point: n/d

Vapor Density (Air=1): >1

Vapor Pressure: <5 mmHg @ 68°F

Evaporation Rate: <1 (butyl acetate = 1)

VOC: <10 g/l

Solubility in water: Nil

pH (5% solution or slurry in water): n/d

10. STABILITY AND REACTIVITY

This material is chemically stable. Hazardous polymerization will not occur.

Conditions to Avoid: Excessive heat.

Incompatibilities: Avoid contact with bases and strong oxidizers, Acids

Hazardous Products of Combustion: Carbon monoxide, Carbon dioxide, Oxides of silicon

Conditions under which hazardous polymerization may occur: None.

11. TOXICOLOGICAL INFORMATION

Eye Contact: No data available.

Subchronic effects: No data available.

Carcinogenicity, tertogenicity and mutagenicity: No data available.

Other chronic effects: None known.

Toxicological information on hazardous chemical constituents of this product:

Component	Oral LD50 (rat)	Dermal LD50 (rabbit)	Inhalation LC50 4hr (rat)
TRADE SECRET (Non-hazardous) MIXTURE	n/d	n/d	n/d

'n/d' = not determined

—

12. ECOLOGICAL INFORMATION

Ecotoxicity: No data available.

Mobility and persistence: No data available.

Environmental fate: No data available.

13. DISPOSAL CONSIDERATIONS

Please see also Section 15, Regulatory Information.

Recommended Method of Disposal: If material becomes a waste, it would not be a hazardous waste by RCRA criteria (40CFR 261). Dispose of according to applicable federal, state and local regulations.

US EPA Waste Number: NH - Not a RCRA Hazardous Waste Material.

14. TRANSPORT INFORMATION

Proper shipping name: Not regulated

Technical name: N/A

ITW Consumer - Devcon/Versachem

Hazard class: N/A

UN/ID Number: N/A

Packing group: N/A

Emergency Response Guide no: N/A

15. REGULATORY INFORMATION

U.S. Federal Regulations

TSCA:

All ingredients of this product are listed or are exempt from listing on the TSCA Inventory.

The following RCRA code(s) applies to this material if it becomes waste:

None

Regulatory status of hazardous chemical constituents of this product:

Component	Extremely Hazardous*	Toxic Chemical**	CERCLA RQ (lbs)	12B EXPORT NOTIFICATION:
TRADE SECRET (Non-hazardous) MIXTURE	No	No	0.0	Not required

*Consult the appropriate regulations for emergency planning and release reporting requirements for substances on the SARA Section 301 Extremely Hazardous Substance List.

**Substances for which the "Toxic Chemical" column is marked "Yes" are on the SARA Section 313 list of Toxic Chemicals, for which release reporting may be required. For specific requirements, consult the appropriate regulations.

For purposes of SARA Section 312 hazardous materials inventory reporting, the following hazard classes apply to this material: Immediate health hazard

California regulations: For purposes of the California Safe Drinking Water and Toxic Enforcement Act of 1986 (Prop 65), this product does not contain any listed chemical at or above the No Significant Risk Limit.

Canadian Regulations

WHMIS Hazard Class: Non-controlled

16. OTHER INFORMATION

Hazardous Material Information System (HMIS) rating:

Health 1 Flammability 0 Physical Hazard 0

HMIS is a registered trademark of the National Paint and Coatings Assn.

Revision Date: September/15/2008

Revision Number: 4

The information and recommendations in this document are based on the best information available to us at the time of preparation, but we make no other warranty, express or implied, as to its correctness or completeness, or as to the results of reliance on this document.