

Material Safety Data Sheet

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



SHOUT® COLOR CATCHER ® + OXI BOOSTER

Version 2.0

Print Date 08/01/2011

Revision Date 07/11/2011

MSDS Number 350000016973

GEN_SOF Number 42806

1. PRODUCT AND COMPANY IDENTIFICATION

Product information

Trade name : SHOUT® COLOR CATCHER ® + OXI BOOSTER

Use of the Substance/Mixture : Speciality Cleaner

Company : S.C. Johnson & Son, Inc.
1525 Howe Street
Racine WI 53403-2236

Emergency telephone number : 24 Hour Transport & Medical Emergency Phone (866) 231-5406
24 Hour International Emergency Phone (952) 852-4647

2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance / Odor : white / solid / pleasant

Immediate Concerns

: Caution
CAUSES EYE IRRITATION.
Avoid contact with skin, eyes and clothing.
Harmful if swallowed.
Contact with combustible material may cause fire.

Potential Health Effects

Exposure routes : Eye, Skin, Inhalation, Ingestion.

Eyes : Causes:
Moderate eye irritation

Skin : Prolonged or repeated contact may dry skin and cause irritation.

Inhalation : May cause nose, throat, and lung irritation.

Ingestion : Harmful if swallowed.

Aggravated Medical Condition : Individuals with chronic respiratory disorders such as asthma, chronic bronchitis, emphysema, etc. may be more susceptible to irritating effects.
Allergies to enzymes

Material Safety Data Sheet

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



SHOUT® COLOR CATCHER ® + OXI BOOSTER

Version 2.0

Print Date 08/01/2011

Revision Date 07/11/2011

MSDS Number 350000016973
GEN_SOF Number 42806

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous chemicals present at or above reportable levels as defined by OSHA 29 CFR 1910.1200 or the Canadian Controlled Products Regulations are listed in this table:

Chemical Name	CAS-No.	Weight percent
Sodium percarbonate peroxyhydrate	15630-89-4	30.00 - 60.00
Sodium carbonate	497-19-8	30.00 - 60.00
Enzyme	Mixture	0.01 - 1.00

For additional information on product ingredients, see www.whatsinsidescjohnson.com.

4. FIRST AID MEASURES

- Eye contact : Remove contact lenses. Flush immediately with plenty of water for at least 15 to 20 minutes. Get medical attention if irritation develops and persists.
- Skin contact : Rinse with plenty of water.
- Inhalation : Remove to fresh air.
- Ingestion : If swallowed, DO NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention immediately.

5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Extinguishing media which shall not be used for safety reasons : Water may be ineffective.
- Specific hazards during firefighting : Contains an oxidizer which may intensify fire and make it difficult to extinguish.
- Further information : Fight fire with normal precautions from a reasonable distance. Standard procedure for chemical fires. Wear full protective clothing and positive pressure self-contained breathing apparatus.
- Flash point : Note: not applicable

Material Safety Data Sheet

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



SHOUT® COLOR CATCHER ® + OXI BOOSTER

Version 2.0

Print Date 08/01/2011

Revision Date 07/11/2011

MSDS Number 350000016973
GEN_SOF Number 42806

Lower explosion limit : Note: no data available

Upper explosion limit : Note: no data available

6. ACCIDENTAL RELEASE MEASURES

Personal precautions : No special precautions required.

Environmental precautions : Outside of normal use, avoid release to the environment.

Methods for cleaning up : Sweep up and shovel into suitable containers for disposal.
Clean residue from spill site.

7. HANDLING AND STORAGE

Handling

Advice on safe handling : Avoid contact with skin, eyes and clothing.
Avoid breathing vapors, mist or gas.
For personal protection see section 8.
Use only as directed.
KEEP OUT OF REACH OF CHILDREN AND PETS.
Smoking, eating and drinking should be prohibited in the application area.

Advice on protection against fire and explosion : Keep away from combustible material.

Storage

Requirements for storage areas and containers : Keep in a dry, cool and well-ventilated place.

Other data : Stable under recommended storage conditions.

Material Safety Data Sheet

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



SHOUT® COLOR CATCHER® + OXI BOOSTER

Version 2.0

Print Date 08/01/2011

Revision Date 07/11/2011

MSDS Number 350000016973

GEN_SOF Number 42806

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits

Components	CAS-No.	mg/m3	ppm	Non-standard units	Basis
Sodium percarbonate peroxyhydrate	15630-89-4	5 mg/m3	-	-	SUPPLIER
Sodium carbonate	497-19-8	10 mg/m3	-	-	SUPPLIER

Personal protective equipment

Respiratory protection

Industrial setting : Use only with adequate ventilation.

Household setting : Use only with adequate ventilation.

Hand protection : No special requirements.

Eye protection

Industrial setting : Safety glasses with side-shields

Household setting : Avoid contact with eyes.

Skin and body protection : No special requirements.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling. Smoking, eating and drinking should be prohibited in the application area.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form : solid

Color : white

Odor : pleasant

pH : not applicable

Boiling point : not applicable

Material Safety Data Sheet

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



SHOUT® COLOR CATCHER ® + OXI BOOSTER

Version 2.0

Print Date 08/01/2011

Revision Date 07/11/2011

MSDS Number 350000016973

GEN_SOF Number 42806

Freezing point	:	not applicable
Flash point	:	not applicable
Evaporation rate	:	not applicable
Flammability (solid, gas)	:	no data available
Autoignition temperature	:	no data available
Lower explosion limit	:	no data available
Upper explosion limit	:	no data available
Vapour pressure	:	not applicable
Density	:	not determined
Water solubility	:	insoluble
Volatile Organic Compounds Total VOC (wt. %)*	:	0.1 % - additional exemptions may apply *as defined by US Federal and State Consumer Product Regulations

10. STABILITY AND REACTIVITY

Conditions to avoid	:	Direct sources of heat.
Materials to avoid	:	Avoid contact with: Reducing agents Strong acids and strong bases Flammable materials
Hazardous decomposition products	:	Thermal decomposition can lead to release of irritating gases and vapours.
Hazardous reactions	:	Stable under recommended storage conditions.

11. TOXICOLOGICAL INFORMATION

Acute oral toxicity	:	LD50 Calculated < 2,000 mg/kg
Acute inhalation toxicity	:	no data available
Acute dermal toxicity	:	no data available

Material Safety Data Sheet

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



SHOUT® COLOR CATCHER® + OXI BOOSTER

Version 2.0

Print Date 08/01/2011

Revision Date 07/11/2011

MSDS Number 350000016973
GEN_SOF Number 42806

Chronic effects

Carcinogenicity : no data available

Mutagenicity : no data available

Reproductive effects : no data available

Teratogenicity : no data available

Sensitisation : Not known to be a sensitizer.

12. ECOLOGICAL INFORMATION

Ecotoxicity effects : no data available

13. DISPOSAL CONSIDERATIONS

Observe all applicable Federal, Provincial and State regulations and Local/Municipal ordinances regarding disposal.
Consumer may discard empty container in trash, or recycle where facilities exist.

RCRA waste class : D001 (Oxidizing Waste)

14. TRANSPORT INFORMATION

Land transport

U.S. DOT and Canadian TDG Surface Transportation:

Proper shipping name UN 3378 Sodium Carbonate Peroxyhydrate, 5.1, III, Ltd. Qty.

Class: 5.1

UN number 3378

Packaging group: III

Note: Limited quantities derogation may be applicable to this product, please check transport documents.

Sea transport

IMDG:

Material Safety Data Sheet

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



SHOUT® COLOR CATCHER ® + OXI BOOSTER

Version 2.0

Print Date 08/01/2011

Revision Date 07/11/2011

MSDS Number 350000016973

GEN_SOF Number 42806

Proper shipping name UN 3378 Sodium Carbonate Peroxyhydrate, 5.1, III, Ltd. Qty.
Class: 5.1
UN number: 3378
Packaging group: III
EmS: F-A, S-Q
Note: Limited quantities derogation may be applicable to this product, please check transport documents.

Air transport

▪ ICAO/IATA:

Proper shipping name UN 3378 Sodium Carbonate Peroxyhydrate, 5.1, III, Ltd. Qty.
Class: 5.1
UN/ID No.: UN 3378
Packaging group: III
Note: SC Johnson typically does not ship products via air, therefore it has not been determined if the product container meets current IATA/ICAO package criteria. Refer to IATA/ICAO Dangerous Goods Regulations for detailed instructions when shipping this item by air.

15. REGULATORY INFORMATION

Notification status : All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

California Prop. 65 : This product is not subject to the reporting requirements under California's Proposition 65.

16. OTHER INFORMATION

HMIS Ratings

Health	2
Flammability	0
Reactivity	1

NFPA Ratings

Health	2
Fire	0
Reactivity	1
Special	OX

Further information

SC Johnson Special Warning OXY - Strong Oxidizer

Material Safety Data Sheet

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



SHOUT® COLOR CATCHER ® + OXI BOOSTER

Version 2.0

Print Date 08/01/2011

Revision Date 07/11/2011

MSDS Number 350000016973
GEN_SOF Number 42806

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

Prepared by:	SC Johnson Global Safety Assessment & Regulatory Affairs (GSARA)
--------------	--