

# MATERIAL SAFETY DATA SHEET

## MSDS L-276 REVISION 3

### SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

The Dial Corporation  
19001 N. Scottsdale Road  
Scottsdale, Arizona 85255-9672

Medical Emergencies: 1-888-689-9082  
CHEMTREC: 1-800-424-9300 (24 Hours Daily)

PRODUCT: Clear or Opaque Body Wash DATE OF ISSUE: December 18, 2012

TRADE NAMES/SYNONYMS: Dial for Men® Anti-Dandruff Hair & Body Wash  
Right Guard® Total Defense 5 Hydrating Body Wash (with Protein and Hydrators)  
Right Guard® Total Defense 5 Cooling Body Wash (with Electrolytes)  
Right Guard® Total Defense 5 Refreshing Body Wash (with Protein and Hydrators)  
Right Guard® Total Defense 5 Energizing Body Wash (with Caffeine)  
Right Guard® Power Scrub Body Wash  
Dial NutriSkin® Goji Berry Body Wash with Fruit Oil Beads  
Dial® Cranberry Antioxidant Body Wash  
Dial® White Tea & Vitamin E Body Wash  
Dial® Spa Minerals Body Wash  
Dial® NutriSkin Grapeseed Oil & Lemongrass Body Wash  
Dial® Nutriskin Cherry Seed Oil & Mint Body Wash  
Tone® Sugar Glow Body Wash  
Tone® Detox Body Wash  
Dial Skin Therapy Body Wash, with Himalayan Salt and Exfoliating Minerals

CHEMICAL FAMILY: Mixture

I.D.H. NUMBERS: 1415677 (Dial for Men Anti-Dandruff H&BW); 1467031, 1479012 (RG TD5 Hydrating BW); 1467125, 1479045 (RG TD5 Cooling BW); 1467124, 1479336 (RG TD5 Refreshing BW); 1467123, 1479119 (RG TD5 Energizing BW); 1633390, 1704150 (RG Power Scrub); 1454195, 1699814 (Dial NutriSkin Goji Berry BW w/Fruit Oil Beads); 1450856, 1720799 (Dial Cranberry Antioxidant BW); 1450860, 1700901 (Dial White Tea & Vit E BW); 1451033, 1451031, 1700904 (Dial Spa Minerals BW); 1450859, 1633698, 1700922 (Dial NutriSkin Grapeseed Oil & Lemongrass BW); 1450858, 1633706, 1700948 (Dial Nutriskin Cherry Seed Oil & Mint BW); 1450922 (Tone Sugar Glow BW); 1450993, 1450994, 1633733, 1709610 (Tone Detox BW); 1718391 (Skin Therapy BW)

### SECTION 2: HAZARD IDENTIFICATION

#### EMERGENCY OVERVIEW

CAUTION: This product is an opaque or clear colored viscous liquid with a pleasant fragrance. Direct contact with eyes may cause irritation. Repeated or prolonged excessive contact with skin may cause irritation or dermatitis. No significant environmental effects. Not a fire hazard. Product is stable.

This product is labeled in accordance with guidelines set forth in the Food, Drug, and Cosmetic Act. The use pattern and exposure in the workplace are generally not consistent with those experienced by consumers. The requirements of the Occupational Safety and Health Administration applicable to this Material Safety Data Sheet may differ from the requirements of the FD&C Act and as a result, this MSDS may contain additional health hazard information not pertinent to consumer use and not found on the product label.

#### REGULATORY STATUS

While this product is not considered to be hazardous under OSHA's Hazard Communication Standard (29 CFR 1900.1200), this MSDS includes valuable information that is critical for safe handling and proper use of this product. This MSDS should be retained and available for employees and other users of this product.

#### POTENTIAL HEALTH EFFECTS

NOTE: The acute health effects described below are those which could potentially occur for the finished product. They are based on the toxicology information available for the finished product and/or each hazardous ingredient, and are

The Dial Corporation • 19001 N. Scottsdale Road • Scottsdale, AZ 85255-9672

consistent with the product type and the likelihood of a specific route of exposure. Known chronic health effects related to exposure to a specific ingredient are indicated.

EYE CONTACT: This product may cause mild to moderate irritation.

SKIN CONTACT: Repeated or prolonged excessive contact may cause irritation or dermatitis.

INGESTION: May cause gastrointestinal irritation with nausea, vomiting and diarrhea.

INHALATION: Unlikely to occur due to the physical properties of the product. At elevated temperatures, vapors or mists may cause irritation.

CHRONIC HEALTH EFFECTS: None known.

MEDICAL CONDITIONS GENERALLY RECOGNIZED AS BEING AGGRAVATED BY EXPOSURE: Pre-existing skin conditions.

#### POTENTIAL ENVIRONMENTAL EFFECTS

See Section 12: Ecological Information.

### SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

Based on our hazard evaluation, the following chemical substance(s) in this product have been identified as hazardous.

| <u>INGREDIENT</u>      | <u>CAS NUMBER</u> | <u>PERCENT (w/w)</u> |
|------------------------|-------------------|----------------------|
| Sodium Laureth Sulfate | 9004-82-4         | 5 – 10 %             |
| Cocamidopropyl Betaine | 61789-40-0        | 1 – 5 %              |
| Zinc Pyrithione        | 13463-41-7        | 0 – 1 %              |

### SECTION 4: FIRST AID MEASURES

EYES: Rinse eyes immediately with plenty of water, occasionally lifting upper and lower lids, until no evidence of product remains. Get medical attention if pain or irritation persists.

SKIN: Rinse affected area with plenty of water until no evidence of product remains. Get medical attention if irritation persists.

INGESTION: Dilution by rinsing the mouth and giving water or milk to drink is generally recommended. If unconscious, the victim should not be given anything to drink. Contact physician or local poison control center.

INHALATION: Remove from exposure area to fresh air. Get medical attention if irritation develops.

NOTE TO PHYSICIAN: The physician's judgment should be used to control symptoms and clinical condition based on the individual reactions of the patient.

### SECTION 5: FIRE FIGHTING MEASURES

#### FLAMMABLE PROPERTIES

OSHA FLAMMABILITY CLASSIFICATION: Not applicable

FLASH POINT: None

UPPER FLAMMABILITY LIMIT: Not applicable

LOWER FLAMMABILITY LIMIT: Not applicable

AUTO-IGNITION TEMPERATURE: Not applicable

FIRE AND EXPLOSION HAZARD: Negligible fire hazard when exposed to heat or flame.

HAZARDOUS DECOMPOSITION PRODUCTS: Oxides of carbon and oxides of nitrogen.

#### EXTINGUISHING MEDIA

Dry chemical, carbon dioxide, water spray or regular foam.

#### PROTECTION OF FIREFIGHTERS

In case of fire, wear a full-face positive-pressure self-contained breathing apparatus and protective suit. Move container from fire area if you can do it without risk. Apply cooling water to sides of containers that are exposed to flames until well after fire is out. Use flooding amounts of water as a fog, solid streams may be ineffective. Avoid breathing vapors; keep upwind.

---

## SECTION 6: ACCIDENTAL RELEASE MEASURES

---

### PERSONAL PRECAUTIONS

Wear skin, eye and respiratory protection as recommended in Section 8. Stop or reduce any leaks if it is safe to do so. Spills present a slipping hazard. Keep unnecessary personnel away. Ventilate spill area if possible. Make sure area is slip-free before re-opening to traffic.

### ENVIRONMENTAL PRECAUTIONS

Small or household quantities may be disposed in sewer or other liquid waste system. For larger quantities check with your local water treatment plant.

### METHODS FOR CONTAINMENT AND CLEAN UP

SMALL SPILLS: Contain and absorb with absorbent material and place into containers for later disposal. Wash site of spillage thoroughly with water. LARGE SPILLS: Dike far ahead of spill to prevent further movement. Recover by pumping or by using a suitable absorbent material and place into containers for later disposal. Dispose in suitable waste container.

---

## SECTION 7: HANDLING AND STORAGE

---

### HANDLING:

Do not get in eyes. Do not take internally. Use with adequate ventilation. Avoid generating aerosols and mists.

### STORAGE:

Store in original containers in a cool dry area. Storage areas for large quantities (warehouse) should be well ventilated. Keep the containers tightly closed when not in use.

---

## SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

---

This product is a personal care or cosmetic product. The use of this product by consumers is safe under normal and reasonable foreseen use.

### WORKER EXPOSURE LIMITS

No exposure limits have been set for the ingredients in this product.

ENGINEERING CONTROLS: Provide local exhaust or general dilution ventilation to keep exposure to airborne contaminants below the permissible exposure limits where mists or vapors may be generated.

RESPIRATOR: Air contamination monitoring should be carried out where mists or vapors are likely to be generated, to assure that the employees are not exposed to airborne contaminants above the permissible exposure limits. If respiratory protection is required, it must be based on the contamination levels found in the workplace, must not exceed the working limits of the respirator and be jointly approved by the National Institute for Occupational Safety and Health and the Mine Safety and Health Administration (NIOSH-MSHA).

FOR FIRE FIGHTING AND OTHER IMMEDIATELY DANGEROUS TO LIFE OR HEALTH CONDITIONS: Any self-contained breathing apparatus that has a full-face piece and is operated in a pressure-demand or other positive-pressure mode. Any supplied-air respirator that has a full-face piece and is operated in a pressure-demand or other positive-pressure mode in combination with an auxiliary self-contained breathing apparatus operated in pressure demand or other positive-pressure mode.

CLOTHING: Protective clothing (impervious to liquids) is required where splashing of product may occur.

GLOVES: Chemical-resistant gloves are required where repeated or prolonged skin contact may occur.

EYE/FACE PROTECTION: Splash-proof safety glasses are required to prevent eye contact where splashing of product may occur.

---

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

---

### APPEARANCE:

Opaque or clear colored viscous liquid

The Dial Corporation • 19001 N. Scottsdale Road • Scottsdale, AZ 85255-9672

|                                                         |                           |                      |                |
|---------------------------------------------------------|---------------------------|----------------------|----------------|
| ODOR/ODOR THRESHOLD:                                    | Pleasant fragrance        | PHYSICAL STATE:      | Liquid         |
| pH (@ 25°C):                                            | 5.2 – 7.5                 | VAPOR DENSITY:       | Not available  |
| BOILING POINT:                                          | Not available             | VAPOR PRESSURE:      | Not available  |
| MELTING/FREEZING POINT:                                 | Not available             | FLASH POINT:         | See Section 5. |
| FLAMMABLE PROPERTIES:                                   | See Section 5.            | SOLUBILITY IN WATER: | Complete       |
| DENSITY/SPECIFIC GRAVITY:                               | 1.02 – 1.05 g/ml          | EVAPORATION RATE:    | Not available  |
| OCTANOL/WATER PARTITION COEFFICIENT (K <sub>ow</sub> ): | Not available             |                      |                |
| VISCOSITY (Brookfield T-E, 6 RPM):                      | 8,000 – 40,000 cps @ 25°C |                      |                |

## SECTION 10: STABILITY AND REACTIVITY

CHEMICAL STABILITY: Stable under normal ambient temperature (70°F, 21°C) and pressure (1 atm).

CONDITIONS TO AVOID: Avoid storing in direct sunlight and avoid extremes of temperature.

INCOMPATIBLE MATERIALS: Strong oxidizers.

HAZARDOUS DECOMPOSITION PRODUCTS: Thermal decomposition may release toxic and/or hazardous gases, including ammonia.

POSSIBILITY OF HAZARDOUS REACTIONS: Hazardous polymerization will not occur.

## SECTION 11: TOXICOLOGICAL INFORMATION

PRODUCT INFORMATION SUMMARY: This product is a personal care or cosmetic product. The use of this product by consumers is safe under normal and reasonable foreseen use. Direct contact with eyes may cause irritation. Repeated or prolonged excessive contact with skin may cause irritation or dermatitis.

COMPONENT ANALYSIS: The following toxicity information is for the hazardous ingredient(s) when used as technical grade and is provided as reference for the occupational settings.

| INGREDIENT                | LD50 / DRAIZE SCORE              | TOXICITY / IRRITATION RATING |
|---------------------------|----------------------------------|------------------------------|
| ACUTE ORAL TOXICITY       |                                  |                              |
| Cocamidopropyl Betaine    | 4,900 mg/kg (rat)                | Practically Non-hazardous    |
| Zinc Pyrithione           | 177 mg/kg (rat)                  | Toxic                        |
| ACUTE DERMAL TOXICITY     |                                  |                              |
| Zinc Pyrithione           | 100 mg/kg (rabbit)               | Toxic                        |
| ACUTE INHALATION TOXICITY |                                  |                              |
| Zinc Pyrithione           | 140 mg/m <sup>3</sup> (4 h)(rat) | Toxic                        |

SENSITIZATION: This product is not considered a skin or respiratory sensitizer.

CARCINOGENICITY: None of the ingredients in this product are listed as carcinogens by the International Agency for Research on Cancer (IARC), the National Toxicology Program (NTP) or the Occupational Safety and Health Administration (OSHA).

MUTAGENICITY: None of the ingredients in this product are known to cause mutagenicity.

REPRODUCTIVE/FETAL/DEVELOPMENTAL TOXICITY: None of the ingredients in this product are known as reproductive, fetal, or developmental hazards.

TARGET ORGAN TOXICITY: None of the ingredients in this product are known to have target organ toxicity.

EPIDEMIOLOGICAL INFORMATION: None of the ingredients in this product are known to have health-related information in working populations.

## SECTION 12: ECOLOGICAL INFORMATION

This product is anticipated to be safe for the environment at concentrations predicted in household settings under normal use conditions. The following toxicity information is available for the hazardous ingredient(s) when used as technical grade and is provided as reference for the occupational settings.

| PRODUCT / INGREDIENT   | LC50/EC50 (ANIMAL SPECIE)                   | TOXICITY RATING |
|------------------------|---------------------------------------------|-----------------|
| VERTEBRATES            |                                             |                 |
| Cocamidopropyl Betaine | 96-hr LC50: 1 - 10 mg/L (Brachydanio rerio) | Toxic           |
| INVERTEBRATES          |                                             |                 |
| Cocamidopropyl Betaine | 48-hr EC50: 6.5 mg/L (Daphnia magna)        | Toxic           |

ENVIRONMENTAL FATE: No environmental fate data exists for the product. The product is anticipated to be rapidly biodegradable.

PERSISTENCE AND DEGRADABILITY: The persistence and degradability of this product has not been determined.

BIOACCUMULATION POTENTIAL: The bioaccumulation potential of this product has not been determined.

MOBILITY: The mobility of this product (in soil and water) has not been determined.

## SECTION 13: DISPOSAL CONSIDERATIONS

WASTE NUMBER AND DESCRIPTION: Not applicable, not regulated.

DISPOSAL CONSIDERATIONS: This product is not a RCRA hazardous waste and can be disposed of in accordance with federal, state and local regulations.

## SECTION 14: TRANSPORT INFORMATION

### GROUND TRANSPORT

|                           |                |                             |                |
|---------------------------|----------------|-----------------------------|----------------|
| DOT Hazard Class:         | Not regulated  | Packing Group:              | Not applicable |
| DOT Proper Shipping Name: | Not applicable | Shipping Label Information: | Not applicable |
| UN/NA Number:             | Not applicable |                             |                |

### AIR TRANSPORT (ICAO/IATA)

|                                 |                |
|---------------------------------|----------------|
| ICAO/IATA Hazard Class:         | Not regulated  |
| ICAO/IATA Proper Shipping Name: | Not applicable |

### MARINE TRANSPORT (IMDG/IMO)

|                                |                |
|--------------------------------|----------------|
| IMDG/IMO Hazard Class:         | Not regulated  |
| IMDG/IMO Proper Shipping Name: | Not applicable |

## SECTION 15: REGULATORY INFORMATION

### UNITED STATES:

OSHA HAZARD COMMUNICATION RULE, 29 CFR 1910.1200:

The Occupational Safety and Health Administration requires Material Safety Data Sheets to provide any hazards that may be associated with the product, and make this information available in the workplace. Since the use pattern and exposure in the workplace are generally not consistent with those experienced by consumers, this MSDS may contain additional health hazard information not pertinent to consumer use.

FOOD AND DRUG ADMINISTRATION:

This product is regulated as a cosmetic under the Food and Drug Administration.

EPA - SARA TITLE III SECTION 313: Not applicable - Consumer product.

EPA CERCLA/SARA TITLE III SUPERFUND AMENDMENT AND REAUTHORIZATION ACT:

This product contains no CERCLA/SARA Title III materials. This product contains no hazardous chemicals reportable under Sections 311/312. This product contains no hazardous chemicals reportable under Section 304.

TSCA: All components of this product are either listed on or exempt from the U.S. Toxic Substances Control Act (TSCA) chemical substance inventory.

### STATE REGULATIONS

CALIFORNIA PROPOSITION 65: This product does not contain substances listed under California Proposition 65.

### CANADA:

## CANADIAN ENVIRONMENTAL PROTECTION ACT:

INVENTORY STATUS: Some components of this product are not listed on the Canadian Domestic Substances List (DSL) nor the NDSL.

## HEALTH CANADA:

This product is regulated as a cosmetic product under the Cosmetics Programme.

## WORKER HAZARDOUS MATERIALS INFORMATION SYSTEM:

WHMIS CLASSIFICATION: Not subject to classification.

---

**SECTION 16: OTHER INFORMATION**

---

DISCLAIMER: The information contained herein is provided in good faith and is believed to be correct as of the date hereof. However, The Dial Corporation makes no representation as to the comprehensiveness or accuracy of the information. It is expected that individuals receiving the information will exercise their independent judgment in determining its appropriateness for a particular purpose. Accordingly, The Dial Corporation will not be responsible for damages of any kind resulting from the use of or reliance upon such information. No representations, or warranties, either expressed or implied of merchantability, fitness for a particular purpose or of any other nature is made hereunder with respect to the information set forth herein or to the product to which the information refers.

NFPA RATINGS (Scale 0-4, where 4=high degree of hazard):

HEALTH=1 FLAMMABILITY=0 REACTIVITY=0

HMIS RATINGS (Scale 0-4, where 4=severe hazard):

HEALTH=1 FLAMMABILITY=0 REACTIVITY=0

MSDS CREATION DATE: 07/15/10

SUPERCEDES: Rev. 2; 04/12/12

REVISION DATE: 12/18/12

REVISION: Updated Trade names and Formula I.D. Numbers