



Material Safety Data Sheet

Revision Date 15-Aug-2012

Version 1

1. PRODUCT AND COMPANY IDENTIFICATION

Product Label Name Snuggle Liquid Fabric Softener - Blue Sparkle 60 oz
Product name SNUGGLE SD 6/60Z FSL BLUE SPARKLE
UPC Code 10072613451682
Recommended Use Fabric Softener liquid for clothes washing machines.

Supplier Address
Sun Products Corporate Office
60 Danbury Road
Wilton, CT 06897
USA

Chemical Emergency Phone Number Chemtrec 1-800-424-9300 (24 hour)
Poison Control 1-800-222-1222 (24 hour)

Company Emergency Phone Number Prostar: 1-800-565-5597 (24 hours)

General Questions: Snuggle - 1-800-298-1879 (Monday – Friday, 8:30AM to 6:00PM EST)

2. HAZARDS IDENTIFICATION

ATTENTION

Emergency Overview

Keep out of the reach of children

The product contains no substances which at their given concentration, are considered to be hazardous to health.

Potential Health Effects

See Section 11 for additional Toxicological information.

Ingestion May be harmful if swallowed. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Do not taste or swallow.

Eyes May cause slight irritation. Avoid contact with eyes.

Skin Substance may cause slight skin irritation.

Inhalation No known hazard by inhalation.

Chronic Effects Ethanol has been shown to be a reproductive toxin only when consumed as an alcoholic beverage. Ethanol has been shown to be carcinogenic in long-term studies only when consumed as alcoholic beverage.

Aggravated Medical Conditions None known.

Environmental hazard See Section 12 for additional Ecological Information.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous ingredients as defined by the OSHA Hazard Communication Standard (29CFR § 1910.1200).

Chemical Name	CAS-No	Weight %
Quaternary ammonium compounds, benzyl-C8-18-alkyldimethyl, chlorides	63449-41-2	1 - 5 %
Ethyl alcohol	64-17-5	0.1 - 1%

Under normal consumer household use, this product would not constitute a hazardous product by OSHA definition as OSHA is not applicable to household consumer use.

4. FIRST AID MEASURES

General advice	Consult a physician.
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
Skin contact	Wash skin with soap and water.
Inhalation	Move to fresh air.
Ingestion	Rinse mouth. Do NOT induce vomiting. Call a physician or Poison Control Center immediately.
Notes to physician	Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Flammable Properties	Not flammable.
Flash point	> 201 °F / > 94 °C
Flammability Limits in Air	
Upper Flammability Limit	No information available
Lower Flammability Limit	No information available
Autoignition temperature	No information available
Hazardous Combustion Products	None.
Explosive properties	No information available
Explosion Limits	
Upper (UEL)	No information available
Lower (LEL)	No information available
Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable Extinguishing Media	None.
Protective Equipment and Precautions for Firefighters	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA	Health Hazard 0	Flammability 1	Stability 0	Physical and chemical hazards -
HMIS	Health Hazard 0	Flammability 1	Physical Hazard 0	Personal protection -

6. ACCIDENTAL RELEASE MEASURES

Personal precautions	Ensure adequate ventilation.
Environmental precautions	Try to prevent the material from entering drains or water courses.
Methods for Containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Use personal protective equipment. Dam up. Cover liquid spill with sand, earth or other noncombustible absorbent material. Take up mechanically and collect in suitable container for disposal. Clean contaminated surface thoroughly.
Other information	not applicable.

7. HANDLING AND STORAGE

Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice.
Technical measures/Storage conditions	Keep containers tightly closed in a dry, cool and well-ventilated place.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethyl alcohol 64-17-5	STEL: 1000 ppm	TWA: 1000 ppm TWA: 1900 mg/m ³ (vacated) TWA: 1000 ppm (vacated) TWA: 1900 mg/m ³	IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m ³
Glutaraldehyde 111-30-8	Ceiling: 0.05 ppm activated and inactivated	(vacated) Ceiling: 0.2 ppm (vacated) Ceiling: 0.8 mg/m ³	Ceiling: 0.2 ppm Ceiling: 0.8 mg/m ³
Ethyl hexyl stearate 22047-49-0	TWA: 10 mg/m ³ except stearates of toxic metals		
Methyl Alcohol 67-56-1	STEL: 250 ppm TWA: 200 ppm S*	TWA: 200 ppm TWA: 260 mg/m ³ (vacated) TWA: 200 ppm (vacated) TWA: 260 mg/m ³ (vacated) STEL: 250 ppm (vacated) STEL: 325 mg/m ³ (vacated) S*	IDLH: 6000 ppm TWA: 200 ppm TWA: 260 mg/m ³ STEL: 250 ppm STEL: 325 mg/m ³

NIOSH IDLH: *Immediately Dangerous to Life or Health*

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Engineering Measures None under normal use conditions

Personal Protective Equipment

Eye/Face Protection	No protective equipment is needed under normal use conditions
Skin and body protection	No protective equipment is needed under normal use conditions.
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

Hygiene measures Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	liquid	Appearance	OPAQUE LIQUID
Color	dark blue	Odor	Fresh
Odor Threshold	No information available	pH	3.500 pH.
Specific Gravity	0.996 SPECIFIC GRAVITY - 20C	Density	no data available
Viscosity, kinematic	250.000 cps viscosity	Flash point	> 201 °F / > 94 °C
Method	No information available	Autoignition temperature	No information available
Decomposition temperature	no data available	Boiling point/boiling range	no data available
Melting point	no data available	Freezing Point	no data available
Water solubility	Soluble in water	Evaporation rate	no data available
Vapor pressure	no data available	Vapor density	No data available
VOC Content(%)	0.7		
Flammability Limits in Air		Explosion Limits	
Upper Flammability Limit	no data available	Upper (UEL)	no data available
Lower Flammability Limit	no data available	Lower (LEL)	no data available

10. STABILITY AND REACTIVITY

Stability	Stable under recommended storage conditions.
Incompatible products	Strong oxidizing agents, strong acids, and strong bases.
Conditions to Avoid	Extremes of temperature and direct sunlight. Do not freeze.
Hazardous Decomposition Products	None known based on information supplied.
Hazardous Reactions	None known based on information supplied.
Hazardous Polymerization	Hazardous polymerization does not occur.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Ingestion	May be harmful if swallowed. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Do not taste or swallow.
Eye contact	May cause slight irritation. Avoid contact with eyes.
Skin contact	Causes skin irritation.
Inhalation	May cause irritation of respiratory tract.
Product Safety Profile	Product is safe for its intended use based on the formulation, testing results, and the long history of safe consumer use.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Quaternary ammonium compounds, benzyl-C8-18-alkyldimethyl, chlorides		1420 mg/kg (Rat)	
Ethyl alcohol	7060 mg/kg (Rat)		124.7 mg/L (Rat) 4 h

Chronic toxicity

Chronic toxicity Ethanol has been shown to be a reproductive toxin only when consumed as an alcoholic beverage. Ethanol has been shown to be carcinogenic in long-term studies only when consumed as alcoholic beverage.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen

Chemical Name	ACGIH	IARC	NTP	OSHA
Ethyl alcohol	A3	Group 1	Known	X

ACGIH: (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC: (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

NTP: (National Toxicity Program)

Known - Known Carcinogen

OSHA: (Occupational Safety & Health Administration)

X - Present

Sensitization None known.

Germ Cell Mutagenicity None known.

Reproductive toxicity This product does not contain any known or suspected reproductive hazards

Developmental Toxicity None known

Target Organ Effects None known

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to microorganisms	Toxicity to daphnia and other aquatic invertebrates
Ethyl alcohol		12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 static 100: 96 h Pimephales promelas mg/L LC50 static 13400 - 15100: 96 h Pimephales promelas mg/L LC50 flow-through	EC50 = 34634 mg/L 30 min EC50 = 35470 mg/L 5 min	9268 - 14221: 48 h Daphnia magna mg/L LC50 10800: 24 h Daphnia magna mg/L EC50 2: 48 h Daphnia magna mg/L EC50 Static

Persistence and degradability No data is available on the product itself.

Bioaccumulation Not likely to bioaccumulate.

Mobility Not Determined .

Chemical Name	log Pow
Ethyl alcohol	-0.32

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements

Contaminated packaging Do not re-use empty containers

US EPA Waste Number U154

California Hazardous Waste Codes 561

California Waste Status

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
Ethyl alcohol	Toxic Ignitable

14. TRANSPORT INFORMATION

DOT Not regulated

TDG Not regulated

MEX Not regulated

IATA Not regulated

IMDG Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA Complies
DSL Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard	no
Chronic Health Hazard	no
Fire Hazard	no
Sudden Release of Pressure Hazard	no
Reactive Hazard	no

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Disclaimer

The (M)SDS is intended to provide a brief summary of our knowledge and guidance regarding the use of this material. The information contained here has been compiled from sources considered by Sun Products Corporation to be dependable and is accurate to the best of the Company's knowledge. It is not meant to be an all-inclusive document on worldwide hazard communication regulations.

This information is offered in good faith. Each user of this material needs to evaluate the conditions of use and design the appropriate protective mechanisms to prevent employee exposures, property damage or release to the environment. Sun Products Corporation assumes no responsibility for injury to the recipient of third persons, or for any damage to any property resulting from misuse of the product.

End of Material Safety Data Sheet