

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME:	BLACK MAX	TOLL-FREE PHONE:	866-970-7873
PRODUCT CODES:	SCG 183	CALIFORNIA CALLS:	714-894-1707
PRODUCT USE:	Exterior Rubber Dressing	FAX PHONE:	714-894-1759
DATE PREPARED:	21-Oct-2010	24 HOUR EMERGENCY USA/CANADA:	INFOTRAC 1-800-535-5053
DISTRIBUTOR:	Surf City Garage	24 HOUR EMERGENCY INTERNATIONAL:	INFOTRAC 1-352-323-3500
ADDRESS:	5872 Engineer Drive Huntington Beach CA 92649		

SECTION 2: COMPOSITION / INFORMATION ON INGREDIENTS

Components not listed are either: non-hazardous, in concentrations of less than 1% or proprietary (Trade Secrets)

<u>INGREDIENT:</u>	<u>CAS NO:</u>	<u>% WT:</u>
No Hazardous Ingredients		

SECTION 3: HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW: Non-Hazardous

ROUTE(S) OF ENTRY: **INHALATION:** Yes **SKIN:** Yes **INGESTION:** Yes **EYES:** Yes

POTENTIAL HEALTH EFFECTS: **INHALATION:** Irritant **SKIN:** Irritant **INGESTION:** Irritant **EYES:** Irritant

ACUTE HEALTH HAZARDS: Skin: May cause mild irritation. Eyes: May cause mild irritation. Ingestion: May be irritating.

CHRONIC HEALTH HAZARDS: None

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: May aggravate pre-existing skin conditions.

CARCINOGENICITY: OSHA: Not Listed ACGIH: Not Listed NTP: Not listed IARC: Not Listed OTHER:

SECTION 4: FIRST AID MEASURES

EYES: Flush with water for at least 15 minutes. Call physician if irritations persists.

SKIN: Wash with soap and water, see physician if irritation persists.

INHALATION: Remove to fresh air, give oxygen if needed.

INGESTION: Do not induce vomiting. Get medical attention.

NOTES TO PHYSICIANS OR FIRST AID PROVIDERS: None beyond listed above

SECTION 5: FIRE-FIGHTING MEASURES

FLAMMABLE LIMITS IN AIR (% BY VOLUME): UPPER: NA LOWER: NA

FLASH POINT: >200°F **METHOD USED:** **AUTOIGNITION TEMPERATURE:**

NFPA HAZARD CLASSIFICATION: **TOXICITY:** 1 **FLAMMABILITY:** 0 **REACTIVITY:** 0 **OTHER:**

HMIS HAZARD CLASSIFICATION: **HEALTH:** 1 **FLAMMABILITY:** 0 **REACTIVITY:** 0 **PROTECTION:**

EXTINGUISHING MEDIA: Use whatever is appropriate to extinguish adjacent fire.

SPECIAL FIRE FIGHTING PROCEDURES: None

UNUSUAL FIRE AND EXPLOSION HAZARDS: None

HAZARDOUS DECOMPOSITION PRODUCTS: None known

SECTION 6: ACCIDENTAL RELEASE MEASURES

ACCIDENTAL RELEASE MEASURES: Contain spill. Remove with inert absorbent material. Wash spill area with water.

SECTION 7: HANDLING AND STORAGE

HANDLING AND STORAGE: Store containers upright with lids (caps) tightly closed. Store between 40F(4C) - 100F(37.7C)

Keep from extreme temperatures.

OTHER PRECAUTIONS: Keep out of the reach of children. Do not get in eyes or on skin.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS:

VENTILATION : LOCAL EXHAUST: Adequate

MECHANICAL:

OTHER:

RESPIRATORY PROTECTION: None necessary

EYE PROTECTION: Approved Safety Glasses

SKIN PROTECTION: Rubber or Neoprene Gloves

PROTECTIVE CLOTHING OR EQUIPMENT: Eye wash fountain in work area is recommended.

WORK HYGIENIC PRACTICES: Observe good housekeeping practices.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Pale Blue

ODOR: Fresh/Sweet

pH AS SUPPLIED:

7.72

PHYSICAL STATE: Milky Liquid

SOLUBILITY IN WATER:

Complete

BOILING POINT: 212 F

100 C

EVAPORATION RATE:

BASIS (Butyl Acetate=1):

MELTING POINT: ND F

C

VAPOR PRESSURE (mmHg):

FREEZING POINT: ND F

C

VAPOR DENSITY (AIR = 1):

SPECIFIC GRAVITY (H2O = 1): 1.01

VISCOSITY:

SECTION 10: STABILITY AND REACTIVITY

STABILITY: Stable

CONDITIONS TO AVOID: None

INCOMPATIBILITY (MATERIAL TO AVOID): Strong acids or bases, oxidizing agents.

HAZARDOUS DECOMPOSITION OR BY-PRODUCTS Carbon oxides and silicone oxides.

HAZARDOUS POLYMERIZATION: Will not occur

CONDITIONS TO AVOID (POLYMERIZATION): NA

SECTION 11: TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION ND

SECTION 12: ECOLOGICAL INFORMATION

ECOLOGICAL INFORMATION: ND

MARINE POLLUTANT: ND

SECTION 13: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: In accordance with Federal, State and local regulations.

RCRA HAZARD CLASS: Not Regulated

