

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date 2/14/2013

Revision: 2/13/2013

## 1 Identification of the substance/mixture and of the company/undertaking

- . **1.1 Product identifier**
- . Trade name: **Bar's Leaks® Head Gasket & Cooling Sealant**
- . Article number: HG-1
- . **1.2 Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
- . **Application of the substance / the preparation** Sealant
- . **1.3 Details of the supplier of the Safety Data Sheet**
- . **Manufacturer/Supplier:**  
Bar's Products  
P.O. Box 187  
Holly, MI 48442 USA  
Phone: (810) 603-1321
- . **1.4 Emergency telephone number:**  
ChemTel Inc.  
(800)255-3924, +1 (813)248-0585



## 2 Hazards identification

- . **2.1 Classification of the substance or mixture**
- . **Classification according to Regulation (EC) No 1272/2008**



GHS05 corrosion

Skin Corr. 1C H314 Causes severe skin burns and eye damage.  
Eye Dam. 1

- . **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**



Xi; Sensitising

R43: May cause sensitisation by skin contact.

- . **Information concerning particular hazards for human and environment:**

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

- . **Classification system:**

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company.

- . **2.2 Label elements**

- . **Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date 2/14/2013

Revision: 2/13/2013

**Trade name: Bar's Leaks® Head Gasket & Cooling Sealant**

(Contd. of page 1)

· **Hazard pictograms**



GHS05

· **Signal word** Danger

· **Hazard-determining components of labelling:**

Silicic acid, sodium salt

· **Hazard statements**

H314 Causes severe skin burns and eye damage.

· **Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P264 Wash thoroughly after handling.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/physician.

P321 Specific treatment (see on this label).

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P363 Wash contaminated clothing before reuse.

P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Additional information:** N/A

· **Hazard description:**

· **WHMIS-symbols:**

D2B - Toxic material causing other toxic effects



· **NFPA ratings (scale 0 - 4)**



Health = 2

Fire = 0

Reactivity = 0

(Contd. on page 3)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date 2/14/2013

Revision: 2/13/2013

**Trade name: Bar's Leaks® Head Gasket & Cooling Sealant**

(Contd. of page 2)

**HMIS-ratings (scale 0 - 4)**

HEALTH	2	Health = 2
FIRE	0	Fire = 0
REACTIVITY	0	Reactivity = 0

**HMIS Long Term Health Hazard Substances**

None of the ingredients is listed.

- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### 3 Composition/information on ingredients

- **3.2 Mixtures**
- **Description:** Mixture of substances listed below with nonhazardous additions.

**Dangerous components:**

CAS: 13463-67-7 EINECS: 236-675-5	titanium dioxide	<10%
CAS: 9004-34-6 EINECS: 232-674-9	Cellulose	<10%
CAS: 6440-58-0 EINECS: 229-222-8	1,3-Bis (hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione ☒ Xi R36/38 ⚠ Skin Irrit. 2, H315; Eye Irrit. 2, H319	<10%

- **Additional information:** For the wording of the listed risk phrases refer to section 16.

### 4 First aid measures

- **4.1 Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:**  
Supply fresh air; consult doctor in case of complaints.  
In case of irregular breathing or respiratory arrest provide artificial respiration.  
In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:**  
Immediately wash with water and soap and rinse thoroughly.  
If skin irritation continues, consult a doctor.
- **After eye contact:**  
Remove contact lenses if worn.  
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:**  
Rinse out mouth and then drink plenty of water.  
Do not induce vomiting; call for medical help immediately.

(Contd. on page 4)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date 2/14/2013

Revision: 2/13/2013

**Trade name: Bar's Leaks® Head Gasket & Cooling Sealant**

(Contd. of page 3)

- . **4.2 Most important symptoms and effects, both acute and delayed**
  - Allergic reactions
  - Dizziness
  - Gastric or intestinal disorders
- . **Hazards** No further relevant information available.
- . **4.3 Indication of any immediate medical attention and special treatment needed**
  - Treat skin and mucous membrane with antihistamine and corticoid preparations.

## 5 Firefighting measures

- . **5.1 Extinguishing media**
- . **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.
- . **For safety reasons unsuitable extinguishing agents:** None.
- . **5.2 Special hazards arising from the substance or mixture**
  - In case of fire, the following can be released:
  - Carbon monoxide (CO)
- . **5.3 Advice for firefighters**
- . **Protective equipment:**
  - Wear self-contained respiratory protective device.
  - Wear fully protective suit.
- . **Additional information** No further relevant information available.

## 6 Accidental release measures

- . **6.1 Personal precautions, protective equipment and emergency procedures**
  - Ensure adequate ventilation
  - Particular danger of slipping on leaked/spilled product.
  - Wear protective equipment. Keep unprotected persons away.
- . **6.2 Environmental precautions:** Dilute with plenty of water.
- . **6.3 Methods and material for containment and cleaning up:**
  - Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
  - Clean the affected area carefully; suitable cleaners are:
  - Warm water
- . **6.4 Reference to other sections**
  - See Section 7 for information on safe handling.
  - See Section 8 for information on personal protection equipment.
  - See Section 13 for disposal information.

## 7 Handling and storage

- . **7.1 Precautions for safe handling**
  - Ensure good ventilation/exhaustion at the workplace.
  - Prevent formation of aerosols.
- . **Information about fire - and explosion protection:** No special measures required.

(Contd. on page 5)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date 2/14/2013

Revision: 2/13/2013

**Trade name: Bar's Leaks® Head Gasket & Cooling Sealant**

(Contd. of page 4)

- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**  
Avoid storage near extreme heat, ignition sources or open flame.
- **Information about storage in one common storage facility:** Store away from foodstuffs.
- **Further information about storage conditions:**  
Keep container tightly sealed.  
Protect from frost.
- **7.3 Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.
- **8.1 Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:**  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **DNELs** No further relevant information available.
- **PNECs** No further relevant information available.
- **Additional information:** The lists valid during the making were used as basis.
- **8.2 Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
Immediately remove all soiled and contaminated clothing  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes and skin.
- **Respiratory protection:**  
Not required under normal conditions of use.  
For spills, respiratory protection may be advisable.  
Use suitable respiratory protective device when aerosol or mist is formed.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 6)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date 2/14/2013

Revision: 2/13/2013

**Trade name: Bar's Leaks® Head Gasket & Cooling Sealant**

(Contd. of page 5)

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **For the permanent contact gloves made of the following materials are suitable:** Rubber gloves

- **Eye protection:**

Contact lenses should not be worn.



Safety glasses

- **Body protection:** Protective work clothing

- **Limitation and supervision of exposure into the environment**

No further relevant information available.

- **Risk management measures**

See Section 7 for additional information.

No further relevant information available.

## 9 Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

Form:

Viscous

Colour:

Dark grey

- **Odour:**

Mild

- **Odour threshold:**

Not determined.

- **pH-value at 20 °C:**

<12

- **Change in condition**

Melting point/Melting range:

Undetermined.

Boiling point/Boiling range:

219 °F / 104 °C

- **Flash point:**

Not applicable - does not support sustained combustion.  
Not applicable.

- **Flammability (solid, gaseous):**

Product is not flammable.

- **Ignition temperature:**

Not determined.

- **Decomposition temperature:**

Not determined.

- **Self-igniting:**

Product is not self-igniting.

- **Danger of explosion:**

Product does not present an explosion hazard.

- **Explosion limits:**

Lower:

Not determined.

Upper:

Not determined.

- **Vapour pressure at 20 °C:**

23 hPa

(Contd. on page 7)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date 2/14/2013

Revision: 2/13/2013

**Trade name: Bar's Leaks® Head Gasket & Cooling Sealant**

(Contd. of page 6)

- |                            |                        |
|----------------------------|------------------------|
| . <b>Density at 20 °C:</b> | 1.03 g/cm <sup>3</sup> |
| . <b>Relative density</b>  | Not determined.        |
| . <b>Vapour density</b>    | Not determined.        |
| . <b>Evaporation rate</b>  | Not determined.        |

- |  |                 |
|--|-----------------|
| . <b>Solubility in / Miscibility with water:</b> | Fully miscible. |
|--|-----------------|

- |   |                 |
|---|-----------------|
| . <b>Partition coefficient (n-octanol/water):</b> | Not determined. |
|---|-----------------|

- |                     |                 |
|---------------------|-----------------|
| . <b>Viscosity:</b> |                 |
| <b>Dynamic:</b>     | Not determined. |
| <b>Kinematic:</b>   | Not determined. |

- |                           |                 |
|---------------------------|-----------------|
| . <b>Solvent content:</b> |                 |
| <b>Organic solvents:</b>  | Not determined. |

- |                        |                 |
|------------------------|-----------------|
| <b>Solids content:</b> | Not determined. |
|------------------------|-----------------|

- |                                |  |
|--------------------------------|--|
| . <b>9.2 Other information</b> | No further relevant information available. |
|--------------------------------|--|

## 10 Stability and reactivity

- . **10.1 Reactivity**
- . **10.2 Chemical stability**
- . **Thermal decomposition / conditions to be avoided:**  
No decomposition if used and stored according to specifications.
- . **10.3 Possibility of hazardous reactions** Reacts with strong acids and oxidizing agents.
- . **10.4 Conditions to avoid** No further relevant information available.
- . **10.5 Incompatible materials:** No further relevant information available.
- . **10.6 Hazardous decomposition products:** Carbon monoxide and carbon dioxide

## 11 Toxicological information

- . **11.1 Information on toxicological effects**
- . **Acute toxicity:**
- . **Primary irritant effect:**
- . **on the skin:** Slight irritant effect on skin and mucous membranes.
- . **on the eye:** Slight irritant effect on eyes.
- . **Sensitization:** Sensitization possible through skin contact.
- . **Additional toxicological information:**  
The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:  
Irritant  
Danger through skin adsorption.
- . **Sensitisation:** Sensitization possible by inhalation and/or dermal contact.

(Contd. on page 8)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date 2/14/2013

Revision: 2/13/2013

**Trade name: Bar's Leaks® Head Gasket & Cooling Sealant**

(Contd. of page 7)

- **Repeated dose toxicity:** Repeated exposures may result in skin and/or respiratory sensitivity.

## 12 Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** The product contains materials that are harmful to the environment.
- **12.2 Persistence and degradability** The product is partly biodegradable. Significant residuals remain.
- **12.3 Bioaccumulative potential** May be accumulated in organism
- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
This statement was deduced from the properties of the single components.  
Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.  
The product contains heavy metals. Avoid transfer into the environment. Specific preliminary treatments are necessary  
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

## 13 Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**  
Smaller quantities can be disposed of with household waste.  
Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

## 14 Transport information

- |   |     |
|---|-----|
| <ul style="list-style-type: none"> <li>· <b>14.1 UN-Number</b></li> <li>· <b>DOT, ADR, ADN, IMDG, IATA</b></li> </ul>               | N/A |
| <ul style="list-style-type: none"> <li>· <b>14.2 UN proper shipping name</b></li> <li>· <b>DOT, ADR, ADN, IMDG, IATA</b></li> </ul> | N/A |

(Contd. on page 9)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date 2/14/2013

Revision: 2/13/2013

**Trade name: Bar's Leaks® Head Gasket & Cooling Sealant**

(Contd. of page 8)

- |   |                 |
|---|-----------------|
| . 14.3 Transport hazard class(es)   |                 |
| . DOT, ADR, ADN, IMDG, IATA   |                 |
| . Class   | N/A             |
| . 14.4 Packing group  |                 |
| . DOT, ADR, IMDG, IATA  | N/A             |
| . 14.5 Environmental hazards:   |                 |
| . Marine pollutant:   | No              |
| . 14.6 Special precautions for user   | Not applicable. |
| . 14.7 Transport in bulk according to Annex II of<br>MARPOL73/78 and the IBC Code | Not applicable. |
| . UN "Model Regulation":  | -               |

## 15 Regulatory information

- . 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- . United States (USA)
- . SARA

. **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

. **Section 313 (Specific toxic chemical listings):**

None of the ingredients is listed.

. **TSCA (Toxic Substances Control Act):**

All ingredients are listed.

. **Proposition 65 (California):**

. **Chemicals known to cause cancer:**

Reference to Titanium Dioxide is based on unbound respirable particles and is not generally applicable to product as supplied.

13463-67-7	titanium dioxide
------------	------------------

. **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

. **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

. **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

. **Carcinogenic Categories**

. **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

(Contd. on page 10)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date 2/14/2013

Revision: 2/13/2013

**Trade name: Bar's Leaks® Head Gasket & Cooling Sealant**

(Contd. of page 9)

**. IARC (International Agency for Research on Cancer)**

13463-67-7	titanium dioxide	2B
------------	------------------	----

**. TLV (Threshold Limit Value established by ACGIH)**

13463-67-7	titanium dioxide	A4
------------	------------------	----

**. NIOSH-Ca (National Institute for Occupational Safety and Health)**

13463-67-7	titanium dioxide	
------------	------------------	--

**. OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

**. Canada**

**. Canadian Domestic Substances List (DSL)**

All ingredients are listed.

**. Canadian Ingredient Disclosure list (limit 0.1%)**

None of the ingredients is listed.

**. Canadian Ingredient Disclosure list (limit 1%)**

None of the ingredients is listed.

**. 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.**

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

**. Relevant phrases**

H315 Causes skin irritation.

H319 Causes serious eye irritation.

R36/38 Irritating to eyes and skin.

**. Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

**. Sources**

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com

