



## Material Safety Data Sheet

**HMIS:**      **Health**                      **1**  
                  **Flammability**                **0**  
                  **Reactivity**                        **0**

### SECTION 1. PRODUCT IDENTIFICATION AND COMPANY INFORMATION

Total Import Solutions, Inc.  
12020 Woodruff Ave., Unit E  
Downey, CA 90241  
Telephone: 562-691-6818  
Fax: 562-803-1570

24 Hours Emergencies Number: PERS NORTH AMERICA 1-800-633-8253  
INTERNATIONAL 1-801-629-0667

Product Identification: NANOSKIN WATERLESS Waterless Wash

Revision Date: June 26th 2011

### SECTION 2. COMPOSITION / INFORMATION ON INGREDIENT

<u>Components</u>	<u>CAS Number</u>	<u>TLV</u>	<u>PEL</u>
D-limonene	5989-27-5	N/D	N/D

### SECTION 3. HAZARDOUS IDENTIFICATION

Primary Routes of Entry:  
Eye contact, skin contact/absorption and ingestion.

Target Organ Effects:  
None known.

Potential Health Effects:  
Eyes: May cause mild irritation, stinging, tearing and redness.  
Skin:

May cause mild irritation with prolonged contact.

Ingestion:

Large quantities may cause nausea, vomiting and diarrhea

Inhalation:

May cause irritation of the respiratory tract.

Reproductive/Developmental Information:

No data

Long term effects:

No data available.

#### **SECTION 4. FIRST AID MEASURES**

Eyes:

Flush eyes with water for 15 minutes. Wash under eyelids. If irritation persists, get medical assistance.

Skin:

Wash with soap and water. If irritation persists, get medical assistance.

Ingestion:

Do not induce vomiting. Aspiration hazard. Do not give anything by mouth. Get immediate medical assistance.

Inhalation:

Move away from source of exposure. If breathing difficulties develop, get medical assistance.

#### **SECTION 5. FIRE FIGHTING MEASURES**

Flash Point:

>200 Degrees F / 93 Degree C

Explosive Limits:

No data available.

Autoignition Temperature:

No data available.

Flammable Properties:

Some oxides of carbon on incineration.

Extinguishing media:

Foam, water, water spray.

Fire Fighting Instructions:

Use self-contained breathing apparatus with a full face piece operated in the positive pressure demand mode when fighting fires. .

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Small spills:

Absorb liquid on vermiculite, floor absorbent or other absorbent material.

Large spills:

Stop spill at source, dike area of spill to prevent spreading, pump liquid into salvage tank. Prevent run-off to sewers, streams or other bodies of water. If run-off occurs, notify proper authorities as required. Remaining liquid may be taken up on sand, clay, earth, floor absorbent, or other absorbent material and shoveled into containers.

## **SECTION 7. HANDLING AND STORAGE**

Storage:

Store in closed containers in a cool, dry, well-ventilated area. Protect containers from physical damage. Keep empty containers closed and do not use to mix or store any other materials. Empty containers retain material residue. Observe all hazard precautions contained in this Material Safety Data Sheet.

Handling:

Avoid conditions which generate dust levels in excess of exposure limits. Wear protective equipment. Avoid eye contact. Wash thoroughly after handling. Launder clothing before reuse.

Special Precautions:

Heating may cause release of irritating vapors. Empty containers retain material residue. Keep empty containers closed and do not use to mix or store any other materials.

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

Eye and facial:

Chemical splash goggles.

Skin:

Protective gloves for prolonged contact.

Respiratory:

Use an approved personal respirator for control of fine mineral dusts.

Ventilation:

General ventilation to maintain exposure below TLV.

Other:

Eye wash and safety shower should be readily available.

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance:

Light green, liquid, citrus odor

pH:

8.8

Vapor pressure:

Negligible

Vapor Density:

No data available

Boiling Point:

212 Degrees F

Solubility in water:  
Partially Soluble

Percent volatile:  
< 3 %

VOC:  
< 3 %

Specific gravity:  
1.01

Evaporation rate:  
No Data (Butyl Acetate = 1)

#### **SECTION 10. STABILITY AND REACTIVITY**

Stability:  
Stable.

Conditions to Avoid:  
None with proper storing and handling.

Materials to avoid:  
Strong oxidizing agents, acids, chlorine, acetaldehyde, ethylene oxide and isocyanides.

Hazardous Decomposition Products:  
Carbon dioxide and carbon monoxide.

Hazardous Polymerization:  
Does not polymerize.

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

No Data Available

#### **SECTION 12. ECOLOGICAL INFORMATION**

No Data Available

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

Dispose of in accordance with all applicable local, state and federal regulations.

#### **SECTION 14. TRANSPORTION INFORMATION**

Dot Class                      Not regulated  
Dot Shipping Name:      Compound, Cleaning, Liquid, nos

## **SECTION 15. REGULATORY INFORMATION**

All ingredients of this product are excluded from the listing on the US TSCA Chemical Substance inventory.

Federal SARA 313; Toxic chemical notification and release reporting: Isopropyl Alcohol

This product is not subject to the reporting requirements of California's Proposition 65

## **SECTION 16. OTHER INFORMATION**

HMIS Rating:

Health = 1 Flammability = 0 Reactivity = 0 Personal Protection

HMIS Standard:

0 = Insignificant 1 = Slight 2 = Moderate 3 = High 4 = Extreme

Revision Date 6/26/11: Original Issue.

This information relates only to the specific material designated herein and does not relate to use in combination with any other material or in any process. Such information is to the best of our knowledge and belief, accurate and reliable as of the date compiled. However, no representation, warranty or guarantee is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of this information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information nor do we offer warranty against patent infringement.