



# United States Material Safety Data Sheet

The Ortho Group  
P.O. Box 190  
Marysville, Ohio 43040  
United States

24 h. EMERGENCY TELEPHONE NUMBER  
CHEMTREC (U.S.) 1-800-424-9300  
CHEMTREC (International) 1-703-527-3887  
Non-Emergency Calls 1-937-644-0011

## ORTHO ANIMAL B GON ALL PURPOSE ANIMAL REPELLENT READY-TO-USE

### 1. Product and company identification

MSDS # : 320000004610  
EPA Registration Number: : EXEMPT

### 2. Hazards identification

**Physical state** : liquid [YELLOW LIQUID]  
**Color** : Yellowish.  
**Odor** : Cinnamon  
**Signal word** : CAUTION!  
**OSHA/HCS status** : This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).  
**Emergency Overview** : Keep out of reach of children.  
Avoid contact with eyes and prolonged contact with skin.  
To reduce contact with skin, wear gloves when handling.

#### Potential acute health effects

**Inhalation** : No known significant effects or critical hazards.  
**Ingestion** : Harmful if swallowed.  
**Skin** : No known significant effects or critical hazards.  
**Eyes** : No known significant effects or critical hazards.  
**Target organs** : Contains material which causes damage to the following organs:  
skin  
stomach

**Potential chronic health effects** : See section 11 for more information.

#### Over-exposure signs/symptoms

**Inhalation** : No specific data.  
**Ingestion** : No specific data.  
**Skin** : No specific data.  
**Eyes** : No specific data.  
**Medical conditions aggravated by over-exposure** : None known.

*Report version.Re port*  
**Version:** *version*      **Date of issue/Date of revision:** *Validity date\*\*\**      **Date of previous issue:** 11/26/2013

See toxicological information (Section 11)

### 3. Composition/information on ingredients

Name	CAS number	%
Kaolin	1332-58-7	>1 - <=3
Sodium chloride (NaCl)	7647-14-5	>1 - <=3
Oils, mint, Mentha arvensis piperascens Extractives and their physically modified derivatives. Mentha arvensis, var. piperascens, L	68917-18-0	>1 - <=3

### 4. First aid measures

- Eye contact** : Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
- Skin contact** : Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.
- Inhalation** : Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
- Ingestion** : Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Never give anything by mouth to an unconscious person.
- Notes to physician** : No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

### 5. Fire-fighting measures

- Flammability of the product** : In a fire or if heated, a pressure increase will occur and the container may burst.

#### Extinguishing media

- Suitable** : Use an extinguishing agent suitable for the surrounding fire.
- Not suitable** : None known.
- Special exposure hazards** : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
- Hazardous thermal decomposition products** : Decomposition products may include the following materials:  
halogenated compounds  
metal oxide/oxides
- Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

### 6. Accidental release measures

- Personal precautions** : Evacuate surrounding areas. Keep unnecessary and unprotected personnel

*Report  
version.Re  
port*  
**Version:** *version*

**Date of issue/Date of revision:** *Validity date\*\*\**

**Date of previous issue:** *11/26/2013*

from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Put on appropriate personal protective equipment (see Section 8).

**Environmental precautions** : No specific hazard.

### Methods for cleaning up

- Small spill** : Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
- Large spill** : Stop leak if without risk. Dike spill area and do not allow product to reach soil, surface water, ground water or sewers. Contain and collect spillage with non-combustible, absorbent material and place in container for disposal.

## **7. Handling and storage**

- Handling** : Avoid inhalation or contact with skin, eyes or clothing. Avoid container breakage. Do not contaminate water sources when disposing of equipment washwater or rinsate. Keep out of lakes, stream or ponds. Keep out of reach of children.
- Storage** : Keep from freezing. Store in original container in a cool, dry, well-ventilated area inaccessible to children and pets. Do not contaminate food or feedstuffs.

## **8. Exposure controls/personal protection**

### Occupational exposure limits

<b>Ingredient</b>	<b>Exposure limits</b>
Kaolin	<p><b>OSHA PEL (1993-06-30)</b> PEL: Permissible Exposure Level 15 mg/m3 Form: Total dust</p> <p><b>OSHA PEL (1993-06-30)</b> PEL: Permissible Exposure Level 5 mg/m3 Form: Respirable fraction</p> <p><b>NIOSH REL (1994-06-01)</b> Time Weighted Average (TWA) 10 mg/m3 Form: Total</p> <p><b>NIOSH REL (1994-06-01)</b> Time Weighted Average (TWA) 5 mg/m3 Form: Respirable fraction</p> <p><b>ACGIH TLV (1996-05-18)</b> Notes: The agent (mixture, or exposure circumstance) is not classifiable as to its carcinogenicity to humans. 1996 Adoption Refers to Appendix A -- Carcinogens.</p> <p>TLV-TWA: Threshold Limit Value - Time weighted average</p> <p>PEL: Permissible Exposure Level 2 mg/m3 Form: Respirable fraction: means that size fraction of the airborne particulate deposited in the gas-exchange region of the respiratory tract and collected during air sampling with a particle size-selective device that, (a) meets the ACGIH particle size-selective sampling criteria for airborne particulate matter; and (b) has the cut point of 4 µm at 50 per cent collection efficiency.</p>

Report  
version.Re  
port  
**Version:** version

**Date of issue/Date of revision:** Validity date\*\*\*

**Date of previous issue:** 11/26/2013

**Consult local authorities for acceptable exposure limits.**

- Recommended monitoring procedures** : If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment.
- Engineering measures** : Use adequate ventilation to keep the airborne concentrations below the recommended exposure standard.
- Hygiene measures** : Wash thoroughly with soap and water after handling. Remove and launder contaminated clothing before reuse.

**Personal protection**

- Respiratory** : No special respiratory protection required. If ventilation is inadequate to keep the airborne concentrations below the recommended exposure standard wear appropriate respiration protection.
- Hands** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
- Eyes** : Protective eyewear is not required, but may be used in situations where contact is expected.
- Skin** : No special protective clothing is required.
- Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

**9. Physical and chemical properties**

- Physical state** : liquid [YELLOW LIQUID]
- Flash point** : > 200 °C (392.00 °F)
- Burning time** : Not Applicable
- Auto-ignition temperature** : Not Applicable
- Flammable limits** : Not Applicable
- Density** : 1.01 g/cm<sup>3</sup>
- Color** : Yellowish.
- Odor** : Cinnamon
- pH** : Not Applicable
- Boiling/condensation point** : Not Applicable
- Melting/freezing point** : Not Applicable
- Relative density** : 1.01
- Vapor pressure** : Not Applicable
- Vapor density** : Not Applicable
- Volatility** : Not Applicable
- Odor threshold** : Not Applicable
- Evaporation rate** : Not Applicable
- Viscosity** : Not Applicable
- Solubility** : Not Applicable
- Solubility in water** : Not Applicable

**10. Stability and reactivity**

*Report version.Re port*  
**Version:** *version*      **Date of issue/Date of revision:** *Validity date\*\*\**      **Date of previous issue:** *11/26/2013*

<b>Chemical stability</b>	:	The product is stable.
<b>Conditions to avoid</b>	:	No specific data.
<b>Incompatible materials</b>	:	No specific data.
<b>Hazardous decomposition products</b>	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
<b>Possibility of hazardous reactions</b>	:	Under normal conditions of storage and use, hazardous reactions will not occur.

## 11. Toxicological information

### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Kaolin	LD50 Oral	Rat	> 2,000 mg/kg	-
Sodium chloride (NaCl)	LD50 Oral	Rat	3,000 mg/kg	-
Oils, mint, Mentha arvensis piperascens Extractives and their physically modified derivatives. Mentha arvensis, var. piperascens, L	LD50 Oral	Rat	1,240 mg/kg	-
Oils, mint, Mentha arvensis piperascens Extractives and their physically modified derivatives. Mentha arvensis, var. piperascens, L	LD50 Dermal	Rabbit	> 5,000 mg/kg	-

Conclusion/Summary No known significant effects or critical hazards.

### Irritation/Corrosion

Skin	May cause skin irritation.
Eyes	May cause eye irritation.
Respiratory	Non-irritating

### Sensitizer

Conclusion/Summary	Skin	Not sensitizing
	Respiratory	Not sensitizing

### Chronic toxicity

Conclusion/Summary No known significant effects or critical hazards.

### Carcinogenicity

Conclusion/Summary No known significant effects or critical hazards.

### Classification

Product/ingredient name	ACGIH	IARC	EPA	NIOSH	NTP	OSHA
Kaolin	A4					

### Mutagenicity

Conclusion/Summary No known significant effects or critical hazards.

### Teratogenicity

Product/ingredient name	Result	Species	Dose	Exposure
-------------------------	--------	---------	------	----------

Report version.Re port  
 Version: version Date of issue/Date of revision: Validity date\*\*\* Date of previous issue: 11/26/2013

Conclusion/Summary No known significant effects or critical hazards.

**Reproductive toxicity**

Conclusion/Summary No known significant effects or critical hazards.

**12. Ecological information**

**Ecotoxicity** : No known significant effects or critical hazards.

**Aquatic ecotoxicity**

**Conclusion/Summary** : No known significant effects or critical hazards.

**Persistence/degradability**

**Conclusion/Summary** : No known significant effects or critical hazards.

**Partition coefficient: n-octanol/water** : No known significant effects or critical hazards.

**Other adverse effects** : No known significant effects or critical hazards.

**13. Disposal considerations**

Waste disposal Disposal should be in accordance with applicable regional, national and local laws and regulations.

**14. Transport information**

**Regulatory**

<u>information</u>	<u>UN no.</u>	<u>Proper shipping name</u>	<u>Class</u>	<u>PG*</u>	<u>Note</u>
DOT		Not Regulated			
IATA (C)		Not Regulated			
IATA (P)					
IMDG		Not Regulated			
TDG		Not Regulated			
PG* : Packing group					

**15. Regulatory information**

**United States**

**U.S. Federal regulations** : **SARA 302/304/311/312 extremely hazardous substances:** No products were found.  
**SARA 302/304 emergency planning and notification:** No products were found.  
**SARA 302/304/311/312 hazardous chemicals:** No products were found.  
**SARA 311/312 MSDS distribution - chemical inventory - hazard identification:** Kaolin: Del Sodium chloride (NaCl): Acu, Del  
**Clean Water Act (CWA) 307:** No products were found.  
**Clean Water Act (CWA) 311:** No products were found.  
**Clean Air Act (CAA) 112 accidental release prevention:** No products

Report  
version.Re  
port  
Version: version

Date of issue/Date of revision: Validity date\*\*\*

Date of previous issue: 11/26/2013

were found.

**Clean Air Act (CAA) 112 regulated flammable substances:** No products were found.

**Clean Air Act (CAA) 112 regulated toxic substances:** No products were found.

**United States inventory (TSCA 8b) :** All components are listed or exempted.

**State regulations**

**Massachusetts :** None of the components are listed.

**New York :** None of the components are listed.

**New Jersey :** The following components are listed: Kaolin

**Pennsylvania :** The following components are listed: Kaolin

**California Prop. 65 :** Not listed.

**International regulations**

**Canada inventory :** Not determined.

**International lists :** **Australia inventory (AICS):** Not determined.  
**Japan inventory:** Not determined.  
**China inventory (IECSC):** Not determined.  
**Korea inventory:** Not determined.  
**New Zealand Inventory of Chemicals (NZIoC):** Not determined.  
**Philippines inventory (PICCS):** Not determined.

**16.Other information**


**Hazardous Material Information System (U.S.A.) :**

<b>Health</b>	1
<b>Flammability</b>	0
<b>Physical hazards</b>	0

**Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings are not required on MSDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868. The customer is responsible for determining the PPE code for this material.**

*Report version.Re port*

**Version:** *version*      **Date of issue/Date of revision:** *Validity date\*\*\**      **Date of previous issue:** *11/26/2013*

**National Fire Protection Association (U.S.A.):**

Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

**Date of printing** : Print date  
**Date of issue** : Validity date\*\*\*.  
**Version** : Report version.Report version

**Notice to reader**

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

*Report version.Re*  
*port*  
**Version:** *version*      **Date of issue/Date of revision:** *Validity date\*\*\*.*      **Date of previous issue:** *11/26/2013*