



MATERIAL SAFETY DATA SHEET

1. Product and Company Identification

Product Name	Sergeant's Gold Flea & Tick Shampoo for Dogs & Puppies
Synonym(s)	EPA # 2517-79
CAS #	Mixture
Product use	Flea and tick shampoo for dogs
Manufacturer	Sergeant's Pet Care Products, Inc. 10077 South 134th Street Omaha, NE 68138-3710 US Phone: 1-800-224-7387 Emergency Phone: 1-800-781-4738
CHEMTREC	1-800-424-9300

2. Hazards Identification

Emergency overview	CAUTION HARMFUL IF INHALED. Causes moderate eye irritation. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.
Potential short term health effects	
Routes of exposure	Eye, Skin contact, Skin absorption, Inhalation, Ingestion.
Eyes Skin	Causes moderate eye irritation.
Inhalation	May cause irritation.
Ingestion	Harmful if inhaled. May cause respiratory tract irritation. May cause stomach distress, nausea or vomiting.
Target organs	Respiratory system. Eyes. Skin.
Chronic effects	May cause allergic reaction in sensitive individuals.
Signs and symptoms	Symptoms may include redness, edema, drying, defatting and cracking of the skin. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.
OSHA Regulatory Status	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.
Potential environmental effects	See section 12.

3. Composition / Information on Ingredients

Ingredient(s)	CAS #	Percent
Amides, coco, N,N-bis(hydroxyethyl)	68603-42-9	2.5 - 10
C10-16 alkyl ethers, sodium salts	68585-34-2	2.5 - 10
Cocamido propyl betaine	61789-40-0	2.5 - 10
Sulfuric acid, monododecyl ester, compd. with 2,2',2''-nitrotris[ethanol] (1:1)	139-96-8	2.5 - 10
Piperonyl butoxide	51-03-6	0.1 - 1
Permethrin	52645-53-1	0 - 0.1
Pyriproxyfen	95737-68-1	0 - 0.1

4. First Aid Measures

First aid procedures

Eye contact

Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Skin contact	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
Inhalation	Remove affected person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
Ingestion	Do not induce vomiting. Never give anything by mouth if victim is unconscious, or is convulsing. Obtain medical attention.
General advice	If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with eyes. Keep out of reach of children.

5. Fire Fighting Measures

Flammable properties	Not flammable by OSHA criteria.
Extinguishing media	
Suitable extinguishing media	Treat for surrounding material.
Unsuitable extinguishing media	Not available
Protection of firefighters	
Specific hazards arising from the chemical	Not available
Protective equipment for firefighters	Firefighters should wear full protective clothing including self contained breathing apparatus.
Hazardous combustion products	May include and are not limited to: Oxides of carbon. Oxides of nitrogen. Oxides of sulfur.
Explosion data	
Sensitivity to mechanical impact	Not available
Sensitivity to static discharge	Not available

6. Accidental Release Measures

Personal precautions	Keep unnecessary personnel away. Do not touch or walk through damaged containers or spilled material unless wearing appropriate protective clothing. Keep people away from and upwind of spill/leak.
Environmental precautions	Do not discharge into lakes, streams, ponds or public waters.
Methods for containment	Stop leak if you can do so without risk. Prevent entry into waterways, sewers, basements or confined areas. Use water spray to reduce vapors or divert vapor cloud drift, capturing water spray with appropriate diking.
Methods for cleaning up	Before attempting clean up, refer to hazard data and use appropriate personal protective equipment (PPE). Wet down with water to reduce vapors as needed, and dike for later disposal. Absorb with non-reactive absorbent and place in suitable, covered, labeled containers. Never return spills to original container for re-use. After removal flush contaminated area thoroughly with water. Contact emergency services and supplier for advice, if needed.

7. Handling and Storage

Handling	Use good industrial hygiene practices in handling this material. Avoid breathing vapors or mists of this product. Avoid contact with eyes. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using toilet.
Storage	KEEP OUT OF REACH OF CHILDREN. Store in original container in a cool, dry, well-ventilated area inaccessible to children and pets.

8. Exposure Controls / Personal Protection

Exposure limits

Ingredient(s)	Exposure Limits
Amides, coco, N,N-bis(hydroxyethyl)	ACGIH-TLV Not established OSHA-PEL Not established
C10-16 alkyl ethers, sodium salts	ACGIH-TLV Not established OSHA-PEL Not established
Cocamido propyl betaine	ACGIH-TLV Not established OSHA-PEL Not established
Permethrin	ACGIH-TLV Not established OSHA-PEL Not established
Piperonyl butoxide	ACGIH-TLV Not established OSHA-PEL Not established
Pyriproxyfen	ACGIH-TLV Not established OSHA-PEL Not established
Sulfuric acid, monododecyl ester, compd. with 2,2',2'''-nitrioltris[ethanol] (1:1)	ACGIH-TLV Not established OSHA-PEL Not established

Engineering controls

General ventilation normally adequate.

Personal protective equipment

Eye / face protection

Wear safety glasses with side shields.

Hand protection

Rubber gloves. Confirm with a reputable supplier first.

Skin and body protection

As required by employer code.

Respiratory protection

When these exposure guideline levels may be exceeded, use an approved NIOSH respirator.

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice. Do not eat or drink. Wash hands before breaks and immediately after handling the product.

9. Physical and Chemical Properties

Appearance	Clear
Color	Yellow
Form	Liquid
Odor	Fragrant
Odor threshold	Not available
Physical state	Liquid
pH	6.8 - 7.5

Freezing point	Not available
Boiling point	Not available
Pour point	Not available
Evaporation rate	Not available
Flash point	> 200 °F (> 93.33 °C)
Auto-ignition temperature	Not available
Flammability limits in air, lower, % by volume	Not available
Flammability limits in air, upper, % by volume	Not available
Vapor pressure	Not available
Vapor density	Not available
Specific gravity	Not available
Relative density	8.486 lbs/gallon
Octanol/water coefficient	Not available

10. Stability and Reactivity

Reactivity	None known.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Chemical stability	Stable under recommended storage conditions.
Conditions to avoid	Do not mix with other chemicals.
Incompatible materials	Acids. Oxidizers.
Hazardous decomposition products	May include and are not limited to: Oxides of carbon. Oxides of nitrogen. Oxides of sulphur.

11. Toxicological Information

Component analysis - LC50

Ingredient(s)	LC50
Amides, coco, N,N-bis(hydroxyethyl)	Not available
C10-16 alkyl ethers, sodium salts	Not available
Cocamido propyl betaine	Not available
Permethrin	2.3 mg/l/4h rat
Piperonyl butoxide	Not available
Pyriproxyfen	Not available
Sulfuric acid, monododecyl ester, compd. with 2,2",2""-nitrilotris[ethanol] (1:1)	Not available

Component analysis - Oral LD50

Ingredient(s)	LD50
Amides, coco, N,N-bis(hydroxyethyl)	2700 mg/kg rat
C10-16 alkyl ethers, sodium salts	1700 mg/kg rat
Cocamido propyl betaine	2700 mg/kg rat
Permethrin	806 mg/kg rat
Piperonyl butoxide	2600 mg/kg mouse; 6150 mg/kg rat; 2650 mg/kg rabbit
Pyriproxyfen	2000 mg/kg rat
Sulfuric acid, monododecyl ester, compd. with 2,2",2""-nitrilotris[ethanol] (1:1)	1288 mg/kg rat

Effects of acute exposure

Eye	Causes moderate eye irritation.
Skin	May cause irritation.

Inhalation	Harmful if inhaled. May cause respiratory tract irritation.
Ingestion	May cause stomach distress, nausea or vomiting.
Sensitization	Non-hazardous by OSHA criteria.
Chronic effects	May cause allergic reaction in sensitive individuals.
Carcinogenicity	Contains a potential carcinogen.
IARC - Group 2B (Possibly Carcinogenic to Humans)	
Amides, coco, N,N-bis(hydroxyethyl)	68603-42-9 Monograph 101 [in preparation]
IARC - Group 3 (Not Classifiable)	
Permethrin	52645-53-1 Monograph 53 [1991]
Piperonyl butoxide	51-03-6 Supplement 7 [1987]; Monograph 30 [1983]
Mutagenicity	Non-hazardous by OSHA criteria.
Reproductive effects	Contains a potential reproductive toxin.
Teratogenicity	Non-hazardous by OSHA criteria.
Name of Toxicologically Synergistic Products	Not available

12. Ecological Information

Ecotoxicity	Components of this product have been identified as having potential environmental concerns.	
Ecotoxicity - Freshwater Algae - Acute Toxicity Data		
Cocamido propyl betaine	61789-40-0	72 Hr EC50 <i>Desmodesmus subspicatus</i> : 1.0 - 10.0 mg/L; 96 Hr EC50 <i>Desmodesmus subspicatus</i> : 0.55 mg/L
Ecotoxicity - Freshwater Fish - Acute Toxicity Data		
Amides, coco, N,N-bis(hydroxyethyl)	68603-42-9	96 Hr LC50 <i>Brachydanio rerio</i> : 3.6 mg/L [semi-static]
Cocamido propyl betaine	61789-40-0	96 Hr LC50 <i>Brachydanio rerio</i> : 1.0-10.0 mg/L; 96 Hr LC50 <i>Brachydanio rerio</i> : 2 mg/L [semi-static]
Permethrin	52645-53-1	96 Hr LC50 <i>Pimephales promelas</i> : 0.008-0.03 mg/L [flow-through]; 96 Hr LC50 <i>Pimephales promelas</i> : 0.001-0.009 mg/L [static]; 96 Hr LC50 <i>Cyprinus carpio</i> : 0.015 mg/L [flow-through]; 96 Hr LC50 <i>Cyprinus carpio</i> : 0.0052-0.0077 mg/L; 96 Hr LC50 <i>Lepomis macrochirus</i> : 0.00079 mg/L [flow-through]; 96 Hr LC50 <i>Lepomis macrochirus</i> : 0.0108 mg/L; 96 Hr LC50 <i>Lepomis macrochirus</i> : 0.00188-0.00336 mg/L [static]; 96 Hr LC50 <i>Oncorhynchus mykiss</i> : 0.00049-0.00097 mg/L [flow-through]; 96 Hr LC50 <i>Oncorhynchus mykiss</i> : 0.0017-0.
Sulfuric acid, monododecyl ester, compd. with 2,2",2""-nitriлотris[ethanol] (1:1)	139-96-8	48 Hr LC50 <i>Leuciscus idus</i> : 7.2-9.3 mg/L
Ecotoxicity - Water Flea - Acute Toxicity Data		
Amides, coco, N,N-bis(hydroxyethyl)	68603-42-9	24 Hr EC50 <i>Daphnia magna</i> : 4.2 mg/L
Cocamido propyl betaine	61789-40-0	48 Hr EC50 <i>Daphnia magna</i> : 6.5 mg/L
Sulfuric acid, monododecyl ester, compd. with 2,2",2""-nitriлотris[ethanol] (1:1)	139-96-8	24 Hr EC50 <i>Daphnia magna</i> : 12.7 - 44.3 mg/L
Persistence / degradability	Not available	
Bioaccumulation / accumulation	Not available	
Mobility in environmental media	Not available	
Environmental effects	Not available	
Aquatic toxicity	Not available	
Partition coefficient	Not available	
Chemical fate information	Not available	

13. Disposal Considerations

Disposal instructions	Review federal, state and local government requirements prior to disposal. Typically municipal landfill will be appropriate. Do not reuse or refill this container.
Waste from residues / unused products	Review federal, state and local government requirements prior to disposal.
Contaminated packaging	Review federal, state and local government requirements prior to disposal.

14. Transport Information

U.S. Department of Transportation (DOT)

Not regulated as dangerous goods.

IMDG (Marine Transport)

Not regulated as dangerous goods.

IATA/ICAO (Air)

Not regulated as dangerous goods.

15. Regulatory Information

US Federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

U.S. - CERCLA/SARA - Section 313 - Emission Reporting

Permethrin	52645-53-1	1.0 % de minimis concentration
Piperonyl butoxide	51-03-6	1.0 % de minimis concentration

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories	Immediate Hazard - Yes
	Delayed Hazard - Yes
	Fire Hazard - No
	Pressure Hazard - No
	Reactivity Hazard - No

Section 302 extremely hazardous substance	No
--	----

Section 311 hazardous chemical	No
---------------------------------------	----

Clean Air Act (CAA)	Not available
----------------------------	---------------

Clean Water Act (CWA)	Not available
------------------------------	---------------

State regulations	WARNING: This product contains a chemical known to the State of California to cause cancer, birth defects, or other reproductive harm.
--------------------------	--

U.S. – Illinois – Toxic Air Contaminant Carcinogens

Amides, coco, N,N-bis(hydroxyethyl)	68603-42-9	IARC 2B Carcinogen
-------------------------------------	------------	--------------------

U.S. - Massachusetts - Right To Know List

Permethrin	52645-53-1	Present
------------	------------	---------

U.S. - New Jersey - Right to Know Hazardous Substance List

Permethrin	52645-53-1	sn 3422
Piperonyl butoxide	51-03-6	sn 3732

Inventory status

Country(s) or region	Inventory name	On inventory (yes/no)*
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other Information

LEGEND HMIS	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

Health	* 1
Flammability	1
Physical Hazard	0
Personal Protection	X

Disclaimer

Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

Issue date

01-Jan-2013

Effective date

01-Jan-2013

Prepared by

Dell Tech Laboratories Ltd. (519) 858-5021

Other information

For an updated MSDS, please contact the supplier/manufacturer listed on the first page of the document.

This MSDS conforms to the ANSI Z400.1/Z129.1-2010 Standard.

Revision date: 06-Sep-2013

Sections revised: 6,13,15

Supersedes MSDS dated: 07-Feb-2012