



# MATERIAL SAFETY DATA SHEET

---

---

## Section 1: Product & Company Identification

---

---

**Product Name:** MARYKATE® Highlight™ Spray Wax

**Product Number (s):** MK2618

**Product Use:** Waxing Compound for Boats

**Manufacturer / Supplier Contact Information:**

In United States:

CRC Industries, Inc.

885 Louis Drive

Warminster, PA 18974

[www.crcindustries.com](http://www.crcindustries.com)

1-215-674-4300 (General)

(800) 521-3168 (Technical)

(800) 272-4620 (Customer Service)

In Canada:

CRC Canada Co.

2-1246 Lorimar Drive

Mississauga, Ontario L5S 1R2

[www.crc-canada.ca](http://www.crc-canada.ca)

1-905-670-2291

In Mexico:

CRC Industries Mexico

Av. Benito Juárez 4055 G

Colonia Orquídea

San Luís Potosí, SLP CP 78394

[www.crc-mexico.com](http://www.crc-mexico.com)

52-444-824-1666

24-Hr Emergency – CHEMTREC: (800) 424-9300 or (703) 527-3887

---

---

## Section 2: Hazards Identification

---

---

### Emergency Overview

**WARNING:** May Cause Eye Irritation. Contents Under Pressure.  
Appearance & Odor: White emulsion, lemon odor

**Potential Health Effects:**

**ACUTE EFFECTS:**

**EYE:** May cause eye irritation. Severity of irritation will depend upon quantity and duration of exposure.

**SKIN:** Brief exposures are not expected to cause any health effects. Prolonged exposure may cause mild irritation. Persons with sensitive skin may experience redness or drying of the skin.

**INHALATION:** Inhalation of small amounts is not expected to cause negative health effects. Prolonged exposure may cause a headache or irritation to the throat.

**INGESTION:** Ingestion of small amounts is not expected to cause negative health effects. Ingestion of larger amounts may cause stomach ache and irritation of the gastrointestinal tract.

**CHRONIC EFFECTS:** None known

**TARGET ORGANS:** None known

**Medical Conditions Aggravated by Exposure:** eye and skin conditions

See Section 11 for toxicology and carcinogenicity information on product ingredients.

---



---

### Section 3: Composition/Information on Ingredients

---



---

COMPONENT	CAS NUMBER	% by Wt.
Water	7732-18-5	70 - 80
Polydimethylsiloxane	63148-62-9	3 - 8
Synthetic isoparaffinic hydrocarbon	64742-48-9	1 - 5
Coconut diethanolamide	68603-42-9	< 1.5
Liquefied petroleum gas	68476-86-8	10 - 20

---



---

### Section 4: First Aid Measures

---



---

- Eye Contact: Immediately flush with plenty of water for 15 minutes. Call a physician if irritation persists.
- Skin Contact: Remove contaminated clothing and wash affected area with soap and water. Call a physician if irritation persists. Wash contaminated clothing prior to re-use.
- Inhalation: Remove person to fresh air. Keep person calm. If not breathing, give artificial respiration. If breathing is difficult give oxygen. Call a physician.
- Ingestion: Give victim 1 - 2 glasses of water. If health effects are experienced, contact a physician.

*Note to Physicians:* Treat symptomatically

---



---

### Section 5: Fire-Fighting Measures

---



---

**Flammable Properties:** This product is nonflammable in accordance with aerosol flammability definitions (16 CFR 1500.3(c)(6)).

Flash Point: None (TCC)

Upper Explosive Limit: ND

Autoignition Temperature: ND

Lower Explosive Limit: ND

#### **Fire and Explosion Data:**

Suitable Extinguishing Media: Use extinguishing media appropriate for surrounding fire.

Products of Combustion: None

Explosion Hazards: Aerosol containers, when exposed to heat from fire, may build pressure and explode. Vapors can accumulate and create a flammable atmosphere.

Protection of Fire-Fighters: Firefighters should wear self-contained, NIOSH-approved breathing apparatus for protection against suffocation and possible toxic decomposition products. Proper eye and skin protection should be provided. Use water spray to keep fire-exposed containers cool and to knock down vapors which may result from product decomposition.

---



---

### Section 6: Accidental Release Measures

---



---

Personal Precautions: Use personal protection recommended in Section 8.

Environmental Precautions: Take precautions to prevent contamination of ground and surface waters. Do not flush into sewers or storm drains.

Methods for Containment & Clean-up: Dike area to contain spill. Ventilate the area with fresh air. If in confined space

or limited air circulation area, clean-up workers should wear appropriate respiratory protection. Recover or absorb spilled material using an absorbent designed for chemical spills. Place used absorbents into proper waste containers.

## **Section 7: Handling and Storage**

**Handling Procedures:** Do not mix this product with other household chemicals. Do not use near open flames or other sources of ignition. Wash hands after use and before consuming food. Use caution around energized equipment. The metal container will conduct electricity if it contacts a live source. This may result in injury to the user from electrical shock and/or flash fire. For product use instructions, please see the product label.

**Storage Procedures:** Store in a cool dry area out of direct sunlight. Aerosol cans must be maintained below 120°F / 49°C to prevent cans from rupturing. Store out of reach of children.

**Aerosol Storage Level:** I

## **Section 8: Exposure Controls/Personal Protection**

### **Exposure Guidelines:**

COMPONENT	OSHA		ACGIH		OTHER		UNIT
	TWA	STEL	TWA	STEL	TWA	SOURCE	
Water	NE	NE	NE	NE	NE		
Polydimethylsiloxane	NE	NE	NE	NE	NE		
Synthetic isoparaffinic hydrocarbon	NE	NE	NE	NE	NE		
Coconut diethanolamide	NE	NE	NE	NE	NE		
Liquefied petroleum gas	1000	NE	1000	NE	NE		ppm
N.E. – Not Established      (c) – ceiling      (s) – skin      (v) – vacated							

### **Controls and Protection:**

**Engineering Controls:** Area should have ventilation to provide fresh air. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at the source, preventing dispersion into the general work area. Use mechanical means if necessary to maintain vapor levels below the exposure guidelines. If working in a confined space, follow applicable OSHA regulations.

**Respiratory Protection:** None required for normal work where adequate ventilation is provided. If engineering controls are not feasible or if exposure exceeds the applicable exposure limits, use a NIOSH-approved cartridge respirator with organic vapor cartridge. Air monitoring is needed to determine actual employee exposure levels. Use a self-contained breathing apparatus in confined spaces and for emergencies.

**Eye/face Protection:** For normal conditions, wear safety glasses. Where there is reasonable probability of liquid contact, wear splash-proof goggles.

**Skin Protection:** Use protective gloves such as rubber or nitrile. Also, use full protective clothing if there is prolonged or repeated contact of liquid with skin.

## **Section 9: Physical and Chemical Properties**

**Physical State:** liquid

Color: white  
 Odor: lemon  
 Odor Threshold: ND  
 Specific Gravity: 0.99  
 Initial Boiling Point: ~ 212°F / 100°C  
 Freezing Point: ND  
 Vapor Pressure: ND  
 Vapor Density: ND (air = 1)  
 Evaporation Rate: slow  
 Solubility: soluble in water  
 Coefficient of water/oil distribution: ND  
 pH: 9.8  
 Volatile Organic Compounds: wt %: 17.7                      g/L: 175.2                      lbs./gal: 1.46

## Section 10: Stability and Reactivity

Stability: Stable

Conditions to Avoid: Keep away from heat and direct sunlight. Do not touch container to live electrical sources. Container will conduct electricity. Dropping of containers may cause bursting.

Incompatible Materials: Strong oxidizers, strong acids

Hazardous Decomposition Products: None

Possibility of Hazardous Reactions: No

## Section 11: Toxicological Information

Long-term toxicological studies have not been conducted for this product. The following information is available for components of this product.

### Acute Toxicity:

<u>Component</u>	<u>Oral LD50 (rat)</u>	<u>Dermal LD50 (rabbit)</u>	<u>Inhalation LC50 (rat)</u>
Water	> 90 mL/kg	No data	No data
Polydimethylsiloxane	> 5000 mg/kg	> 10,000 mg/kg	> 553 mg/L
Synthetic isoparaffinic hydrocarbon	> 5000 mg/kg	> 2000 mg/kg	> 5 mg/L/4H
Coconut diethanolamide	12,400 uL/kg	No data	No data
Liquefied petroleum gas	No data	No data	658 mg/L/4H

### Chronic Toxicity:

<u>Component</u>	<u>OSHA Carcinogen</u>	<u>IARC Carcinogen</u>	<u>NTP Carcinogen</u>	<u>Irritant</u>	<u>Sensitizer</u>
Water	No	No	No	No	No
Polydimethylsiloxane	No	No	No	No	No
Synthetic isoparaffinic hydrocarbon	No	No	No	No	Unknown
Coconut diethanolamide	No	Group 2B	No	eye, skin	Unknown
Liquefied petroleum gas	No	No	No	No	No

Reproductive Toxicity: No information available  
Teratogenicity: No information available  
Mutagenicity: No information available  
Synergistic Effects: No information available

---



---

## Section 12: Ecological Information

---



---

Ecological studies have not been conducted for this product. The following information is available for components of this product.

Ecotoxicity: No information available  
 Persistence / Degradability: > 70% of this product is biodegradable  
 Bioaccumulation / Accumulation: No information available  
 Mobility in Environment: No information available

---



---

## Section 13: Disposal Considerations

---



---

**Waste Classification:** The dispensed liquid product is not a RCRA hazardous waste. Aerosol containers should be fully emptied and depressurized before disposal. Empty containers may be recycled.

All disposal activities must comply with federal, state, provincial and local regulations. Local regulations may be more stringent than state, provincial or national requirements.

---



---

## Section 14: Transport Information

---



---

US DOT (ground): UN1950, Aerosols, non-flammable, 2.2, Limited Quantity\*\*

ICAO/IATA (air): UN1950, Aerosols, non-flammable, 2.2, Limited Quantity

IMO/IMDG (water): UN1950, Aerosols, 2.2, Limited Quantity

Special Provisions: \*\*This product can be classified and labeled as 'Consumer Commodity, ORM-D' for domestic ground shipping.

---



---

## Section 15: Regulatory Information

---



---

### **U.S. Federal Regulations:**

#### Toxic Substances Control Act (TSCA):

All ingredients are either listed on the TSCA inventory or are exempt.

#### Comprehensive Environmental Response, Compensation and Liability Act (CERCLA):

Reportable Quantities (RQ's) exist for the following ingredients: None

**Spills or releases resulting in the loss of any ingredient at or above its RQ require immediate notification to the National Response Center (800-424-8802) and to your Local Emergency Planning Committee.**

#### Superfund Amendments Reauthorization Act (SARA) Title III:

Section 302 Extremely Hazardous Substances (EHS): None

Section 311/312 Hazard Categories:	Fire Hazard	No
	Reactive Hazard	No
	Release of Pressure	Yes
	Acute Health Hazard	No
	Chronic Health Hazard	Yes

Section 313 Toxic Chemicals: This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372:  
None

Clean Air Act:

Section 112 Hazardous Air Pollutants (HAPs): None

Occupational Safety and Health Administration:

This product is regulated by the Hazard Communications Standard.

**U.S. State Regulations:**

California Safe Drinking Water and Toxic Enforcement Act (Prop 65):

This product may contain the following chemicals known to the state of California to cause cancer, birth defects or other reproductive harm:

coconut diethanolamide (< 1.5%)  
diethanolamine (0.05%)

Consumer Products VOC Regulations: This product is not regulated.

State Right to Know:

New Jersey: None  
Pennsylvania: None  
Massachusetts: None  
Rhode Island : None

**Canadian Regulations:**

Controlled Products Regulations:

This product has been classified in accordance with the hazard criteria of the Controlled Product Regulation and the MSDS contains all the information required by the Controlled Products Regulations.

WHMIS Hazard Class: D2A

Canadian DSL Inventory: All ingredients are either listed on the DSL Inventory or are exempt.

**European Union Regulations:**

RoHS Compliance: This product is compliant with Directive 2002/95/EC of the European Parliament and of the Council of 27 January 2003. This product does not contain any of the restricted substances as listed in Article 4(1) of the RoHS Directive.

**Additional Regulatory Information:** None

---


---

**Section 16: Other Information**

---

---

HMIS® (II)	
Health:	1
Flammability:	1
Reactivity:	0
PPE:	B



Ratings range from 0 (no hazard) to 4 (severe hazard)

Prepared By: Michelle Rudnick  
CRC #: 445B  
Revision Date: 11/21/2013

Changes since last revision: MSDS reformatted to meet the requirements of the Canadian Controlled Products Regulations.

The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. This information is accurate to the best of CRC Industries' knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label. For further clarification of any information contained on this MSDS consult your supervisor, a health & safety professional, or CRC Industries.

ACGIH: American Conference of Governmental Industrial Hygienists	NA: Not Applicable
CAS: Chemical Abstract Service	ND: Not Determined
CFR: Code of Federal Regulations	NIOSH: National Institute of Occupational Safety & Health
DOT: Department of Transportation	NFPA: National Fire Protection Association
DSL: Domestic Substance List	NTP: National Toxicology Program
g/L: grams per Liter	OSHA: Occupational Safety and Health Administration
HMIS: Hazardous Materials Identification System	PMCC: Pensky-Martens Closed Cup
IARC: International Agency for Research on Cancer	PPE: Personal Protection Equipment
IATA: International Air Transport Association	ppm: Parts per Million
ICAO: International Civil Aviation Organization	RoHS: Restriction of Hazardous Substances
IMDG: International Maritime Dangerous Goods	STEL: Short Term Exposure Limit
IMO: International Maritime Organization	TCC: Tag Closed Cup
lbs./gal: pounds per gallon	TWA: Time Weighted Average
LC: Lethal Concentration	WHMIS: Workplace Hazardous Materials Information System
LD: Lethal Dose	