



Revision Number: 001.3

Issue date: 12/22/2014

**1. PRODUCT AND COMPANY IDENTIFICATION**

|                               |  |                     |                 |
|-------------------------------|--|---------------------|-----------------|
| <b>Product name:</b>          | <b>LOC 25ML EPXY MET&amp;CC SYRNG PTA</b>      | <b>IDH number:</b>  | 1436008         |
| <b>Product type:</b>          | Epoxy resin                                    | <b>Item number:</b> | 1405605_1295954 |
| <b>Restriction of Use:</b>    | None identified                                | <b>Region:</b>      | United States   |
| <b>Company address:</b>       | <b>Contact information:</b>                    |                     |                 |
| Henkel Corporation            | Telephone: (860) 571-5100                      |                     |                 |
| One Henkel Way                | MEDICAL EMERGENCY Phone: Poison Control Center |                     |                 |
| Rocky Hill, Connecticut 06067 | 1-877-671-4608 (toll free) or 1-303-592-1711   |                     |                 |
|                               | TRANSPORT EMERGENCY Phone: CHEMTREC            |                     |                 |
|                               | 1-800-424-9300 (toll free) or 1-703-527-3887   |                     |                 |
|                               | Internet: www.henkelna.com                     |                     |                 |

**2. HAZARDS IDENTIFICATION**

**EMERGENCY OVERVIEW**

**WARNING:** ABRASION COULD RELEASE RESPIRABLE PARTICLES OF SILICA QUARTZ, A CANCER HAZARD BY INHALATION. NORMAL USE OF THIS PRODUCT CAUSES NO SUCH RELEASE.

CAUSES SKIN IRRITATION.  
MAY CAUSE AN ALLERGIC SKIN REACTION.  
CAUSES SERIOUS EYE IRRITATION.

| HAZARD CLASS       | HAZARD CATEGORY |
|--------------------|-----------------|
| SKIN IRRITATION    | 2               |
| EYE IRRITATION     | 2A              |
| SKIN SENSITIZATION | 1               |

**PICTOGRAM(S)**



**Precautionary Statements**

**Prevention:** Avoid breathing vapors, mist, or spray. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wear eye and face protection. Wear protective gloves.

**Response:** IF ON SKIN: Wash with plenty of soap and water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to remove. Continue rinsing. If skin irritation or rash occurs: Get medical attention. If eye irritation persists: Get medical attention. Take off contaminated clothing.

**Storage:** Not prescribed

**Disposal:** Dispose of contents and/or container according to Federal, State/Provincial and local governmental regulations.

Classification complies with OSHA Hazard Communication Standard (29 CFR 1910.1200) and is consistent with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

See Section 11 for additional toxicological information.

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

| Hazardous Component(s)     | CAS Number  | Percentage* |
|----------------------------|-------------|-------------|
| Epoxy resin                | Proprietary | 30 - 60     |
| Calcium carbonate          | 471-34-1    | 30 - 60     |
| Aluminum                   | 7429-90-5   | 1 - 5       |
| Quartz (SiO <sub>2</sub> ) | 14808-60-7  | 0.1 - 1     |

\* Exact percentage is a trade secret. Concentration range is provided to assist users in providing appropriate protections.

### 4. FIRST AID MEASURES

|                      |   |
|----------------------|---|
| <b>Inhalation:</b>   | Move to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.                                      |
| <b>Skin contact:</b> | Immediately flush skin with plenty of water (using soap, if available). Remove contaminated clothing and footwear. Wash clothing before reuse. Get medical attention. |
| <b>Eye contact:</b>  | Immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention.   |
| <b>Ingestion:</b>    | Do not induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention.   |
| <b>Symptoms:</b>     | See Section 11.   |

### 5. FIRE FIGHTING MEASURES

|   |  |
|---|--|
| <b>Extinguishing media:</b>               | Water spray (fog), foam, dry chemical or carbon dioxide.                                     |
| <b>Special firefighting procedures:</b>   | Wear self-contained breathing apparatus and full protective clothing, such as turn-out gear. |
| <b>Unusual fire or explosion hazards:</b> | Closed containers may rupture (due to build up of pressure) when exposed to extreme heat.    |
| <b>Hazardous combustion products:</b>     | Aldehydes. Irritating organic fragments. Ketones. Oxides of carbon. Phenolics.               |

### 6. ACCIDENTAL RELEASE MEASURES

Use personal protection recommended in Section 8, isolate the hazard area and deny entry to unnecessary and unprotected personnel.

|                                   |   |
|-----------------------------------|---|
| <b>Environmental precautions:</b> | Do not allow product to enter sewer or waterways.   |
| <b>Clean-up methods:</b>          | Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Scrape up spilled material and place in a closed container for disposal. |

## 7. HANDLING AND STORAGE

- Handling:** Keep container closed. Avoid contact with eyes, skin and clothing. Avoid breathing vapors or mists of this product. Wash thoroughly after handling. Use only with adequate ventilation.
- Storage:** Keep in a cool, well ventilated area away from heat, sparks and open flame. Keep container tightly closed until ready for use.

For information on product shelf life contact Henkel Customer Service at (800) 243-4874.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

| Hazardous Component(s)     | ACGIH TLV  | OSHA PEL  | AIHA WEEL | OTHER |
|----------------------------|--|---|-----------|-------|
| Epoxy resin                | None   | None  | None      | None  |
| Calcium carbonate          | 10 mg/m <sup>3</sup> TWA Total dust.             | 5 mg/m <sup>3</sup> PEL Respirable fraction.<br>15 mg/m <sup>3</sup> PEL Total dust.                        | None      | None  |
| Aluminum                   | 1 mg/m <sup>3</sup> TWA Respirable fraction.     | 5 mg/m <sup>3</sup> PEL (as Al) Respirable dust.<br>15 mg/m <sup>3</sup> PEL (as Al) Total dust.            | None      | None  |
| Quartz (SiO <sub>2</sub> ) | 0.025 mg/m <sup>3</sup> TWA Respirable fraction. | 2.4 MPPCF TWA Respirable.<br>0.1 mg/m <sup>3</sup> TWA Respirable.<br>0.3 mg/m <sup>3</sup> TWA Total dust. | None      | None  |

- Engineering controls:** Local exhaust ventilation is recommended when general ventilation is not sufficient to control airborne contamination.
- Respiratory protection:** Use NIOSH approved respirator if there is potential to exceed exposure limit(s).
- Eye/face protection:** Safety goggles or safety glasses with side shields.
- Skin protection:** Chemical resistant, impermeable gloves.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

- Physical state:** Liquid, paste
- Color:** Gray, Metallic
- Odor:** Slight
- Odor threshold:** Not available.
- pH:** Not available.
- Vapor pressure:** Not available.
- Boiling point/range:** Not available.
- Melting point/ range:** Not available.
- Specific gravity:** 1.63
- Vapor density:** Not available.
- Flash point:** > 96.11 °C (> 205°F) ; Estimated
- Flammable/Explosive limits - lower:** Not available.
- Flammable/Explosive limits - upper:** Not available.
- Autoignition temperature:** Not available.
- Evaporation rate:** Not available.
- Solubility in water:** Not available.
- Partition coefficient (n-octanol/water):** Not available.
- VOC content:** 0 % (calculated)
- Viscosity:** Not available.

Decomposition temperature: Not available.

## 10. STABILITY AND REACTIVITY

**Stability:** Stable

**Hazardous reactions:** Will not occur.

**Hazardous decomposition products:** None

**Incompatible materials:** Amines. Strong oxidizing agents. Strong acids and strong bases.

**Reactivity:** Not available.

**Conditions to avoid:** Direct sources of heat.

## 11. TOXICOLOGICAL INFORMATION

**Relevant routes of exposure:** Skin, Inhalation, Eyes

### Potential Health Effects/Symptoms

**Inhalation:** May cause respiratory tract irritation. Coughing.  
**Skin contact:** May cause allergic skin reaction. Causes skin irritation. Redness.  
**Eye contact:** Causes eye irritation. Direct contact may cause temporary redness and discomfort.  
**Ingestion:** Not expected to be harmful by ingestion.

| Hazardous Component(s)     | LD50s and LC50s               | Immediate and Delayed Health Effects                  |
|----------------------------|-------------------------------|---|
| Epoxy resin                | None                          | Allergen, Irritant                                    |
| Calcium carbonate          | Oral LD50 (RAT) = 6,450 mg/kg | Nuisance dust   |
| Aluminum                   | None                          | Central nervous system, Irritant, Lung                |
| Quartz (SiO <sub>2</sub> ) | None                          | Immune system, Lung, Some evidence of carcinogenicity |

| Hazardous Component(s)     | NTP Carcinogen                | IARC Carcinogen | OSHA Carcinogen (Specifically Regulated) |
|----------------------------|-------------------------------|-----------------|--|
| Epoxy resin                | No                            | No              | No                                       |
| Calcium carbonate          | No                            | No              | No                                       |
| Aluminum                   | No                            | No              | No                                       |
| Quartz (SiO <sub>2</sub> ) | Known To Be Human Carcinogen. | Group 1         | No                                       |

## 12. ECOLOGICAL INFORMATION

**Ecological information:** Toxic to aquatic organisms

## 13. DISPOSAL CONSIDERATIONS

Information provided is for unused product only.

**Recommended method of disposal:** Follow all local, state, federal and provincial regulations for disposal.  
**Hazardous waste number:** Not a RCRA hazardous waste.

## 14. TRANSPORT INFORMATION

The transport information provided in this section only applies to the material/formulation itself, and is not specific to any package/configuration.

### U.S. Department of Transportation Ground (49 CFR)

**Proper shipping name:** Not regulated  
**Hazard class or division:** None  
**Identification number:** None  
**Packing group:** None

### International Air Transportation (ICAO/IATA)

**Proper shipping name:** Environmentally hazardous substance, liquid, n.o.s. (Bisphenol-A Epichlorhydrin resin)  
**Hazard class or division:** 9  
**Identification number:** UN 3082  
**Packing group:** III

### Water Transportation (IMO/IMDG)

**Proper shipping name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Bisphenol-A Epichlorhydrin resin)  
**Hazard class or division:** 9  
**Identification number:** UN 3082  
**Packing group:** III  
**Marine pollutant:** Bisphenol-A Epichlorhydrin resin

## 15. REGULATORY INFORMATION

### United States Regulatory Information

**TSCA 8 (b) Inventory Status:** All components are listed or are exempt from listing on the Toxic Substances Control Act Inventory.  
**TSCA 12 (b) Export Notification:** None above reporting de minimis  
**CERCLA/SARA Section 302 EHS:** None above reporting de minimis  
**CERCLA/SARA Section 311/312:** Immediate Health, Delayed Health  
**CERCLA/SARA Section 313:** None above reporting de minimis  
**California Proposition 65:** This product contains a chemical known in the State of California to cause cancer. This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

### Canada Regulatory Information

**CEPA DSL/NDL Status:** All components are listed on or are exempt from listing on the Canadian Domestic Substances List.

## 16. OTHER INFORMATION

This safety data sheet contains changes from the previous version in sections: New Safety Data Sheet format.

**Prepared by:** Gary Pierson, Manager, Regulatory Affairs  
**Issue date:** 12/22/2014

**DISCLAIMER:** The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods Henkel has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel's products. Henkel further disclaims any liability for consequential or incidental damages of any kind, including lost profits.



Revision Number: 001.3

Issue date: 03/21/2013

**1. PRODUCT AND COMPANY IDENTIFICATION**

|                         |   |                             |  |
|-------------------------|---|-----------------------------|--|
| <b>Product name:</b>    | <b>LOC 25ML EPXY MET&amp;CC SYRNG PTB</b>                             | <b>IDH number:</b>          | 1436007  |
| <b>Product type:</b>    | Epoxy Hardener  | <b>Item number:</b>         | 1405605_1343879  |
| <b>Company address:</b> | Henkel Corporation<br>One Henkel Way<br>Rocky Hill, Connecticut 06067 | <b>Region:</b>              | United States  |
|                         |   | <b>Contact information:</b> | Telephone: 860.571.5100<br>MEDICAL EMERGENCY Phone: Poison Control Center<br>1-877-671-4608 (toll free) or 1-303-592-1711<br>TRANSPORT EMERGENCY Phone: CHEMTREC<br>1-800-424-9300 (toll free) or 1-703-527-3887<br>Internet: www.henkelna.com |

**2. HAZARDS IDENTIFICATION**

**EMERGENCY OVERVIEW**

|                        |                  |                             |                    |
|------------------------|------------------|-----------------------------|--------------------|
| <b>Physical state:</b> | Liquid, paste    | <b>HEALTH:</b>              | 3                  |
| <b>Color:</b>          | Off white        | <b>FLAMMABILITY:</b>        | 1                  |
| <b>Odor:</b>           | Amine, Mercaptan | <b>PHYSICAL HAZARD:</b>     | 0                  |
|                        |                  | <b>Personal Protection:</b> | See MSDS Section 8 |

**DANGER:** CAUSES EYE, SKIN AND RESPIRATORY TRACT BURNS.  
MAY BE HARMFUL IF SWALLOWED OR ABSORBED THROUGH SKIN.

**Relevant routes of exposure:** Skin, Inhalation, Eyes, Ingestion

**Potential Health Effects**

|                      |  |
|----------------------|--|
| <b>Inhalation:</b>   | Respiratory tract burns. May cause respiratory tract irritation. May cause irritation to nose and throat. Lung damage. |
| <b>Skin contact:</b> | May cause skin burns. May be harmful if absorbed through skin. Rash. Redness. Tissue damage.                           |
| <b>Eye contact:</b>  | Burns. Severe eye irritation. Redness. Tissue damage.  |
| <b>Ingestion:</b>    | May be harmful if swallowed. May cause burns of mouth and throat if swallowed.   |

**Existing conditions aggravated by exposure:** Eye, skin, and respiratory disorders. Skin allergies.

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

See Section 11 for additional toxicological information.

**3. COMPOSITION / INFORMATION ON INGREDIENTS**

| Hazardous components  | CAS NUMBER | %       |
|---|------------|---------|
| Calcium carbonate   | 471-34-1   | 30 - 60 |
| Poly[oxy(methyl-1,2-ethanediy)], a-hydro-w-hydroxy-, ether with 2,2-bis(hydroxymethyl)-1,3-propanediol (4:1), 2-hydroxy-3-mercaptop | 72244-98-5 | 30 - 60 |
| m-Phenylenebis(methylamine)   | 1477-55-0  | 5 - 10  |
| 2,4,6-Tris(dimethylaminomethyl)phenol   | 90-72-2    | 1 - 5   |
| Phenol  | 108-95-2   | 1 - 5   |
| Quartz (SiO2)   | 14808-60-7 | 0.1 - 1 |

#### 4. FIRST AID MEASURES

|                      |   |
|----------------------|---|
| <b>Inhalation:</b>   | Move to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.  |
| <b>Skin contact:</b> | Immediately flush skin with plenty of water (using soap, if available). Remove contaminated clothing and footwear. Wash clothing before reuse. Thoroughly clean shoes before reuse. If symptoms develop and persist, get medical attention. |
| <b>Eye contact:</b>  | Immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention.   |
| <b>Ingestion:</b>    | Do not induce vomiting. Keep individual calm. Never give anything by mouth to an unconscious person. Get medical attention.   |

#### 5. FIRE FIGHTING MEASURES

|  |  |
|--|--|
| <b>Flash point:</b>                        | > 93 °C (> 199.4 °F) Tagliabue closed cup  |
| <b>Autoignition temperature:</b>           | Not available.   |
| <b>Flammable/Explosive limits - lower:</b> | Not available.   |
| <b>Flammable/Explosive limits - upper:</b> | Not available.   |
| <b>Extinguishing media:</b>                | Water spray (fog), foam, dry chemical or carbon dioxide.   |
| <b>Special firefighting procedures:</b>    | Wear self-contained breathing apparatus and full protective clothing, such as turn-out gear.                 |
| <b>Unusual fire or explosion hazards:</b>  | In case of fire, keep containers cool with water spray.  |
| <b>Hazardous combustion products:</b>      | Oxides of carbon, oxides of nitrogen, irritating organic vapors. Ammonia. Amines. Nitric acid. Nitrosamines. |

#### 6. ACCIDENTAL RELEASE MEASURES

Use personal protection recommended in Section 8, isolate the hazard area and deny entry to unnecessary and unprotected personnel.

|                                   |   |
|-----------------------------------|---|
| <b>Environmental precautions:</b> | Do not allow product to enter sewer or waterways.   |
| <b>Clean-up methods:</b>          | Remove all sources of ignition. Immediately contact emergency personnel. Scrape up as much material as possible. Clean residue with soap and water. Store in a closed container until ready for disposal. |

#### 7. HANDLING AND STORAGE

|                  |   |
|------------------|---|
| <b>Handling:</b> | Keep away from heat, spark and flame. Do not breathe gas/fumes/vapor/spray. Keep container closed. Avoid contact with eyes, skin and clothing. Wash thoroughly after handling.  |
| <b>Storage:</b>  | For safe storage, store at or below 37.8 °C (100°F)<br>Store in original container until ready to use. Keep in a cool, well ventilated area away from heat, sparks and open flame. Keep container tightly closed until ready for use. |

For information on product shelf life contact Henkel Customer Service at (800) 243-4874.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

| Hazardous components   | ACGIH TLV                               | OSHA PEL   | AIHA WEEL | OTHER |
|--|---|--|-----------|-------|
| Calcium carbonate  | 10 mg/m3 TWA<br>Total dust.             | 5 mg/m3 TWA<br>Respirable fraction.<br>15 mg/m3 TWA<br>Total dust.                           | None      | None  |
| Poly[oxy(methyl-1,2-ethanediyl)], a-hydro-w-hydroxy-, ether with 2,2-bis(hydroxymethyl)-1,3-propanediol (4:1), 2-hydroxy-3-mercaptop | None                                    | None   | None      | None  |
| m-Phenylenebis(methylamine)  | 0.1 mg/m3 Ceiling<br>(SKIN)             | None   | None      | None  |
| 2,4,6-Tris(dimethylaminomethyl)phenol  | None                                    | None   | None      | None  |
| Phenol   | (SKIN)<br>5 ppm TWA                     | (SKIN)<br>5 ppm (19 mg/m3)<br>TWA  | None      | None  |
| Quartz (SiO <sub>2</sub> )   | 0.025 mg/m3 TWA<br>Respirable fraction. | 2.4 MPPCF TWA<br>Respirable.<br>0.1 mg/m3 TWA<br>Respirable.<br>0.3 mg/m3 TWA<br>Total dust. | None      | None  |

|                                |  |
|--------------------------------|--|
| <b>Engineering controls:</b>   | Use local exhaust ventilation if the potential for airborne exposure exists.     |
| <b>Respiratory protection:</b> | Use NIOSH approved respirator if there is potential to exceed exposure limit(s). |
| <b>Eye/face protection:</b>    | Safety goggles or safety glasses with side shields.                              |
| <b>Skin protection:</b>        | Chemical resistant, impermeable gloves.  |

## 9. PHYSICAL AND CHEMICAL PROPERTIES

|   |   |
|---|---|
| <b>Physical state:</b>                          | Liquid, paste                             |
| <b>Color:</b>                                   | Off white                                 |
| <b>Odor:</b>                                    | Amine, Mercaptan                          |
| <b>Odor threshold:</b>                          | Not available.                            |
| <b>pH:</b>                                      | Not available.                            |
| <b>Vapor pressure:</b>                          | Not available.                            |
| <b>Boiling point/range:</b>                     | Not available.                            |
| <b>Melting point/ range:</b>                    | Not available.                            |
| <b>Specific gravity:</b>                        | 1.6                                       |
| <b>Vapor density:</b>                           | Not available.                            |
| <b>Flash point:</b>                             | > 93 °C (> 199.4 °F) Tagliabue closed cup |
| <b>Flammable/Explosive limits - lower:</b>      | Not available.                            |
| <b>Flammable/Explosive limits - upper:</b>      | Not available.                            |
| <b>Autoignition temperature:</b>                | Not available.                            |
| <b>Evaporation rate:</b>                        | Not available.                            |
| <b>Solubility in water:</b>                     | Insoluble                                 |
| <b>Partition coefficient (n-octanol/water):</b> | Not available.                            |
| <b>VOC content:</b>                             | 0.04 % EPA Method 24                      |

## 10. STABILITY AND REACTIVITY

|  |   |
|--|---|
| <b>Stability:</b>                        | Stable  |
| <b>Hazardous reactions:</b>              | Will not occur.   |
| <b>Hazardous decomposition products:</b> | Oxides of carbon. Oxides of nitrogen. Irritating organic fragments. |
| <b>Incompatible materials:</b>           | Strong acids and strong bases. Strong oxidizing agents.             |
| <b>Conditions to avoid:</b>              | Excessive heat. Store away from incompatible materials.             |

## 11. TOXICOLOGICAL INFORMATION

| Hazardous components   | NTP Carcinogen                | IARC Carcinogen | OSHA Carcinogen (Specifically Regulated) |
|--|-------------------------------|-----------------|--|
| Calcium carbonate  | No                            | No              | No                                       |
| Poly[oxy(methyl-1,2-ethanediyl)], a-hydro-w-hydroxy-, ether with 2,2-bis(hydroxymethyl)-1,3-propanediol (4:1), 2-hydroxy-3-mercaptop | No                            | No              | No                                       |
| m-Phenylenebis(methylamine)  | No                            | No              | No                                       |
| 2,4,6-Tris(dimethylaminomethyl)phenol  | No                            | No              | No                                       |
| Phenol   | No                            | No              | No                                       |
| Quartz (SiO <sub>2</sub> )   | Known To Be Human Carcinogen. | Group 1         | No                                       |

| Hazardous components   | Health Effects/Target Organs   |
|--|--|
| Calcium carbonate  | Nuisance dust  |
| Poly[oxy(methyl-1,2-ethanediyl)], a-hydro-w-hydroxy-, ether with 2,2-bis(hydroxymethyl)-1,3-propanediol (4:1), 2-hydroxy-3-mercaptop | No Records   |
| m-Phenylenebis(methylamine)  | Irritant, Liver, Kidney, Corrosive   |
| 2,4,6-Tris(dimethylaminomethyl)phenol  | Irritant, Allergen   |
| Phenol   | Blood, Cardiac, Corrosive, Developmental, Eyes, Irritant, Kidney, Liver, Mutagen, Nervous System, Skin, Vascular |
| Quartz (SiO <sub>2</sub> )   | Immune system, Lung, Some evidence of carcinogenicity  |

## 12. ECOLOGICAL INFORMATION

**Ecological information:** Not available.

## 13. DISPOSAL CONSIDERATIONS

Information provided is for unused product only.

**Recommended method of disposal:** Follow all local, state, federal and provincial regulations for disposal.

**Hazardous waste number:** Not a RCRA hazardous waste.

## 14. TRANSPORT INFORMATION

### U.S. Department of Transportation Ground (49 CFR)

**Proper shipping name:** Amines, liquid, corrosive, n.o.s. (m-Xylylenediamine)  
**Hazard class or division:** 8  
**Identification number:** UN 2735  
**Packing group:** III

**International Air Transportation (ICAO/IATA)**

**Proper shipping name:** Amines, liquid, corrosive, n.o.s. (m-Xylylenediamine)  
**Hazard class or division:** 8  
**Identification number:** UN 2735  
**Packing group:** III

**Water Transportation (IMO/IMDG)**

**Proper shipping name:** AMINES, LIQUID, CORROSIVE, N.O.S. (m-Xylylenediamine)  
**Hazard class or division:** 8  
**Identification number:** UN 2735  
**Packing group:** III

**15. REGULATORY INFORMATION****United States Regulatory Information**

**TSCA 8 (b) Inventory Status:** All components are listed or are exempt from listing on the Toxic Substances Control Act Inventory.

**TSCA 12(b) Export Notification:** None above reporting de minimus

**CERCLA/SARA Section 302 EHS:** Phenol (CAS# 108-95-2).

**CERCLA/SARA Section 311/312:** Immediate Health

**CERCLA/SARA 313:** This product contains the following toxic chemicals subject to the reporting requirements of section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 (40 CFR 372). Phenol (CAS# 108-95-2).

**California Proposition 65:** This product contains a chemical known in the State of California to cause cancer. This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

**Canada Regulatory Information**

**CEPA DSL/NDL Status:** All components are listed on or are exempt from listing on the Canadian Domestic Substances List.

**WHMIS hazard class:** D.2.A, D.2.B, E

**16. OTHER INFORMATION**

**This material safety data sheet contains changes from the previous version in sections: 1**

**Prepared by:** Gary Pierson, Manager, Regulatory Affairs

**DISCLAIMER:** The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods Henkel has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel's products. Henkel further disclaims any liability for consequential or incidental damages of any kind, including lost profits.