

1. Product and Company Identification


Product Name CLEARASIL® ULTRA® Overnight Scrub
CAS # Mixture
This MSDS is designed for workplace employees, emergency personnel and for other conditions and situations where there is a greater potential for large-scale or prolonged exposure, in accordance with requirements of the U.S. Government's Occupational Safety and Health Administration (OSHA).
This MSDS is not applicable for consumer use of our products. For consumer use, all precautionary and first aid language is provided on the product label in accordance with the applicable government regulation.

Product Use Face wash

Distributed by Reckitt Benckiser
 Morris Corporate Center IV
 399 Interpace Parkway
 P.O. Box 225
 Parsippany, NJ 07054-0225
 In Case of Emergency: 1-800-338-6167
 Transportation Emergencies: 24 Hour Number:
 North America: CHEMTREC: 1-800-424-9300
 Outside North America: 1-703-527-3887

LEGEND HMIS/NFPA	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

Health	/ 1
Flammability	0
Physical Hazard	0
Personal Protection	



2. Hazards Identification

Emergency overview This product is regulated by the US FDA as a personal care cosmetic.

Warnings: For external use only.
 When using this product, avoid contact with the eyes. If product gets into the eyes, rinse thoroughly with water.
 Use with other topical acne medications, at the same time or immediately following use of this product, may increase dryness or irritation of the skin may occur. If this occurs, only one acne medication should be used unless directed by your doctor.
 Limit use to the face and neck.
 Stop use and ask a doctor if skin or eye irritation develops.
 In case of accidental ingestion, get medical help or contact a Poison Control Center immediately.

KEEP OUT OF REACH OF CHILDREN.

Potential short term health effects

Routes of exposure

Eye, Skin contact, Inhalation, Ingestion.

Eyes

Avoid contact with eyes.
 May cause eye irritation.

Skin

Use with other topical acne medications, at the same time or immediately following use of this product, may increase dryness or irritation of the skin. If this occurs, only one acne medication should be used unless directed by your doctor.
 May cause skin irritation.
 Not expected to be a skin sensitizer.

Inhalation

Unlikely to cause respiratory effects.

Ingestion

Ingestion may cause gastrointestinal irritation.

Target organs

Eyes. Skin.

Chronic effects

The finished product is not expected to have chronic health effects.

Signs and symptoms
OSHA Regulatory Status

Symptoms may include redness, edema, drying, defatting and cracking of the skin.
This acne product is in compliance with Title 21 of the Code of Federal Regulations, Part 207 and meets the regulatory requirements outlined in the OTC Monograph under 21 CFR Part 333.

Potential environmental effects See section 12.

3. Composition / Information on Ingredients

Ingredient(s)	CAS #	Percent
Stearyl Alcohol	112-92-5	2.5 - 10
Cetyl Betaine	693-33-4	1 - 2.5
Distearyldimonium Chloride	107-64-2	1 - 2.5
Salicylic Acid	69-72-7	1 - 2.5
Alcohol	64-17-5	0.1 - 1

4. First Aid Measures

First aid procedures

- Eye contact** Avoid contact with eyes. If product gets into the eyes, rinse thoroughly with water. Remove contact lenses if present. Flush immediately with large amounts of water, especially under lids for at least 15 minutes. If irritation or other effects persist, obtain medical treatment.
- Skin contact** Skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time.
If irritation occurs, only use one topical acne medication at a time.
If irritation occurs wash thoroughly with soap and water. Remove contaminated clothing and consult a physician.
- Inhalation** No specific treatment is necessary since this material is not likely to be hazardous by inhalation.
Remove to fresh air if inhalation causes eye watering, headaches, dizziness or other discomfort.
- Ingestion** In case of accidental ingestion, get medical help or contact a Poison Control Center immediately.
If swallowed in quantity **DO NOT INDUCE VOMITING!**
Rinse mouth thoroughly and seek medical attention immediately.

Notes to physician

General advice Treat patient symptomatically.
If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with eyes. Keep out of reach of children.

5. Fire Fighting Measures

- Flammable properties** Not flammable by OSHA criteria.
- Extinguishing media**
- Suitable extinguishing media** Water spray. Foam. Dry chemical. Sand.
 - Unsuitable extinguishing media** Not available
- Protection of firefighters**
- Specific hazards arising from the chemical** Not available
 - Protective equipment for firefighters** Firefighters should wear full protective clothing including self contained breathing apparatus.
- Hazardous combustion products** May include and are not limited to: Oxides of carbon.
- Explosion data**
- Sensitivity to mechanical impact** Not available
 - Sensitivity to static discharge** Not available
-

6. Accidental Release Measures

Personal precautions Do not touch or walk through spilled material. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Floors may become slippery. Keep unnecessary personnel away.

Environmental precautions

Do not discharge into lakes, streams, ponds or public waters.
Advise authorities if product has penetrated drains, sewers or water pipes.

Methods for containment

Stop leak if you can do so without risk. Prevent entry into waterways, sewers, basements or confined areas.

Methods for cleaning up

Before attempting clean up, refer to hazard data given above. Small spills may be absorbed with non-reactive absorbent and placed in suitable, covered, labelled containers. Prevent large spills from entering sewers or waterways. Contact emergency services and supplier for advice. Never return spills to original containers for re-use.

7. Handling and Storage

Handling

For external use only.
DO NOT get in eyes.
When using do not eat or drink.
Ensure adequate ventilation.

Storage

Keep out of reach of children.
Store in a cool, dry place.
Keep container tightly closed.
Keep in original container.
Keep from freezing.
Do not store in direct sunlight.

Allowances for excursions above 30°C:
60°C - Not permitted.
50°C - Not more than 4 weeks.
40°C - Not more than 8 weeks.

Allowances for excursions below 0°C:
Do not store below -20°C.

8. Exposure Controls / Personal Protection

Exposure limits**Ingredient(s)****Exposure Limits**

Alcohol

ACGIH-TLV
TWA: 1000 ppm
STEL: 1000 ppm
OSHA-PEL
TWA: 1000 ppm

Cetyl Betaine

ACGIH-TLV
Not established
OSHA-PEL
Not established

Distearyldimonium Chloride

ACGIH-TLV
Not established
OSHA-PEL
Not established

Salicylic Acid

ACGIH-TLV
Not established
OSHA-PEL
Not established

Stearyl Alcohol

ACGIH-TLV
Not established
OSHA-PEL
Not established

Engineering controls

Not normally required if good ventilation is maintained.

Personal protective equipment

Consult the product label for special protection or precautions that have been identified for using this product under directed consumer use conditions. The following recommendations are given for workplace employees, emergency personnel and for other conditions and situations where there is a greater potential for large-scale or prolonged exposure.

Eye / face protection	Not normally required under normal use conditions. When handling in large quantities or responding to emergency situations, the use of appropriate eye protection is recommended.
Hand protection	Not required. When handling in large quantities or responding to emergency situations, the use of appropriate skin protection is recommended.
Skin and body protection	No special requirements under normal use conditions.
Respiratory protection	Not normally required under normal use conditions.
General hygiene considerations	Avoid contact with eyes. Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. Washing with soap and water after use is recommended as good hygienic practice to prevent possible eye irritation from hand contact.

9. Physical and Chemical Properties

Appearance	Emulsion
Color	Lilac emulsion with purple exfoliating beads
Form	Emulsion
Odor	perfumed
Odor threshold	Not available
Physical state	Liquid
pH	4.0 - 5.0
Freezing point	Not available
Boiling point	Not available
Pour point	Not available
Evaporation rate	Not available
Flash point	Not available
Auto-ignition temperature	Not available
Flammability limits in air, lower, % by volume	Not available
Flammability limits in air, upper, % by volume	Not available
Vapor pressure	Not available
Vapor density	Not available
Specific gravity	Not available
Octanol/water coefficient	Not available
Solubility (H₂O)	Soluble/Miscible
VOC (Weight %)	Not available
Percent volatile	Not available

10. Stability and Reactivity

Reactivity	This product may react with strong acids. This product may react with reducing agents.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Chemical stability	Stable under recommended storage conditions.
Conditions to avoid	Do not mix with other chemicals. Temperatures below 5°C and >30°C.
Incompatible materials	Acids. Oxidizers. Reducing agents.
Hazardous decomposition products	May include and are not limited to: Oxides of carbon.

11. Toxicological Information

Component analysis - LC50

Ingredient(s)	LC50
Alcohol	31623 ppm rat
Cetyl Betaine	Not available
Distearyldimonium Chloride	Not available
Salicylic Acid	Not available
Stearyl Alcohol	Not available

Component analysis - Oral LD50

Ingredient(s)	LD50
Alcohol	3450 mg/kg mouse; 7060 mg/kg rat
Cetyl Betaine	Not available
Distearyldimonium Chloride	11300 mg/kg rat
Salicylic Acid	891 mg/kg rat; 400 mg/kg cat; 480 mg/kg mouse
Stearyl Alcohol	Not available

Effects of acute exposure

Eye

Avoid contact with eyes.
May cause eye irritation.

Skin

Use with other topical acne medications, at the same time or immediately following use of this product, may increase dryness or irritation of the skin. If this occurs, only one acne medication should be used unless directed by your doctor.
May cause skin irritation.
Not expected to be a skin sensitizer.

Inhalation

Unlikely to cause respiratory effects.

Ingestion

Ingestion may cause gastrointestinal irritation.

Sensitization

The finished product is not expected to have chronic health effects.

Chronic effects

The finished product is not expected to have chronic health effects.

Carcinogenicity

The finished product is not expected to have chronic health effects.

Mutagenicity

The finished product is not expected to have chronic health effects.

Reproductive effects

The finished product is not expected to have chronic health effects.

Teratogenicity

The finished product is not expected to have chronic health effects.

Name of Toxicologically Synergistic Products Not available

12. Ecological Information

Ecotoxicity	Components of this product have been identified as having potential environmental concerns.	
Ecotoxicity - Freshwater Algae - Acute Toxicity Data		
Distearyldimonium Chloride	107-64-2	72 Hr EC50 Selenastrum capricornutum: 0.00046 mg/L; 96 Hr EC50 Selenastrum capricornutum: 0.026 mg/L
Stearyl Alcohol	112-92-5	96 Hr EC50 Desmodesmus subspicatus: 235 mg/L
Ecotoxicity - Freshwater Fish - Acute Toxicity Data		
Alcohol	64-17-5	96 Hr LC50 Oncorhynchus mykiss: 12.0 - 16.0 mL/L [static]; 96 Hr LC50 Pimephales promelas: >100 mg/L [static]; 96 Hr LC50 Pimephales promelas: 13400 - 15100 mg/L [flow-through]
Distearyldimonium Chloride	107-64-2	96 Hr LC50 Brachydanio rerio: 0.1-1 mg/L [static]; 96 Hr LC50 Lepomis macrochirus: 0.17-17 mg/L [static]; 96 Hr LC50 Oryzias latipes: 5.2 mg/L [static]; 96 Hr LC50 Pimephales promelas: 0.29-0.558 mg/L [static]; 96 Hr LC50 Pimephales promelas: 4.86-9.88 mg/L [semi-static]
Salicylic Acid	69-72-7	48 Hr LC50 Leuciscus idus: 90 mg/L [static]
Stearyl Alcohol	112-92-5	96 Hr LC50 Brachydanio rerio: >10000 mg/L
Ecotoxicity - Water Flea - Acute Toxicity Data		
Alcohol	64-17-5	48 Hr LC50 Daphnia magna: 9268 - 14221 mg/L; 24 Hr EC50 Daphnia magna: 10800 mg/L; 48 Hr EC50 Daphnia magna: 2 mg/L [Static]
Distearyldimonium Chloride	107-64-2	48 Hr EC50 Daphnia magna: 0.39 - 0.52 mg/L
Salicylic Acid	69-72-7	24 Hr EC50 Daphnia magna: 105 mg/L; 48 Hr EC50 Daphnia magna: 870 mg/L [Static]
Stearyl Alcohol	112-92-5	48 Hr EC50 Daphnia magna: 1666 mg/L
Persistence / degradability	Not available	
Bioaccumulation / accumulation	Not available	
Mobility in environmental media	Not available	
Environmental effects	Not available	
Aquatic toxicity	Not available	
Partition coefficient	Not available	
Chemical fate information	Not available	

13. Disposal Considerations

Disposal instructions	Review federal, provincial, and local government requirements prior to disposal. Do not dispose of large quantities down the drain.
Waste from residues / unused products	Not available
Contaminated packaging	Not available

14. Transport Information

UN/ID N.o.	Not applicable
U.S. Department of Transportation (DOT): Classification:	Not regulated
Proper shipping name	Not applicable
U.S. DOT Hazard Class	Not applicable
Subsidiary Risk	Not applicable
Packing group	Not applicable
DOT RQ (lbs)	Not applicable
ERG NO	Not applicable

Transportation of Dangerous Goods (TDG - Canada): Classification: Not regulated

Proper shipping name Not applicable
Status Not applicable
Packing group Not applicable

IMDG (Marine Transport): Classification: Not regulated

Proper shipping name Not applicable
Class Not applicable
Subsidiary Risk Not applicable
Packing group Not applicable
IMDG Page Not applicable
Marine pollutant Not applicable
EMS Not applicable
MFAG Not applicable
Maximum Quantity Not applicable

IATA/ICAO (Air): Classification: Not regulated

Proper shipping name Not applicable
Class Not applicable
Subsidiary Risk: Not applicable
Packing group Not applicable
Maximum Quantity Not applicable

15. Regulatory Information

Occupational Safety and Health Administration (OSHA)

29 CFR 1910.1200 hazardous chemical Yes

US Federal regulations

This acne product is in compliance with Title 21 of the Code of Federal Regulations, Part 207 and meets the regulatory requirements outlined in the OTC Monograph under 21 CFR Part 333.

All components of this product are either on the TSCA Inventory, are exempt from TSCA Inventory. Requirements under 40 CFR 720.30, or comply with the PMN Polymer Exemption 40 CFR 723.250.

U.S. - CAA (Clean Air Act) - HON Rule - SOCM Chemicals

Salicylic Acid	69-72-7	Group III
----------------	---------	-----------

U.S. - CAA (Clean Air Act) - Reactivity Factors for VOCs in Aerosol Coatings

Alcohol	64-17-5	1.69 G Ozone/g VOC Reactivity Factor
---------	---------	--------------------------------------

U.S. - CAA (Clean Air Act) - Volatile Organic Compounds (VOCs) in SOCM

Alcohol	64-17-5	Present
Salicylic Acid	69-72-7	Present

CERCLA (Superfund) reportable quantity

Sodium hydroxide: 1000.0000

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories	Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No
--------------------------	---

Section 302 extremely hazardous substance	No
--	----

Section 311 hazardous chemical	Yes
---------------------------------------	-----

Clean Water Act (CWA)	Hazardous substance
------------------------------	---------------------

State regulations	This product is not subject to warning labeling under the California Proposition 65 regulation.
--------------------------	---

U.S. - Massachusetts - Right To Know List

Alcohol	64-17-5	Teratogen
---------	---------	-----------

U.S. - Minnesota - Hazardous Substance List

Alcohol	64-17-5	Present
---------	---------	---------

U.S. - New Jersey - Right to Know Hazardous Substance List

Alcohol	64-17-5	sn 0844
---------	---------	---------

U.S. - Pennsylvania - RTK (Right to Know) List

Alcohol	64-17-5	Present
---------	---------	---------

U.S. - Rhode Island - Hazardous Substance List

Alcohol	64-17-5	Toxic; Flammable
---------	---------	------------------

Inventory status

Country(s) or region	Inventory name	On inventory (yes/no)*
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other Information

Disclaimer

This product should only be used as directed on the label and for the purpose intended. To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Further information

CLEARASIL® ULTRA® Overnight Scrub, 5 fl oz - 0301271v3.0

Issue date

29-Nov-2012

Effective date

15-Nov-2012

Prepared by
Other information

Reckitt Benckiser Regulatory Department 800-333-3899

For an updated MSDS, please contact the supplier/manufacturer listed on the first page of the document.