

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200



**GLADE® AUTOMATIC SPRAY REFILL - PURE VANILLA JOY**

Version 1.0

Print Date 04/03/2015

Revision Date 03/23/2015

SDS Number 350000021627  
GEN\_SOF Number 46556

**1. PRODUCT AND COMPANY IDENTIFICATION**

**Product information**

**Product name** : **GLADE® AUTOMATIC SPRAY REFILL - PURE VANILLA JOY**

**Recommended use** : Air Freshener

**Manufacturer, importer, supplier** : S.C. Johnson & Son, Inc.  
1525 Howe Street  
Racine WI 53403-2236

**Telephone** : +18005585252  
**Emergency telephone number** : 24 Hour Medical Emergency Phone: (866)231-5406  
24 Hour International Emergency Phone: (703)527-3887  
24 Hour Transport Emergency Phone: (800)424-9300

**2. HAZARDS IDENTIFICATION**

**Classification of the substance or mixture**

**Globally Harmonized System (GHS) Classification**

Hazard classification	Hazard category	Hazards identification
Aerosol	Category 1	Extremely flammable aerosol.
Eye irritation	Category 2B	Causes eye irritation.
Gases under pressure	Liquefied gas	Contains gas under pressure; may explode if heated.

**Labelling**

**Hazard symbols**

Flame  
Gas cylinder

**Signal word**

Danger

**Hazard statements**

Extremely flammable aerosol.  
Contains gas under pressure; may explode if heated.  
Causes eye irritation.

## Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



# GLADE® AUTOMATIC SPRAY REFILL - PURE VANILLA JOY

Version 1.0

Print Date 04/03/2015

Revision Date 03/23/2015

SDS Number 350000021627  
GEN\_SOF Number 46556

### Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/ attention.

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

Protect from sunlight. Store in a well-ventilated place.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Do not spray on an open flame or other ignition source.

Do not pierce or burn, even after use.

Wash hands thoroughly after handling.

**Other hazards** : None identified

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No.	Weight percent
Isobutane	75-28-5	30.00 - 60.00
Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, <2% aromatics	64742-47-8	10.00 - 30.00
Acetone	67-64-1	10.00 - 30.00
Propane	74-98-6	5.00 - 10.00
Fragrance - Trade Secret	Mixture	1.00 - 5.00

The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

For additional information on product ingredients, see [www.whatsinsidescjohnson.com](http://www.whatsinsidescjohnson.com).

## 4. FIRST AID MEASURES

**Eye contact** : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention.

**Skin contact** : No special requirements

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200



**GLADE® AUTOMATIC SPRAY REFILL - PURE VANILLA JOY**

Version 1.0

Print Date 04/03/2015

Revision Date 03/23/2015

SDS Number 350000021627  
GEN\_SOF Number 46556

- Inhalation** : No special requirements.
- Ingestion** : No special requirements

---

**5. FIREFIGHTING MEASURES**

- Suitable extinguishing media** : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
- Specific hazards during firefighting** : Aerosol Product - Containers may rocket or explode in heat of fire.
- Further information** : Fight fire from maximum distance or protected area. Cool and use caution when approaching or handling fire-exposed containers. Wear full protective clothing and positive pressure self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes.
- NFPA Classification** : NFPA Level 3 Aerosol

---

**6. ACCIDENTAL RELEASE MEASURES**

- Personal precautions** : Remove all sources of ignition.  
Wash thoroughly after handling.
- Environmental precautions** : Outside of normal use, avoid release to the environment.
- Methods and materials for containment and cleaning up** : If damage occurs to aerosol can:  
Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).  
Use only non-sparking equipment.  
Dike large spills.  
Clean residue from spill site.

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200



**GLADE® AUTOMATIC SPRAY REFILL - PURE VANILLA JOY**

Version 1.0

Print Date 04/03/2015

Revision Date 03/23/2015

SDS Number 350000021627  
GEN\_SOF Number 46556

---

**7. HANDLING AND STORAGE**

**Handling**

**Precautions for safe handling** : Avoid contact with skin, eyes and clothing.  
For personal protection see section 8.  
Note: Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal. For more information visit [www.inhalant.org](http://www.inhalant.org).  
Use only as directed.  
**KEEP OUT OF REACH OF CHILDREN AND PETS.**  
Pressurized container.  
Do not pierce or burn, even after use.  
Wash thoroughly after handling.

**Advice on protection against fire and explosion** : Keep away from sources of ignition - No smoking.  
Do not spray on an open flame or other ignition source.

**Storage**

**Requirements for storage areas and containers** : Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.  
Keep in a dry, cool and well-ventilated place.

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200

**GLADE® AUTOMATIC SPRAY REFILL - PURE VANILLA JOY**

Version 1.0

Print Date 04/03/2015

Revision Date 03/23/2015

SDS Number 350000021627  
GEN\_SOF Number 46556**8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Occupational Exposure Limits**

Components	CAS-No.	mg/m3	ppm	Non-standard units	Basis
Isobutane	75-28-5	-	1,000 ppm	-	ACGIH STEL
Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, <2% aromatics	64742-47-8	1,200 mg/m3	152 ppm	-	SUPPLIER
Acetone	67-64-1	2,400 mg/m3	1,000 ppm	-	OSHA TWA
Acetone	67-64-1	-	750 ppm	-	ACGIH STEL
Acetone	67-64-1	-	500 ppm	-	ACGIH TWA
Propane	74-98-6	-	1,000 ppm	-	ACGIH TWA
Propane	74-98-6	1,800 mg/m3	1,000 ppm	-	OSHA TWA
Dipropylene glycol methyl ether	34590-94-8	600 mg/m3	100 ppm	-	OSHA TWA
Dipropylene glycol methyl ether	34590-94-8	-	150 ppm	-	ACGIH STEL
Dipropylene glycol methyl ether	34590-94-8	-	100 ppm	-	ACGIH TWA

**Personal protective equipment****Respiratory protection** : No special requirements.

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200



**GLADE® AUTOMATIC SPRAY REFILL - PURE VANILLA JOY**

Version 1.0

Print Date 04/03/2015

Revision Date 03/23/2015

SDS Number 350000021627  
GEN\_SOF Number 46556

- Hand protection** : No special requirements.
- Eye protection** : No special requirements.
- Skin and body protection** : No special requirements.
- Hygiene measures** : Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling.

---

**9. PHYSICAL AND CHEMICAL PROPERTIES**

- Form** : aerosol
- Color** : colourless
- Odor** : pleasant
- Odour Threshold** : No data available
- pH** : Not applicable
- Melting point/freezing point** : No data available
- Initial boiling point and boiling range** : No data available
- Flash point** : < -7 °C  
< 19.4 °F  
Propellant
- Evaporation rate** : No data available
- Flammability (solid, gas)** : Sustains combustion
- Upper/lower flammability or** : No data available

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200



**GLADE® AUTOMATIC SPRAY REFILL - PURE VANILLA JOY**

Version 1.0

Print Date 04/03/2015

Revision Date 03/23/2015

SDS Number 350000021627  
GEN\_SOF Number 46556

**explosive limits**

**Vapour pressure** : No data available

**Vapour density** : No data available

**Relative density** : 0.65 g/cm<sup>3</sup> at 20 °C

**Solubility(ies)** : No data available

**Partition coefficient: n-octanol/water** : No data available

**Auto-ignition temperature** : No data available

**Decomposition temperature** : No data available

**Viscosity, dynamic** : No data available

**Viscosity, kinematic** : No data available

**Oxidizing properties** : No data available

**Volatile Organic Compounds** : 52 % - additional exemptions may apply  
**Total VOC (wt. %)\*** \*as defined by US Federal and State Consumer Product Regulations

**Other information** : None identified :

---

**10. STABILITY AND REACTIVITY**

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200



**GLADE® AUTOMATIC SPRAY REFILL - PURE VANILLA JOY**

Version 1.0

Print Date 04/03/2015

Revision Date 03/23/2015

SDS Number 350000021627

GEN\_SOF Number 46556

- Possibility of hazardous reactions** : Stable under recommended storage conditions.
- Conditions to avoid** : Heat, flames and sparks.
- Incompatible materials** : Strong oxidizing agents
- Hazardous decomposition products** : Thermal decomposition can lead to release of irritating gases and vapours.

**11. TOXICOLOGICAL INFORMATION**

- Emergency Overview** : Danger
- Acute oral toxicity** : LD50  
Calculated  
> 5,000 mg/kg
- Acute inhalation toxicity** : LC50  
estimated  
> 5 mg/l
- Acute dermal toxicity** : LD50  
estimated  
> 5,000 mg/kg

GHS Properties	Classification	Routes of entry
Acute toxicity	No classification proposed	-
Skin corrosion/irritation	No classification proposed	-
Eye irritation	Category 2B	-
Skin sensitisation	No classification proposed	-
Respiratory sensitisation	No classification proposed	-

## Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



# GLADE® AUTOMATIC SPRAY REFILL - PURE VANILLA JOY

Version 1.0

Print Date 04/03/2015

Revision Date 03/23/2015

SDS Number 350000021627  
GEN\_SOF Number 46556

Respiratory sensitisation	No classification proposed	-
Germ cell mutagenicity	No classification proposed	-
Carcinogenicity	No classification proposed	-
Reproductive toxicity	No classification proposed	-
Specific target organ toxicity - single exposure	No classification proposed	-
Specific target organ toxicity - repeated exposure	No classification proposed	-
Aspiration hazard	No classification proposed	-

**Aggravated Medical Condition** : None known.

## 12. ECOLOGICAL INFORMATION

**Product** : The product itself has not been tested.

### Toxicity

The ingredients in this formula have been reviewed and no adverse impact to the environment is expected when used according to label directions.

### Toxicity to fish

Components	End point	Species	Value	Exposure time
Isobutane	LC50	Fish	27.98 mg/l	96 h
Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, <2% aromatics	LC50	Fish	> 1,028 mg/l	96 h

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200

**GLADE® AUTOMATIC SPRAY REFILL - PURE VANILLA JOY**

Version 1.0

Print Date 04/03/2015

Revision Date 03/23/2015

SDS Number 350000021627  
GEN\_SOF Number 46556

Acetone	static test LC50	Oncorhynchus mykiss (rainbow trout)	6,210 mg/l	96 h
Propane	LC50	Fish	27.98 mg/l	96 h
Fragrance - Trade Secret	No data available			

**Toxicity to aquatic invertebrates**

Components	End point	Species	Value	Exposure time
Isobutane	LC50	Daphnid	16.33 mg/l	48 h
Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, <2% aromatics	EC50	Daphnid	> 3,193 mg/l	48 h
Acetone	static test LC50	Daphnia pulex (Water flea)	8,800 mg/l	48 h
	NOELR	Daphnia magna	2,212 mg/l	28 d
Propane	LC50	Daphnid	14.22 mg/l	48 h
Fragrance - Trade Secret	No data available			

**Toxicity to aquatic plants**

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200

**GLADE® AUTOMATIC SPRAY REFILL - PURE VANILLA JOY**

Version 1.0

Print Date 04/03/2015

Revision Date 03/23/2015

SDS Number 350000021627  
GEN\_SOF Number 46556

Components	End point	Species	Value	Exposure time
Isobutane	EC50	Green alga	8.57 mg/l	96 h
Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, <2% aromatics	EC50	Skeletonema costatum	3,198 mg/l	72 h
Acetone	NOEC	Microcystis aeruginosa	530 mg/l	8 d
Propane	No data available			
Fragrance - Trade Secret	No data available			

**Persistence and degradability**

Component	Biodegradation	Exposure time	Summary
Isobutane	70 %	< 10 d	Readily biodegradable
Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, <2% aromatics	74 %	28 d	Readily biodegradable
Acetone	90.9 %	28 d	Readily biodegradable
Propane	70 %	< 10 d	Readily biodegradable
Fragrance - Trade Secret	No data available		

**Bioaccumulative potential**

Component	Bioconcentration factor (BCF)	Partition Coefficient n-Octanol/water (log)
Isobutane	1.57 - 1.97	2.8
Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, <2% aromatics	61 - 159	No data available
Acetone	0.69	-0.23
Propane	No data available	2.36
Fragrance - Trade Secret	No data available	No data available

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200



**GLADE® AUTOMATIC SPRAY REFILL - PURE VANILLA JOY**

Version 1.0

Print Date 04/03/2015

Revision Date 03/23/2015

SDS Number 350000021627  
GEN\_SOF Number 46556

**Mobility**

Component	End point	Value
Isobutane	No data available	
Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, <2% aromatics	No data available	
Acetone	No data available	
Propane	No data available	
Fragrance - Trade Secret	No data available	

**PBT and vPvB assessment**

Component	Results
Isobutane	Not fulfilling PBT and vPvB criteria
Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, <2% aromatics	Not fulfilling PBT and vPvB criteria
Acetone	Not fulfilling PBT and vPvB criteria
Propane	Not fulfilling PBT and vPvB criteria
Fragrance - Trade Secret	Not fulfilling PBT and vPvB criteria

**Other adverse effects** : None known.

---

**13. DISPOSAL CONSIDERATIONS**

Consumer may discard empty container in trash, or recycle where facilities exist.

---

**14. TRANSPORT INFORMATION**

Please refer to the Bill of Lading/receiving documents for up-to-date shipping information.

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200



**GLADE® AUTOMATIC SPRAY REFILL - PURE VANILLA JOY**

Version 1.0

Print Date 04/03/2015

Revision Date 03/23/2015

SDS Number 350000021627  
GEN\_SOF Number 46556

	Land transport	Sea transport	Air transport
<b>UN number</b>	1950	1950	1950
<b>UN proper shipping name</b>	AEROSOLS, Flammable, 2.1	AEROSOLS, Flammable, 2.1	AEROSOLS, Flammable, 2.1
<b>Transport hazard class(es)</b>	2.1	2	2.1
<b>Packing group</b>	-	-	-
<b>Environmental hazards</b>	-	-	-
<b>Special precautions for user</b>	Limited quantities derogation may be applicable to this product, please check transport documents.	Limited quantities derogation may be applicable to this product, please check transport documents.	Limited quantities derogation may be applicable to this product, please check transport documents.

**15. REGULATORY INFORMATION**

**Notification status** : All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

**California Prop. 65** : This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

**16. OTHER INFORMATION**

**HMIS Ratings**

<b>Health</b>	2
<b>Flammability</b>	4
<b>Reactivity</b>	0

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200



**GLADE® AUTOMATIC SPRAY REFILL - PURE VANILLA JOY**

Version 1.0

Print Date 04/03/2015

Revision Date 03/23/2015

SDS Number 350000021627  
GEN\_SOF Number 46556

**NFPA Ratings**

<b>Health</b>	2
<b>Fire</b>	4
<b>Reactivity</b>	0
<b>Special</b>	-

This information is being provided in accordance with the Occupational Safety and Health Administration (OSHA) regulation (29 CFR 1910.1200). The information supplied is designed for workplaces where product use and frequency of exposure exceeds that established for the labeled consumer use.

**Further information**

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

Prepared by	SC Johnson Global Safety Assessment & Regulatory Affairs (GSARA)
-------------	--