

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® FABRIC & AIR - HAWAIIAN BREEZE®

Version 1.2

Print Date 03/04/2015

Revision Date 02/24/2015

SDS Number 350000013476
GEN_SOF Number 40232

1. PRODUCT AND COMPANY IDENTIFICATION

Product information

Product name : GLADE® FABRIC & AIR - HAWAIIAN BREEZE®

Recommended use : Speciality Cleaner

Manufacturer, importer, supplier : S.C. Johnson & Son, Inc.
1525 Howe Street
Racine WI 53403-2236

Telephone : +18005585252

Emergency telephone number : 24 Hour Medical Emergency Phone: (866)231-5406
24 Hour International Emergency Phone: (703)527-3887
24 Hour Transport Emergency Phone: (800)424-9300

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Globally Harmonized System (GHS) Classification

This product does not meet the criteria for classification in any hazard class according to regulation OSHA 29 CFR 1910.1200.

Labelling

Precautionary statements

Other hazards : None identified

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No.	Weight percent
Ethyl alcohol	64-17-5	5.00 - 10.00
Didecyltrimethylammonium chloride	7173-51-5	0.10 - 1.00

The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

For additional information on product ingredients, see www.whatsinsidescjohnson.com.

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® FABRIC & AIR - HAWAIIAN BREEZE®

Version 1.2

Print Date 03/04/2015

Revision Date 02/24/2015

SDS Number 350000013476

GEN_SOF Number 40232

4. FIRST AID MEASURES

- Eye contact** : No special requirements
- Skin contact** : No special requirements
- Inhalation** : No special requirements.
- Ingestion** : No special requirements

5. FIREFIGHTING MEASURES

- Suitable extinguishing media** : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
- Specific hazards during firefighting** : Container may melt and leak in heat of fire.
- Further information** : Fight fire with normal precautions from a reasonable distance. Standard procedure for chemical fires. Wear full protective clothing and positive pressure self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

- Personal precautions** : Wash thoroughly after handling.
- Environmental precautions** : Outside of normal use, avoid release to the environment.
- Methods and materials for containment and cleaning up** : Dike large spills.

7. HANDLING AND STORAGE

- Handling**
- Precautions for safe handling** : Avoid contact with skin, eyes and clothing. For personal protection see section 8.

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® FABRIC & AIR - HAWAIIAN BREEZE®

Version 1.2

Print Date 03/04/2015

Revision Date 02/24/2015

SDS Number 350000013476

GEN_SOF Number 40232

KEEP OUT OF REACH OF CHILDREN AND PETS.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Storage

Requirements for storage areas and containers : Keep container closed when not in use.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits

Components	CAS-No.	mg/m3	ppm	Non-standard units	Basis
Ethyl alcohol	64-17-5	1,900 mg/m3	1,000 ppm	-	OSHA TWA
Ethyl alcohol	64-17-5	-	1,000 ppm	-	ACGIH STEL

Personal protective equipment

Respiratory protection : No special requirements.

Hand protection : No special requirements.

Eye protection : No special requirements.

Skin and body protection : No special requirements.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form : liquid

Color : clear

Odor : pleasant

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® FABRIC & AIR - HAWAIIAN BREEZE®

Version 1.2

Print Date 03/04/2015

Revision Date 02/24/2015

SDS Number 350000013476

GEN_SOF Number 40232

Odour Threshold : No data available

pH : 4.0 - 6.0

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available

Flash point : 54 °C
129.2 °F

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper/lower flammability or explosive limits : No data available

Vapour pressure : No data available

Vapour density : No data available

Relative density : 0.9900 g/cm³ at 20 C

Solubility(ies) : soluble

Partition coefficient: n-octanol/water : No data available

Auto-ignition temperature : No data available

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® FABRIC & AIR - HAWAIIAN BREEZE®

Version 1.2

Print Date 03/04/2015

Revision Date 02/24/2015

SDS Number 350000013476
GEN_SOF Number 40232

- Decomposition temperature** : No data available
- Viscosity, dynamic** : No data available
- Viscosity, kinematic** : No data available
- Oxidizing properties** : No data available
- Volatile Organic Compounds Total VOC (wt. %)*** : 6.1 % - additional exemptions may apply
*as defined by US Federal and State Consumer Product Regulations
- Other information** : None identified :

10. STABILITY AND REACTIVITY

- Possibility of hazardous reactions** : Stable under recommended storage conditions.
- Conditions to avoid** : Direct sources of heat.
- Incompatible materials** : Strong oxidizing agents
- Hazardous decomposition products** : Thermal decomposition can lead to release of irritating gases and vapours.

11. TOXICOLOGICAL INFORMATION

- Emergency Overview** : This product does not meet the criteria for classification in any hazard class according to regulation OSHA 29 CFR 1910.1200.
- Acute oral toxicity** : LD50 estimated

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® FABRIC & AIR - HAWAIIAN BREEZE®

Version 1.2

Print Date 03/04/2015

Revision Date 02/24/2015

SDS Number 350000013476
GEN_SOF Number 40232

> 5,000 mg/kg

Acute inhalation toxicity : LC50
estimated
> 5.29 mg/l

Acute dermal toxicity : LD50
estimated
> 5,000 mg/kg

GHS Properties	Classification	Routes of entry
Acute toxicity	No classification proposed	-
Skin corrosion/irritation	No classification proposed	-
Serious eye damage/eye irritation	No classification proposed	-
Skin sensitisation	No classification proposed	-
Respiratory sensitisation	No classification proposed	-
Germ cell mutagenicity	No classification proposed	-
Carcinogenicity	No classification proposed	-
Reproductive toxicity	No classification proposed	-
Specific target organ toxicity - single exposure	No classification proposed	-
Specific target organ toxicity - repeated exposure	No classification proposed	-
Aspiration hazard	No classification proposed	-

Aggravated Medical Condition : None known.

12. ECOLOGICAL INFORMATION

Product : The product itself has not been tested.

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200

**GLADE® FABRIC & AIR - HAWAIIAN BREEZE®**

Version 1.2

Print Date 03/04/2015

Revision Date 02/24/2015

SDS Number 350000013476

GEN_SOF Number 40232

Toxicity

The ingredients in this formula have been reviewed and no adverse impact to the environment is expected when used according to label directions.

Toxicity to fish

Components	End point	Species	Value	Exposure time
Ethyl alcohol	flow-through test LC50	Pimephales promelas (fathead minnow)	14,200 mg/l	96 h
Didecyldimethylammonium chloride	semi-static test LC50	Danio rerio (zebra fish)	0.49 mg/l	96 h

Toxicity to aquatic invertebrates

Components	End point	Species	Value	Exposure time
Ethyl alcohol	static test EC50	Daphnia magna (Water flea)	2 mg/l	48 h
	NOEC	Daphnia magna	9.6 mg/l	9 d
Didecyldimethylammonium chloride	static test EC50	Daphnia magna (Water flea)	0.029 mg/l	48 h
	NOEC	Daphnia magna	0.021 mg/l	21 d

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® FABRIC & AIR - HAWAIIAN BREEZE®

Version 1.2

Print Date 03/04/2015

Revision Date 02/24/2015

SDS Number 350000013476
GEN_SOF Number 40232

Toxicity to aquatic plants

Components	End point	Species	Value	Exposure time
Ethyl alcohol	Static EC50	Chlorella vulgaris (Fresh water algae)	275 mg/l	72 h
Didecyldimethylammonium chloride	static test EC50 OECD Test Guideline 201	Pseudokirchneriella subcapitata (microalgae)	0.053 mg/l	96 h

Persistence and degradability

Component	Biodegradation	Exposure time	Summary
Ethyl alcohol	97 %	28 d	Readily biodegradable
Didecyldimethylammonium chloride	69 %	28 d	Readily biodegradable

Bioaccumulative potential

Component	Bioconcentration factor (BCF)	Partition Coefficient n-Octanol/water (log)
Ethyl alcohol	3.2 estimated	-0.35 Measured
Didecyldimethylammonium chloride	929.2	2.58

Mobility

Component	End point	Value
Ethyl alcohol	No data available	
Didecyldimethylammonium chloride	Koc	667 - 24433

PBT and vPvB assessment

Component	Results
Ethyl alcohol	Not fulfilling PBT and vPvB criteria

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® FABRIC & AIR - HAWAIIAN BREEZE®

Version 1.2

Print Date 03/04/2015

Revision Date 02/24/2015

SDS Number 350000013476

GEN_SOF Number 40232

Didcylidimethylammonium chloride	Not fulfilling PBT and vPvB criteria
----------------------------------	--------------------------------------

Other adverse effects : No data available

13. DISPOSAL CONSIDERATIONS

Consumer may discard empty container in trash, or recycle where facilities exist.

14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/receiving documents for up-to-date shipping information.

	Land transport	Sea transport	Air transport
UN number	1993	1993	1993
UN proper shipping name	UN 1993 Flammable liquid, N.O.S. (Ethyl alcohol)	UN 1993 Flammable liquid, N.O.S. (Ethyl alcohol)	UN 1993 Flammable liquid, N.O.S. (Ethyl alcohol)
Transport hazard class(es)	3	3	3
Packing group	III	III	III
Environmental hazards	-	-	-
Special precautions for user	Limited quantities derogation may be applicable to this product, please check transport documents.	Limited quantities derogation may be applicable to this product, please check transport documents.	Limited quantities derogation may be applicable to this product, please check transport documents.

15. REGULATORY INFORMATION

Notification status : All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

Notification status : All ingredients of this product comply with the New Substances

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® FABRIC & AIR - HAWAIIAN BREEZE®

Version 1.2

Print Date 03/04/2015

Revision Date 02/24/2015

SDS Number 350000013476

GEN_SOF Number 40232

Notification requirements under the Canadian Environmental Protection Act (CEPA).

California Prop. 65 : This product is not subject to the reporting requirements under California's Proposition 65.

16. OTHER INFORMATION

HMIS Ratings

Health	1
Flammability	2
Reactivity	0

NFPA Ratings

Health	1
Fire	2
Reactivity	0
Special	-

This information is being provided in accordance with the Occupational Safety and Health Administration (OSHA) regulation (29 CFR 1910.1200). The information supplied is designed for workplaces where product use and frequency of exposure exceeds that established for the labeled consumer use.

Further information

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

Prepared by	SC Johnson Global Safety Assessment &
-------------	---------------------------------------

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® FABRIC & AIR - HAWAIIAN BREEZE®

Version 1.2

Print Date 03/04/2015

Revision Date 02/24/2015

SDS Number 350000013476

GEN_SOF Number 40232

	Regulatory Affairs (GSARA)
--	----------------------------