



# SAFETY DATA SHEET

Issue Date 13-Dec-2012

Revision Date 26-Mar-2013

Version 1

## 1. PRODUCT AND COMPANY IDENTIFICATION

### Product Identifier

**Product Name** Series K&B Silicone – Neutral Cure (Oxime) – Clear, White & Colors

### Other Means of Identification

**SDS #** RD-0084

**Product Code** 0836, 0883, 0885, 0887 Series

### Recommended Use of the Chemical and Restrictions on Use

**Recommended Use** Silicone Sealant.

### Details of the Supplier of the Safety Data Sheet

#### **Supplier Address**

Red Devil, Inc.  
4175 Webb Street  
Pryor, Oklahoma 74361  
www.reddevil.com

### Emergency Telephone Number

**Company Phone Number** 918-825-5744  
Fax: 918-825-5761  
**Emergency Telephone** INFOTRAC 1-352-323-3500 (International)  
1-800-535-5053 (North America)

## 2. HAZARDS IDENTIFICATION

### Classification

Skin sensitization	Category 1B
--------------------	-------------

### Signal Word

**Warning**

### **Hazard Statements**

May cause an allergic skin reaction



**Appearance** Clear or colored paste

**Physical State** Paste

**Odor** Low

**Precautionary Statements - Prevention**

Contaminated work clothing should not be allowed out of the workplace  
Wear protective gloves

**Precautionary Statements - Response**

IF ON SKIN: Wash with plenty of soap and water  
If skin irritation or rash occurs: Get medical advice/attention  
Wash contaminated clothing before reuse

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

**Hazards Not Otherwise Classified (HNOC)**

Not Applicable

**Other Information**

Not Applicable

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS No	Weight-%
Non-hazardous ingredients *	Proprietary	>10
Amorphous silica (glass)	7631-86-9	<10
Methyl tri(ethylmethylketoxime) silane	22984-54-9	3-7
Titanium Dioxide	13463-67-7	<5

\*Unlisted ingredients are not considered hazardous under the OSHA GHS Hazard Communication Standard (29 CFR 1910.1200).  
(Silica, amorphous; Titanium Dioxide) Inhalation of particulates unlikely due to product's physical state. [Methyl tri(ethylmethylketoxime) silane] Ethyl methyl ketoxime formed upon contact w/ water or humid air

**4. FIRST AID MEASURES**

**First Aid Measures**

- General advice** Provide this SDS to medical personnel for treatment.
- Inhalation** If symptoms are experienced remove source of contamination or move victim to fresh air. If irritation persists, obtain medical advice.
- Eye Contact** Immediately flush the contaminated eye(s) with lukewarm, gently flowing water for 15 minutes while holding the eyelide(s) open. Obtain medical attention.
- Ingestion** Never give anything by mouth to an unconscious person. If swallowed, do not induce vomiting. Drink 1-2 glasses of water. If vomiting occurs spontaneously, keep airway clear. Get medical attention immediately.
- Skin Contact** Remove from skin & immediately flush w/ water for 15 minutes. Obtain medical attention if irritation or ill effects develop or persist.

**Most Important Symptoms and Effects, both Acute and Delayed**

**Symptoms** Causes skin irritation. May cause nose, throat & respiratory tract irritation. Direct contact with eyes may cause temporary irritation. Overexposure by ingestion may cause drowsiness, dizziness, confusion or loss of coordination.

---

**Indication of any Immediate Medical Attention and Special Treatment Needed**

**Note to Physicians** Possible skin sensitizer. Treat according to person's condition & specifics of exposure.

**5. FIRE-FIGHTING MEASURES**

**Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Small Fire** Use carbon dioxide (CO<sub>2</sub>), dry chemical or water spray.

**Large Fire** Use dry chemical, foam or water spray.

**Unsuitable Extinguishing Media** Not determined.

**Specific Hazards Arising from the Chemical**

Not determined.

**Hazardous combustion products** Carbon oxides & traces of incompletely burned carbon compounds. Silicon dioxide.  
Formaldehyde.

**Protective Equipment and Precautions for Firefighters**

Self-contained breathing apparatus & protective clothing should be worn in fighting large fires involving chemicals. Determine the need to evacuate or isolate the area according to your local emergency plan. Use water spray to keep fire exposed containers cool.

**6. ACCIDENTAL RELEASE MEASURES**

**Personal Precautions, Protective Equipment and Emergency Procedures**

**Personal Precautions** Observe all personal protection equipment recommendations described in Sections 5 & 8.

**Environmental Precautions** See Section 12 for additional ecological information.

**Methods and Material for Containment and Cleaning Up**

**Methods for Containment** Prevent further leakage or spillage if safe to do so. Use absorbent material to contain spill.

**Methods for Cleaning Up** Wipe up or scrape up & contain for salvage or disposal. Clean area as appropriate since spilled materials, even in small quantities, may present a slip hazard. Final cleaning may require use of steam, solvents or detergents. Dispose of saturated absorbent or cleaning materials appropriately, since spontaneous heating may occur. Local, state & federal laws & regulations may apply to releases & disposal of this material as well as those materials & items employed in the cleanup of releases. You will need to determine which federal, state & local laws & regulations are applicable. Sections 13 & 15 of this MSDS provide information regarding certain federal & state requirements.

**7. HANDLING AND STORAGE**

**Precautions for Safe Handling**

**Advice on Safe Handling** Handle in accordance with good industrial hygiene and safety practice. Wash face, hands, and any exposed skin thoroughly after handling. Use personal protection recommended in Section 8. Avoid breathing vapors or mists. Use only in well-ventilated areas. Avoid contact with skin and eyes. Product evolves methyl ethyl ketoxime (MEKO) when exposed to water or humid air. Wash contaminated clothing before reuse.

**Conditions for Safe Storage, Including any Incompatibilities**

**Storage Conditions** Keep container closed & store away from water or moisture.

**Incompatible Materials** Oxidizing material can cause a reaction. Water, moisture or humid air can cause hazardous vapors to form as described in Section 8.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Exposure Guidelines** Exposure guidelines / protective equipment are for routine handling and accidental spills

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Amorphous silica (glass) 7631-86-9	-	(vacated) TWA: 6 mg/m <sup>3</sup> <1% Crystalline silica TWA: 20 mppcf : (80)/(% SiO <sub>2</sub> ) mg/m <sup>3</sup> TWA	IDLH: 3000 mg/m <sup>3</sup> TWA: 6 mg/m <sup>3</sup>
Methyl tri(ethylmethylketoxime) silane 22984-54-9	-	TWA: 10 PPM	-
Titanium Dioxide 13463-67-7	TWA: 10 mg/m <sup>3</sup>	TWA: 15 mg/m <sup>3</sup> total dust (vacated) TWA: 10 mg/m <sup>3</sup> total dust	IDLH: 5000 mg/m <sup>3</sup>

**Other Information** MEKO is formed upon contact w/ water or humid air. Provide adequate ventilation to control exposures within guidelines of OSHA PEL: TWA 10 ppm & ACGIH TLV: TWA 10 ppm, STEL 15 ppm.

**Appropriate Engineering Controls**

**Engineering Controls** Ventilation must be adequate to maintain the ambient workplace atmosphere below the exposure limit(s) outlined in the SDS. Good general ventilation should be sufficient.

**Individual Protection Measures, such as Personal Protective Equipment**

- Eye/Face Protection** Safety glasses as a minimum for protection. Full face respirator for spills.
- Skin and Body Protection** Wear suitable protective clothing.
- Respiratory Protection** No special equipment needed.

**General Hygiene Considerations** Note: These precautions are for room temperature handling. Use @ elevated temperature or aerosol/spray applications may require added precautions. Handle in accordance with good industrial hygiene and safety practice. Wash @ mealtime & end of shift. Contaminated clothing & shoes should be removed as soon as practical & thoroughly cleaned before reuse.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

**Information on Basic Physical and Chemical Properties**

<b>Physical State</b>	Paste	<b>Odor</b>	Low
<b>Appearance</b>	Clear or colored paste	<b>Odor threshold</b>	Not determined
<b>Color</b>	Various		
<b>Property</b>	<b>Values</b>	<b>Remarks • Method</b>	
pH	Not determined		
Melting point/freezing point	Not determined		
Boiling point/boiling range	Not determined		

<b>Flash point</b>	Not applicable	
<b>Evaporation rate</b>	Not determined	
<b>Flammability (solid, gas)</b>	Not determined	
<b>Flammability limits in air</b>		
<b>Upper flammability limits</b>	Not determined	
<b>Lower flammability limit</b>	Not determined	
<b>Vapor pressure</b>	Not determined	
<b>Vapor density</b>	Not determined	
<b>Specific gravity</b>	~ 1.0-1.25	@ 25 °C (77 °F)
<b>Water solubility</b>	Not determined	
<b>Solubility in other solvents</b>	Not determined	
<b>Partition coefficient</b>	Not determined	
<b>Autoignition temperature</b>	Not determined	
<b>Decomposition temperature</b>	Not determined	
<b>Kinematic viscosity</b>	Not determined	
<b>Dynamic viscosity</b>	Not determined	
<b>Explosive properties</b>	Not determined	
<b>Oxidizing Properties</b>	Not determined	

**Other Information**

**Additional information** Note: The above information is not intended for use in preparing product specifications  
**VOC Content (%)** < 3%/wt (< 40 g/L)

**10. STABILITY AND REACTIVITY**

**Reactivity**

Not reactive under normal conditions

**Chemical Stability**

Stable under recommended storage conditions.

**Possibility of Hazardous Reactions**

None under normal processing.

**Hazardous polymerization** Hazardous polymerization does not occur.

**Conditions to Avoid**

Incompatible Materials.

**Incompatible Materials**

Oxidizing material can cause a reaction. Water, moisture or humid air can cause hazardous vapors to form as described in Section 8.

**Hazardous Decomposition Products**

Thermal breakdown of this product during fire or very high heat conditions may evolve the following decomposition products: Carbon oxides & traces of incompletely burned carbon compounds. Silicon dioxide. Formaldehyde, Nitrogen oxides & metal oxides.

**11. TOXICOLOGICAL INFORMATION**

**Information on Likely Routes of Exposure**

**Product Information**

**Inhalation** May cause irritation of respiratory tract.  
**Eye Contact** May cause temporary irritation on eye contact.

**Skin Contact** Can be absorbed through the skin. May cause allergic skin reaction.

**Ingestion** Can be harmful if swallowed.

**Component Information**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Amorphous silica (glass) 7631-86-9	> 5000 mg/kg ( Rat )	> 2000 mg/kg ( Rabbit )	> 2.2 mg/L ( Rat ) 1 h
Titanium Dioxide 13463-67-7	> 10000 mg/kg ( Rat )	-	-

**Information on Physical, Chemical and Toxicological Effects**

**Symptoms** Please see section 4 of this SDS for symptoms.

**Delayed and Immediate Effects as well as Chronic Effects from Short and Long-term Exposure**

**Sensitization** May cause allergic skin reaction.

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen. Methyl Ethyl Ketoxime (MEKO) formed upon contact w/ water or humid air. Male rodents exposed to MEKO vapor throughout their lifetime developed liver cancer. Additional testing planned by MEKO supplier to determine any relevance to humans. Until more data is known, exposure levels should be maintained as low as achievable. Titanium dioxide is a possible carcinogen when it appears as a respirable dust.

Chemical Name	ACGIH	IARC	NTP	OSHA
Amorphous silica (glass) 7631-86-9		Group 3		
Titanium Dioxide 13463-67-7		Group 2B		X

*IARC (International Agency for Research on Cancer)  
Group 2B - Possibly Carcinogenic to Humans  
Group 3 IARC components are "not classifiable as human carcinogens"  
OSHA (Occupational Safety and Health Administration of the US Department of Labor)  
X - Present*

**Numerical Measures of Toxicity- Product**

Not determined

**12. ECOLOGICAL INFORMATION**

**Ecotoxicity**

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Amorphous silica (glass) 7631-86-9	440: 72 h Pseudokirchneriella subcapitata mg/L EC50	5000: 96 h Brachydanio rerio mg/L LC50 static		7600: 48 h Ceriodaphnia dubia mg/L EC50

**Persistence and Degradability**

Complete information is not yet available.

**Bioaccumulation**

Complete information is not yet available.

**Mobility**

Complete information is not yet available.

**Other Adverse Effects** Not determined

**13. DISPOSAL CONSIDERATIONS**

**Waste Treatment Methods**

**Disposal of Wastes** Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated Packaging** Disposal should be in accordance with applicable regional, national and local laws and regulations.

**14. TRANSPORT INFORMATION**

**Note** Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances

**DOT** Not regulated

**IATA** Not regulated

**IMDG** Not regulated

**15. REGULATORY INFORMATION**

**International Inventories**

**Legend:**

*TSCA - United States Toxic Substances Control Act Section 8(b) Inventory*

*DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List*

*EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances*

*ENCS - Japan Existing and New Chemical Substances*

*IECSC - China Inventory of Existing Chemical Substances*

*KECL - Korean Existing and Evaluated Chemical Substances*

*PICCS - Philippines Inventory of Chemicals and Chemical Substances*

**US Federal Regulations**

**SARA 311/312 Hazard Categories**

Acute health hazard	Yes
Chronic Health Hazard	Yes
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

**US State Regulations**

Chemical Name	California Proposition 65
Titanium Dioxide - 13463-67-7	Carcinogen

**U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Amorphous silica (glass) 7631-86-9	X	X	X
Titanium Dioxide 13463-67-7	X	X	X

**U.S. EPA Label Information**

**16. OTHER INFORMATION**

<b><u>NFPA</u></b>	<b>Health Hazards</b>	<b>Flammability</b>	<b>Instability</b>	<b>Special Hazards</b>
	2	1	0	Not determined
<b><u>HMIS</u></b>	<b>Health Hazards</b>	<b>Flammability</b>	<b>Physical Hazards</b>	<b>Personal Protection</b>
	2	0	0	B- Safety Glasses, Gloves

**Issue Date** 13-Dec-2012

**Revision Date** 26-Mar-2013

**Revision Note**

New format

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**