

## SAFETY DATA SHEET

### Section 1: IDENTIFICATION

#### 1.1 PRODUCT IDENTIFIER

**Product Name:** TileLab® Heavy-Duty Stripper & Cleaner

**Product Code:** Not Available

#### 1.2 RECOMMENDED USE OF CHEMICAL AND RESTRICTIONS ON USE

**Product Use:** Cleaner

#### 1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEETS

**Name/Address:** Custom Building Products  
3490 Piedmont Road, Suite 1300  
Atlanta, GA 30305

**Telephone Number:** (562)-598-8808

#### 1.4 EMERGENCY TELEPHONE NUMBER

**Emergency Telephone Number:** INFOTRAC 1-800-535-5053 (US and Canada)  
INTERNATIONAL + 1-352-323-3500

### Section 2: HAZARD(S) IDENTIFICATION

#### 2.1 CLASSIFICATION OF THE CHEMICAL IN ACCORDANCE WITH PARAGRAPH (d) OF 29 CFR

1910.1200 (OSHA HAZCOM2012)

Serious Eye Damage	Category 1
Skin Corrosion	Category 1B
Specific Target Organ Toxicity – Single Exposure	Category 3

#### 2.2 LABEL ELEMENTS ACCORDING TO OSHA HAZCOM2012

**2.2a SIGNAL WORD:**  
DANGER!

**2.2b HAZARD STATEMENTS**  
Causes serious eye damage  
Causes severe skin burns  
May cause respiratory irritation

**2.2c HAZARD PICTOGRAMS**



## SAFETY DATA SHEET

### 2.2d PRECAUTIONARY STATEMENTS

<b>i. PREVENTION</b>	Wash hands thoroughly after handling. Do not breathe dust/fume/gas/mist/ vapors/spray. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear impervious gloves/protective clothing/eye protection/face protection.
<b>ii. RESPONSE</b>	If on skin: Wash with plenty of water. Take off contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Get medical advice/attention. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. If inhaled: Remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: call a poison center/doctor. If exposed or concerned: get medical advice/attention.
<b>iii. STORAGE</b>	Store in a well-ventilated place. Keep container tightly closed.
<b>iv. DISPOSAL</b>	Dispose of contents/containers in accordance with all local, state, provincial, and federal regulations.

### 2.3 ADDITIONAL INFORMATION

#### 2.3a HNOC – HAZARDS NOT OTHERWISE CLASSIFIED

Not applicable

#### 2.3b UNKNOWN ACUTE TOXICITY

1.3% of the mixture consists of ingredient(s) of unknown acute toxicity.

## Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 MIXTURES

Chemical Name	CAS Number	Weight %
Ethylene glycol monobutyl ether	111-76-2	3 – 7%*
Monoethanolamine	141-43-5	3 – 7%*
Sodium hydroxide	1310-73-2	0.5 – 1.5%*

\*Means that the component will fall into one the ranges specified due to batch-to-batch variability.

## Section 4: FIRST-AID MEASURES

### 4.1 DESCRIPTION OF THE FIRST-AID MEASURES

ROUTES OF EXPOSURE	DESCRIPTION
<b>Eye Contact:</b>	In case of contact, immediately flush eyes with plenty of water for several minutes. If easy to do, remove contact lenses, if worn. Get

## SAFETY DATA SHEET

medical attention immediately.

**Skin Contact:**

In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Call a physician if irritation develops and persists.

**Inhalation:**

If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.

**Ingestion:**

If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical advice/attention.

### 4.2 MOST IMPORTANT SYMPTOMS/EFFECTS, ACUTE AND DELAYED

ROUTES OF EXPOSURE	DESCRIPTION
<b>Eye Contact:</b>	Causes serious eye damage. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva.
<b>Skin Contact:</b>	Causes severe skin burns.
<b>Inhalation:</b>	May cause respiratory tract irritation.
<b>Ingestion:</b>	May be harmful if swallowed. Ingestion may cause discomfort and/or distress, nausea or vomiting.

### 4.3 INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

Not applicable

## Section 5: FIRE-FIGHTING MEASURES

### 5.1 FLAMMABILITY

**Flammability:** Not Flammable by WHMIS/OSHA HAZCOM2012 Criteria

### 5.2 EXTINGUISHING MEDIA

**5.2a. Suitable Extinguishing Media:**

Treat for surrounding material.

**5.2b. Unsuitable Extinguishing Media:**

Not available.

### 5.3 SPECIFIC HAZARDS ARISING FROM THE CHEMICAL

**5.3a. Products of Combustion:**

May include, and are not limited to: oxides of carbon

## SAFETY DATA SHEET

### 5.3b. Explosion Data

- i. **Sensitivity to Mechanical Impact:**  
Not available.
- ii. **Sensitivity to Static Discharge:**  
Not available.

### 5.4 SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE-FIGHTERS

Keep upwind of fire. Wear full fire fighting turn-out gear(full bunker gear) and respiratory protection (SCBA).

## Section 6: ACCIDENTAL RELEASE MEASURES

### 6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT, AND EMERGENCY PROCEDURES

Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

### 6.2 METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP

**Methods for Containment:** Prevent further leakage or spillage if safe to do so. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).

**Methods for Cleaning-Up:** Dispose of unwanted material properly in accordance with all local, regional, national and international regulations.

## Section 7: HANDLING AND STORAGE

### 7.1 PRECAUTIONS FOR SAFE HANDLING

**Handling:** Use in well-ventilated areas. Wear impervious gloves and eye protection. Do not mix with other chemical products, except as indicated by the manufacturers. Do not get in eyes. Do not get on skin or clothing. Do not breathe fumes. Do not take internally. Good housekeeping is important to prevent accumulation of dust.

**General Hygiene Advice:** Use good industrial hygiene practices and wear recommended personal protection. Launder contaminated clothing before reuse. Wash hands before eating, drinking, or smoking.

### 7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

**Storage:** Keep out of the reach of children. Keep container tightly closed. Store at room temperature and keep containers closed when not in use. Avoid any dust buildup by frequent cleaning and suitable construction of the storage area. Keep dry until use.

## Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

## SAFETY DATA SHEET

### 8.1 CONTROL PARAMETER

#### Exposure Guidelines

Occupational Exposure Limits		
Chemical Name	OSHA-PEL	ACGIH-TLV
Ethylene glycol monobutyl ether	50 ppm	20 ppm
Monoethanolamine	3 ppm	3 ppm
Sodium Hydroxide	2 mg/m <sup>3</sup>	2 mg/m <sup>3</sup>

### 8.2 EXPOSURE CONTROLS

**Engineering Controls:** Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below recommended exposure limits.

### 8.3 INDIVIDUAL PROTECTION MEASURES

#### 8.3a. Personal Protective Equipment:

- i. **Eye/Face Protection:** Wear approved eye protection [properly fitted dust- or splash-proof chemical safety goggles/face (face shield)]
- ii. **Skin Protection:**
  1. **Hand Protection:** Wear impervious gloves, such as nitrile.
  2. **Body Protection:** Wear suitable protective clothing
- iii. **Respiratory Protection:** A NIOSH approved dust mask or filtering face piece is recommended in poorly ventilated areas or when permissible exposure limits may be exceeded. Respirators should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134) and ANSI's standard for respiratory protection (Z88.2).
- iv. **General Health and Safety Measures:** Handle according to established industrial hygiene and safety practices.

## Section 9: PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance (physical state, color, etc.):</b>	Clear
<b>Odor:</b>	Characteristic
<b>Odor Threshold:</b>	Not available
<b>pH:</b>	12.5 – 13.5
<b>Melting point/Freezing point:</b>	Not available
<b>Initial boiling point and boiling range:</b>	~ 100°C (~ 212°F)
<b>Flash point:</b>	Not available
<b>Evaporation rate (Water=1):</b>	Not available
<b>Flammability:</b>	Not flammable
<b>Upper Flammability/Explosive Limit:</b>	Not available
<b>Lower Flammability/Explosive Limit:</b>	Not available
<b>Vapor Pressure</b>	Not available
<b>Vapor Density:</b>	Not available

## SAFETY DATA SHEET

<b>Relative Density:</b>	0.99 – 1.02 g/mL
<b>Solubility in Water:</b>	Miscible
<b>Partition coefficient: n-octanol/water:</b>	Not available
<b>Auto-ignition temperature:</b>	Not available
<b>Decomposition Temperature:</b>	Not available
<b>Viscosity (cps):</b>	Not available
<b>VOC Content:</b>	22 g/L when diluted 5:1 with water

### Section 10: STABILITY AND REACTIVITY

**10.1. REACTIVITY**

No dangerous reaction known under conditions of normal use.

**10.2. CHEMICAL STABILITY**

Stable under normal storage conditions. Keep dry in storage.

**10.3. POSSIBILITY OF HAZARDOUS REACTION**

No dangerous reaction known under conditions of normal use.

**10.4. CONDITIONS TO AVOID**

Heat. Incompatible materials.

**10.5. INCOMPATIBLE MATERIALS**

Strong acids.

**10.6. HAZARDOUS DECOMPOSITION PRODUCTS**

Upon decomposition, this product may yield oxides of carbon.

### Section 11: TOXICOLOGICAL INFORMATION

**11.1. LIKELY ROUTES OF EXPOSURE:**

Skin contact, skin absorption, eye contact, inhalation, and ingestion.

**11.2. SYMPTOMS RELATED TO PHYSICAL/CHEMICAL/TOXICOLOGICAL CHARACTERISTICS:**

**Eye Contact:** Causes serious eye damage. Symptoms may include serious chemical burns, severe irritation, redness, discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva.

**Skin Contact:** Causes severe skin burns, redness, pain, blisters.

**Inhalation:** May cause respiratory tract irritation.

**Ingestion:** May be harmful if swallowed. Ingestion may cause discomfort and/or distress, nausea or vomiting.

Acute Toxicity		
Chemical Name	LC50	LD50

## SAFETY DATA SHEET

Ethylene glycol monobutyl ether	Not available	Oral: 880 mg/kg, rat
Monoethanolamine	Not available	Oral: 1089 mg/kg, rat
Sodium hydroxide	Not available	Not available

Carcinogenicity	
Chemical Name	Chemical Listed as Carcinogens or Potential Carcinogen (NTP, IARC, OSHA, ACGIH, CP65)
Ethylene glycol monobutyl ether	I-3
Monoethanolamine	Not listed
Sodium hydroxide	Not Listed

### 11.3. DELAYED, IMMEDIATE, AND CHRONIC EFFECTS OF SHORT AND LONG-TERM EXPOSURE

SHORT-TERM	
<b>Skin Corrosion/Irritation:</b>	Causes severe skin burns
<b>Serious Eye Damage/Irritation:</b>	Causes serious eye damage
<b>Respiratory Sensitization:</b>	Not available
<b>Skin Sensitization:</b>	Not available
<b>STOT-Single Exposure:</b>	May cause respiratory irritation
<b>Aspiration Hazard:</b>	Not available
LONG-TERM	
<b>Carcinogenicity:</b>	Not available
<b>Germ Cell Mutagenicity:</b>	Not available
<b>Reproductive Toxicity:</b>	Not available
<b>STOT-Repeated Exposure:</b>	Not available
<b>Synergistic/Antagonistic Effects:</b>	Not available

## Section 12: ECOLOGICAL INFORMATION

### 12.1. ECOTOXICITY

May cause long-term adverse effects to the aquatic environment. Keep from entry into sewers and waterways.

Ecotoxicity		
Chemical Name	EC50/NOEC-48 Hours	LC50/NOEC-96 Hours
Ethylene glycol monobutyl ether	Not available	Not available
Monoethanolamine	Not available	Not available
Sodium hydroxide	Not available	Not available

### 12.2. PERSISTENCE AND DEGRADABILITY

Not available

### 12.3. BIOACCUMULATIVE POTENTIAL

Not available

### 12.4. MOBILITY IN SOIL

Not available

### 12.5. OTHER ADVERSE EFFECTS

## SAFETY DATA SHEET

Not available

### Section 13: DISPOSAL CONSIDERATIONS

**13.1. DISPOSAL METHOD**

Dispose of contents/containers in accordance with all local, state, provincial, and federal regulations

**13.2. OTHER DISPOSAL CONSIDERATIONS**

Not available

### Section 14: TRANSPORT INFORMATION

DOT (U.S.)	TDG (CANADA)
<b>UN NUMBER:</b>  UN 3267	<b>UN NUMBER:</b>  UN 3267
<b>UN PROPER SHIPPING NAME:</b>  Corrosive Liquid, Basic, Organic, n.o.s (Monoethanolamine)	<b>UN PROPER SHIPPING NAME:</b>  Corrosive Liquid, Basic, Organic, n.o.s (Monoethanolamine)
<b>TRANSPORT HAZARD CLASS (ES):</b>  8	<b>TRANSPORT HAZARD CLASS (ES):</b>  8
<b>PACKING GROUP (if applicable):</b>  III	<b>PACKING GROUP (if applicable):</b>  III
<b>Limited Quantity &lt;= 5L</b>	<b>Limited Quantity &lt;= 5L</b>

**SUMMARY:** Product is regulated under DOT/TDG and other transportation regulations.

**14.1. ENVIRONMENTAL HAZARDS**

Not available

**14.2. TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 AND THE IBC CODE**

Not available

**14.3. SPECIAL PRECAUTIONS FOR USER**

Do not handle until all safety precautions have been read and understood.

### Section 15: REGULATORY INFORMATION

**15.1. SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATIONS SPECIFIC FOR THE CHEMICAL**

**Canada:** This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

## SAFETY DATA SHEET

**US:** SDS prepared pursuant to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

### 15.2. US FEDERAL INFORMATION:

CHEMICAL NAME	SARA TITLE III			
	SECTION 302 (EHS) TPQ (LBS)	SECTION 304 EHS RQ (LBS)	CERCLA RQ (LBS)	SECTION 313 (TRI)
Ethylene glycol monobutyl ether	Not Listed	Not Listed	Not Listed	Listed
Monoethanolamine	Not Listed	Not Listed	Not Listed	Not Listed
Sodium hydroxide	Not Listed	Not Listed	Not Listed	Not Listed

### 15.3. US STATE RIGHT TO KNOW LAWS:

<b>California Proposition 65:</b>	This product does NOT contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.
<b>Other U.S. States "Right to Know" Lists:</b>	
<b>New Jersey:</b>	Ethylene glycol monobutyl ether: <b>CAS#111-76-2</b> Monoethanolamine: <b>CAS#141-43-5</b> Sodium hydroxide: <b>CAS#1310-73-2</b> Water: <b>CAS#7732-18-5</b>
<b>Pennsylvania:</b>	Ethylene glycol monobutyl ether: <b>CAS#111-76-2</b> Monoethanolamine: <b>CAS#141-43-5</b> Sodium hydroxide: <b>CAS#1310-73-2</b> Water: <b>CAS#7732-18-5</b>
<b>Massachusetts:</b>	Ethylene glycol monobutyl ether: <b>CAS#111-76-2</b> Monoethanolamine: <b>CAS#141-43-5</b> Sodium hydroxide: <b>CAS#1310-73-2</b> Water: <b>CAS#7732-18-5</b>
<b>Minnesota:</b>	Ethylene glycol monobutyl ether: <b>CAS#111-76-2</b> Monoethanolamine: <b>CAS#141-43-5</b> Sodium hydroxide: <b>CAS#1310-73-2</b> Water: <b>CAS#7732-18-5</b>
<b>Florida:</b>	Not Available
<b>Michigan:</b>	Not Available


### 15.4. GLOBAL INVENTORIES

Chemical Name	USA TSCA	Canada DSL/NDSL
Ethylene glycol monobutyl ether	Yes	DSL
Monoethanolamine	Yes	DSL
Sodium hydroxide	Yes	DSL


































## SAFETY DATA SHEET

### 15.5. NFPA AND HMIS RATINGS:

<p align="center"><b>HEALTH HAZARD</b></p> <p><b>4</b> <b>EXTREME</b> - Highly toxic - May be fatal on short-term exposure.</p> <p><b>3</b> <b>SERIOUS</b> - Toxic - Full protective suit and breathing apparatus should be worn.</p> <p><b>2</b> <b>MODERATE</b> - Breathing apparatus and face mask must be worn.</p> <p><b>1</b> <b>SLIGHT</b> - Breathing apparatus may be worn.</p> <p><b>0</b> <b>MINIMAL</b> - No precautions necessary.</p>	<p align="center"><b>FLAMMABILITY HAZARD</b></p> <p><b>4</b> <b>EXTREME</b> - Extremely flammable gas or liquid. Flash Point below 73°F.</p> <p><b>3</b> <b>SERIOUS</b> - Flammable. Flash Point: 73°F to 100°F.</p> <p><b>2</b> <b>MODERATE</b> - Combustible. Requires moderate heating to ignite. Flash Point: below 200°F.</p> <p><b>1</b> <b>SLIGHT</b> - Slightly combustible. Requires strong heating to ignite.</p> <p><b>0</b> <b>MINIMAL</b> - Will not burn under normal conditions.</p>
<p align="center"><b>SPECIFIC HAZARD</b></p> <p>OXIDIZER <b>OXY</b></p> <p>ACID <b>ACID</b></p> <p>ALKALI <b>ALK</b></p> <p>CORROSIVE <b>COR</b></p> <p>Use NO WATER <b>W</b></p> <p>RADIATION ☼</p>	<p align="center"><b>INSTABILITY HAZARD</b></p> <p><b>4</b> <b>EXTREME</b> - Explosive at room temperature.</p> <p><b>3</b> <b>SERIOUS</b> - May detonate if shocked or heated under confinement or mixed with water.</p> <p><b>2</b> <b>MODERATE</b> - Unstable. May react with water.</p> <p><b>1</b> <b>SLIGHT</b> - May react if heated or mixed with water.</p> <p><b>0</b> <b>MINIMAL</b> - Normally stable. Does not react with water.</p>



Hazard Index	
<b>4</b>	<b>Severe Hazard</b>
<b>3</b>	<b>Serious Hazard</b>
<b>2</b>	<b>Moderate Hazard</b>
<b>1</b>	<b>Slight Hazard</b>

<p><b>3</b> <b>HEALTH</b></p> <p><b>0</b> <b>FLAMMABILITY</b></p> <p><b>0</b> <b>REACTIVITY</b></p> <p><input type="checkbox"/> <b>PERSONAL PROTECTION</b></p> <p><b>G</b></p>	<p align="center"><b>PROTECTIVE EQUIPMENT INDEX</b></p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td><b>A</b> </td> <td><b>G</b> </td> </tr> <tr> <td><b>B</b> </td> <td><b>H</b> </td> </tr> <tr> <td><b>C</b> </td> <td><b>I</b> </td> </tr> <tr> <td><b>D</b> </td> <td><b>J</b> </td> </tr> <tr> <td><b>E</b> </td> <td><b>K</b> </td> </tr> <tr> <td><b>F</b> </td> <td><b>X</b> Ask your supervisor for special handling instructions.</td> </tr> </table>	<b>A</b> 	<b>G</b> 	<b>B</b> 	<b>H</b> 	<b>C</b> 	<b>I</b> 	<b>D</b> 	<b>J</b> 	<b>E</b> 	<b>K</b> 	<b>F</b> 	<b>X</b> Ask your supervisor for special handling instructions.
<b>A</b> 	<b>G</b> 												
<b>B</b> 	<b>H</b> 												
<b>C</b> 	<b>I</b> 												
<b>D</b> 	<b>J</b> 												
<b>E</b> 	<b>K</b> 												
<b>F</b> 	<b>X</b> Ask your supervisor for special handling instructions.												

### 15.6. SOURCE AGENCY CARCINOGEN CLASSIFICATIONS:

<b>CP65</b>	California Proposition 65
<b>OSHA (O)</b>	Occupational Safety and Health Administration
<b>ACGIH (G)</b>	American Conference of Governmental Industrial Hygienists <ul style="list-style-type: none"> <li>• A1 – Confirmed human carcinogen</li> <li>• A2 – Suspected human carcinogen</li> <li>• A3 – Animal carcinogen</li> <li>• A4 – Not classifiable as a human carcinogen</li> <li>• A5 – Not suspected a human carcinogen</li> </ul>
<b>IARC (I)</b>	International Agency for Research on Cancer <ul style="list-style-type: none"> <li>• 1 – The agent (mixture) is carcinogenic to humans</li> <li>• 2A – The agent (mixture) is probably carcinogenic to humans; there</li> </ul>

## SAFETY DATA SHEET

	<p>is limited evidence of carcinogenicity in humans and sufficient evidence of carcinogenicity in experimental animals.</p> <ul style="list-style-type: none"> <li>• 2B – The agent (mixture) is possibly carcinogenic to humans; there is limited evidence of carcinogenicity in humans in the absence of sufficient evidence of carcinogenicity in experimental animals.</li> <li>• 3 – The agent (mixture, exposure circumstance) is not classifiable as to its carcinogenicity to humans.</li> <li>• 4 – The agent (mixture, exposure circumstance) is probably not carcinogenic to humans.</li> </ul>
<b>NTP (N)</b>	<p>National Toxicology Program</p> <ul style="list-style-type: none"> <li>• 1 – Known to be carcinogens</li> <li>• 2 – Reasonably anticipated to be carcinogens</li> </ul>

### Section 16: OTHER INFORMATION

**Date of Preparation:** April 9, 2015

**Version:** 3.1

**Revision Date:** June 24, 2016

**Disclaimer:** The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, express or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to silica contained in our products.

**Prepared by:** Custom Building Products  
 Phone: (562)-968-2980  
[www.custombuildingproducts.com](http://www.custombuildingproducts.com)

## End of Safety Data Sheet