

Section 1: IDENTIFICATION**Product Name:** Extreme Simple Green® Motorsports Cleaner & Degreaser**Additional Names:****Manufacturer's Part Number:** **Please refer to Section 16***Recommended Use:** Cleaner & degreaser for water tolerant surfaces.**Restrictions on Use:** Do not use on non-rinsable surfaces.**Company:** Sunshine Makers, Inc.
15922 Pacific Coast Highway
Huntington Beach, CA 92649 USA**Telephone:** 800-228-0709 • 562-795-6000 *Mon – Fri, 8am – 5pm PST***Fax:** 562-592-3830**Email:** info@simplegreen.com**Emergency Phone:** Chem-Tel 24-Hour Emergency Service: 800-255-3924**Section 2: HAZARDS IDENTIFICATION**

This product is not regulated under 2012 OSHA Hazard Communication Standards (29 CFR 1910.1200). This product has been classified and labeled in accordance with the CPSC Federal Hazardous Substances Act (16 CFR 1500).

OSHA HCS 2012Label Elements**Signal Word:** Not determined**Hazard Symbol(s)/Pictogram(s):** Not determined**Hazard Statements:** Not determined**Precautionary Statements:** Not determined**Hazards Not Otherwise Classified (HNOC):** Not determined**Other Information:** Not determinedOSHA HCS 2012**Emergency Overview:** CAUTION. Irritant. May irritate eyes. This is a colorless liquid with no added odor.*Refer to Section 4 and 11 for health hazard identification.***Section 3: COMPOSITION/INFORMATION ON INGREDIENTS**

<u>Ingredient</u>	<u>CAS Number</u>	<u>Percent Range</u>
Water	7732-18-5	≥ 91%*
Triethanolamine	102-71-6	≤ 3%*
Ethoxylated Alcohol	68439-46-3	≤ 3%*
Propylene Glycol Butyl Ether	5131-66-8	≤ 1%*
Tetrapotassium Pyrophosphate	7320-34-5	≤ 1%*
Potassium Silicate	1312-76-1	≤ 1%*

specific percentages of composition are being withheld as a trade secret*Section 4: FIRST-AID MEASURES****Inhalation:** Not expected to cause respiratory irritation. If adverse effect occurs, move to fresh air.**Skin Contact:** Not expected to cause skin irritation. If adverse effect occurs, rinse skin with water.**Eye Contact:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice.**Ingestion:** May cause upset stomach. Drink plenty of water to dilute. See section 11.**Most Important Symptoms/Effects, Acute and Delayed:** None known.**Indication of Immediate Medical Attention and Special Treatment Needed, if necessary:** Treat symptomatically

Section 5: FIRE-FIGHTING MEASURES

Suitable & Unsuitable Extinguishing Media: Use Dry chemical, CO₂, water spray or “alcohol” foam. Avoid high volume jet water.
Specific Hazards Arising from Chemical: In event of fire, fire created carbon oxides may be formed.
Special Protective Actions for Fire-Fighters: Wear positive pressure self-contained breathing apparatus; Wear full protective clothing.

This product is non-flammable. See Section 9 for Physical Properties.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures: *For non-emergency and emergency personnel:* See section 8 – personal protection. Avoid eye contact. Safety goggles suggested.

Environmental Precautions: Do not allow into open waterways and ground water systems.

Methods and Materials for Containment and Clean Up: Dike or soak up with inert absorbent material. See section 13 for disposal considerations.

Section 7: HANDLING AND STORAGE

Precautions for Safe Handling: Ensure adequate ventilation. Keep out of reach of children. Keep away from heat, sparks, open flame and direct sunlight. Do not pierce any part of the container. Do not mix or contaminate with any other chemical. Do not eat, drink or smoke while using this product.

Conditions for Safe Storage including Incompatibilities: Keep container tightly closed. Keep in cool dry area. Avoid prolonged exposure to sunlight. Do not store at temperatures above 109°F (42.7°C). If separation occurs, mix the product for reconstitution.

Section 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Limit Values:	Triethanolamine (102-71-6)	5 mg/m ³ PEL	California
	Diethanolamine (111-42-2)	3 ppm TWA; 15 mg/m ³ TWA	Connecticut, Michigan, Minnesota, Tennessee, Vermont, Washington, OSHA
		0.46 ppm PEL; 2 mg/m ³ PEL	California
		6 ppm STEL	Washington

Appropriate Engineering Controls: Showers, eyewash stations, ventilation systems

Individual Protection Measures / Personal Protective Equipment (PPE)

Eye Contact: Use protective glasses or safety goggles if splashing or spray-back is likely.
Respiratory: Use in well ventilated areas or local exhaust ventilations when cleaning small spaces.
Skin Contact: Use protective gloves (any material) when used for prolonged periods or dermally sensitive.
General Hygiene Considerations: Wash thoroughly after handling and before eating or drinking.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Colorless Liquid	Partition Coefficient: n-octanol/water:	Not determined
Odor:	No added odor	Autoignition Temperature:	Non-flammable
Odor Threshold:	Not determined	Decomposition Temperature:	109°F
pH:	9.0 – 10.5	Viscosity:	Like water
Freezing Point:	0°C (32°F)	Specific Gravity:	1.00 – 1.01
Boiling Point & Range ASTM:	98°C (210°F)	VOCs:	**Water & fragrance exemption in calculation
Flash Point:	> 212°F	SCAQMD 304-91 / EPA 24:	Not tested
Evaporation Rate:	9.54% per hour	CARB Method 310**:	4 g/L 0.033 lb/gal 0.4%
Flammability (solid, gas):	Not applicable	SCAQMD Method 313:	Not tested
Upper/Lower Flammability or Explosive Limits:	Not applicable	VOC Composite Partial Pressure:	Not determined
Vapor Pressure:	20.7 mmHg	Relative Density:	8.34 – 8.42 lb/gal
Vapor Density:	Not determined	Solubility:	100% in water

Section 10: STABILITY AND REACTIVITY

Reactivity:	Non-reactive.
Chemical Stability:	Stable under normal conditions 70°F (21°C) and 14.7 psig (760 mmHg).
Possibility of Hazardous Reactions:	None known.
Conditions to Avoid:	Excessive heat or cold.
Incompatible Materials:	Do not mix with oxidizers, acids, bathroom cleaners, or disinfecting agents.
Hazardous Decomposition Products:	Normal products of combustion - CO, CO ₂ .

Section 11: TOXICOLOGICAL INFORMATION

Likely Routes of Exposure:	Inhalation -	Overexposure may cause headache.
	Skin Contact -	Not expected to cause irritation, repeated contact may cause dry skin.
	Eye Contact -	Causes eye irritation.
	Ingestion -	May cause upset stomach.

Symptoms related to the physical, chemical and toxicological characteristics: no symptoms expected under typical use conditions.

Delayed and immediate effects and or chronic effects from short term exposure: no symptoms expected under typical use conditions.

Delayed and immediate effects and or chronic effects from long term exposure: headache, dry skin, or skin irritation may occur.

Interactive effects: Not known.

Numerical Measures of Toxicity

Acute Toxicity:	Oral LD ₅₀ (rat)	> 5 g/kg body weight
	Dermal LD ₅₀ (rabbit)	> 5 g/kg body weight

Calculated via OSHA HCS 2012 / Globally Harmonized System of Classification and Labelling of Chemicals

Skin Corrosion/Irritation:	Non-irritant per Dermal Irritation® assay modeling. No animal testing performed.
Eye Damage/Irritation:	Minimal irritant per Ocular Irritation® assay modeling. No animal testing performed.
Germ Cell Mutagenicity:	Mixture does not classify under this category.
Carcinogenicity:	Contains trace amounts of Diethanolamine (<0.01%) (111-42-2)
Reproductive Toxicity:	Mixture does not classify under this category.
STOT-Single Exposure:	Mixture does not classify under this category.
STOT-Repeated Exposure:	Mixture does not classify under this category.
Aspiration Hazard:	Mixture does not classify under this category.

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity: Volume of ingredients used does not trigger toxicity classifications under the Globally Harmonized System of Classification and Labelling of Chemicals.

Aquatic: Not tested on finished formulation

Terrestrial: Not tested on finished formulation.

Persistence and Degradability:	Readily Biodegradable per OCED 301D, Closed Bottle Test
Bioaccumulative Potential:	No data available.
Mobility in Soil:	No data available.
Other Adverse Effects:	No data available.

Section 13: DISPOSAL CONSIDERATIONS

Unused or Used Liquid: May be considered hazardous in your area depending on usage and tonnage of disposal – check with local, regional, and or national regulations for appropriate methods of disposal.

Empty Containers: May be offered for recycling.

Never dispose of used degreasing rinsates into lakes, streams, and open bodies of water or storm drains.

Safety Data Sheet: **Extreme Simple Green® Motorsports Cleaner & Degreaser**

Version No. 13440-15A

Issue Date: March 31, 2015

Supersedes Date: June 22, 2013

OSHA HCS-2012 / GHS

Section 14: TRANSPORT INFORMATION

U.N. Number:	Not applicable	U.N. Proper Shipping Name:	Cleaning Compound, Liquid NOI
Transport Hazard Class(es):	Not applicable	NMFC Number:	48580-3
Packing Group:	Not applicable	Class:	55
Environmental Hazards:	Marine Pollutant - NO		
Transport in Bulk (according to Annex II of MARPOL 73/78 and IBC Code):	Unknown.		
Special precautions which user needs to be aware of/comply with, in connection with transport or conveyance either within or outside their premises:	None known.		
U.S. (DOT) / Canadian TDG:	Not Regulated for shipping.	ICAO/ IATA:	Not classified as Hazardous
IMO / IDMG:	Not classified as Hazardous	ADR/RID:	Not classified as Hazardous

Section 15: REGULATORY INFORMATION

All components are listed on: TSCA and DSL Inventory.

SARA Title III: Sections 311/312 Hazard Categories – Not applicable.
 Sections 313 Superfunds Amendments and Reauthorizations Act of 1986 – Diethanolamine (111-42-2) <0.01%
 Sections 302 – Not applicable.

Clean Air Act (CAA): Triethanolamine (102-71-6), Diethanolamine (111-42-2), Propylene Glycol Butyl Ether (5131-66-8)

Clean Water Act (CWA): Not applicable

CERRCLA: Diethanolamine (111-42-2) 1000 lb RQ

State Right To Know Lists: Triethanolamine Massachusetts, New Jersey, Pennsylvania
 Diethanolamine (<0.01%) Massachusetts, New Jersey, Pennsylvania

California Proposition 65: Diethanolamine (111-42-2) (<0.01%)

Texas ESL:

Triethanolamine	102-71-6	5 µg/m³ long term	50 µg/m³ short term
Ethoxylated Alcohol	68439-46-3	60 µg/m³ long term	600 µg/m³ short term
Propylene Glycol Butyl Ether	5131-66-8	73 µg/m³ long term	730 µg/m³ short term
Tetrapotassium Pyrophosphate	7320-34-5	5 µg/m³ long term	50 µg/m³ short term
Potassium Silicate	1312-76-1		5 µg/m³ short term
Diethanolamine	111-42-2	1 µg/m³ long term	10 µg/m³ short term

Section 16: OTHER INFORMATION

Size	Part Number	UPC
32 oz., 12 per case	13440 & 1910001213440	043318003516

USA items listed only. Not all items listed. USA items may not be valid for international sale.

NFPA:

Health – Eye irritant	Stability – Stable
Flammability – Non-flammable	Special – None



Acronyms

NTP	National Toxicology Program	IARC	International Agency for Research on Cancer
OSHA	Occupational Safety and Health Administration	CPSC	Consumer Product Safety Commission
TSCA	Toxic Substances Control Act	DSL	Domestic Substances List

Prepared / Revised By: Sunshine Makers, Inc., Regulatory Department.

This SDS has been revised in the following sections: Updated to OSHA HCS 2012 format

DISCLAIMER: The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.