



Adams Flea & Tick Spray for Cats

Safety Data Sheet

Date of issue: 11/01/2012

Revision date: 06/09/2017

Supersedes: 05/01/2014

Version: 1.0

SECTION 1: Identification

1.1. Identification

Product form : Mixture
Trade name : Adams Flea & Tick Spray for Cats
Synonyms : EPA Reg. No.: 2724-803-270, 100515243, RF2127 Pet Spray

1.2. Recommended use and restrictions on use

Recommended use : Insect growth regulator.
Restrictions on use : Avoid contact with eyes, skin or clothing, Avoid inhalation of vapors or fumes, Keep out of reach of children, Do not use or store near heat or open flame.

1.3. Supplier

Farnam Companies, Inc.
1501 E. Woodfield Road, Suite 200W
Schaumburg, IL 60173 - United States
www.farnam.com

1.4. Emergency telephone number

Emergency number : 1-800-234-2269
1-800-424-9300 - CHEMTREC
1-703-527-3887 - CHEMTREC - Outside North America - Collect Calls Accepted

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture


GHS-US classification

Flammable liquids Category 3 Flammable liquid and vapor
Serious eye damage/eye irritation Category 2B Causes eye irritation
Specific target organ toxicity (single exposure) Category 3 May cause drowsiness or dizziness

2.2. GHS Label elements, including precautionary statements

GHS-US labeling

Hazard pictograms (GHS-US) :



Signal word (GHS-US) : Warning

Hazard statements (GHS-US) : Flammable liquid and vapor
Causes eye irritation
May cause drowsiness or dizziness

Precautionary statements (GHS-US) : Keep away from heat/sparks/open flames/hot surfaces. - No smoking
Keep container tightly closed
Ground/Bond container and receiving equipment
Use explosion-proof electrical/ventilating/lighting equipment
Use only non-sparking tools
Take precautionary measures against static discharge
Avoid breathing dust/fume/gas/mist/vapors/spray
Wash hands, forearms and face thoroughly after handling
Use only outdoors or in a well-ventilated area
Wear protective gloves/protective clothing/eye protection/face protection
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower
If inhaled: Remove person to fresh air and keep comfortable for breathing
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
Call poison center or doctor if you feel unwell
If eye irritation persists: Get medical advice/attention
In case of fire: Use media other than water to extinguish

Adams Flea & Tick Spray for Cats

Safety Data Sheet

Store in a well-ventilated place. Keep container tightly closed
Store in a well-ventilated place. Keep cool
Store locked up
Dispose of contents/container to in accordance with local/regional/national/international regulations

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%
Etofenprox	(CAS-No.) 80844-07-1	0.25
(s)-Methoprene Technical	(CAS-No.) 65733-16-6	0.1
Piperonyl butoxide	(CAS-No.) 51-03-6	0.75
2-Propranolol, 1-methoxy	(CAS-No.) 107-98-2	82.96 - 83.38
Other ingredients	(CAS-No.) N/A	Balance

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures general : Call a poison center or a doctor if you feel unwell.
First-aid measures after inhalation : IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
First-aid measures after skin contact : IF ON SKIN: Wash with plenty of soap and water. Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice and attention.
First-aid measures after ingestion : IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth. Do NOT induce vomiting unless directed to do so by medical personnel.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after inhalation : May cause drowsiness or dizziness.
Symptoms/effects after eye contact : May cause eye irritation.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Carbon dioxide. Dry chemical. Water spray. Alcohol-resistant foam.
Unsuitable extinguishing media : Avoid heavy hose streams.

5.2. Specific hazards arising from the chemical

Fire hazard : Flammable liquid and vapor.
Reactivity : Flammable liquid and vapor.

5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. NO open flames, NO sparks, and NO smoking. Avoid breathing dust/fume/gas/mist/vapors/spray.

Adams Flea & Tick Spray for Cats

Safety Data Sheet

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: Exposure controls/personal protection.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Absorb spills with an inert material, clay granules or other inert absorbent material and put in container for disposal. Non-sparking tools should be used. Use appropriate PPE.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapors may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapors/spray.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Ground/bond container and receiving equipment.

Storage conditions : Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.

Incompatible materials : Heat, sparks, open flame. Strong oxidizers. Moisture and humidity.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

2-Propanol, 1-methoxy (107-98-2)		
ACGIH	ACGIH TWA (ppm)	50 ppm
ACGIH	ACGIH STEL (ppm)	100 ppm
NIOSH	NIOSH REL (TWA) (mg/m ³)	360 mg/m ³
NIOSH	NIOSH REL (TWA) (ppm)	100 ppm
NIOSH	NIOSH REL (STEL) (mg/m ³)	540 mg/m ³
NIOSH	NIOSH REL (STEL) (ppm)	150 ppm

8.2. Appropriate engineering controls

Appropriate engineering controls : Adequate ventilation systems as needed to control concentrations of airborne contaminants below applicable threshold limit values.

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment.

Adams Flea & Tick Spray for Cats

Safety Data Sheet



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Clear, colorless liquid.
Color	: Colorless.
Odor	: pleasant
Odor threshold	: No data available
pH	: 6 - 7
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 104 °F
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Not applicable.
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: 0.952 @ 20 ° C
Solubility	: Insoluble in water.
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: < 10 cP
Explosion limits	: No data available
Explosive properties	: Not explosive
Oxidizing properties	: Not applicable

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Flammable liquid and vapor.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, No sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Decomposes upon heating to produce toxic vapors/gases which include oxides of carbon.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Adams Flea & Tick Spray for Cats

LD50 oral rat	> 5000 mg/kg Female rats
---------------	--------------------------

Adams Flea & Tick Spray for Cats

Safety Data Sheet

LD50 dermal rat	> 5000 mg/kg
pH	6 - 7

GHS-US Properties	Classification
Acute toxicity	Not classified
Skin corrosion/irritation	Not classified
Serious eye damage/irritation	Causes eye irritation.
Respiratory or skin sensitization	Not classified
Germ cells mutagen	Not classified
Carcinogenicity	Not classified
Reproductive toxicity	Not classified
Specific target organ toxicant (single exposure)	May cause drowsiness or dizziness.
Specific target organ toxicant (repeated exposure)	Not classified
Aspiration hazard	Not classified

Potential health effects

Inhalation

Acute : May cause drowsiness and dizziness.

Skin

Acute : May cause slight skin irritation.

Chronic : Repeated exposure to etofenprox can cause skin irritation.

Eye

Acute : Causes mild eye irritation.

Mutagenicity

: Etofenprox has been found negative for mutagenicity potential using the Ames test, chromosomal aberration and micronucleus test methods, (s)-Methoprene has been tested and found negative for mutagenicity potential, Piperonyl butoxide was not mutagenic in a battery of tests.

Carcinogenicity

: Etofenprox is not classified as carcinogen by NTP, IARC and OSHA, (s)-Methoprene is not classified as carcinogen by NTP, IARC and OSHA, Piperonyl butoxide is not classified as carcinogen by NTP, IARC and OSHA.

Reproductive Effects

: Etofenprox did not produce teratogenic or reproductive effects in laboratory experiments, (s)-Methoprene is not a reproductive toxin, Piperonyl butoxide did not produce any birth defects or adverse effects on reproductive parameters in tests with rats and rabbits.

SECTION 12: Ecological information

12.1. Toxicity

Etofenprox (80844-07-1)	
LC50 Acute fish 1	0.0027 mg/l (Exposure time: 96h - Rainbow trout)
LC50 Acute fish 2	0.0165 (Exposure time: 96h - Sheepshead minnow)
LC50 Acute crustacea 1	0.0000188 mg/l (Exposure time: 96h - Mysid shrimp)
LC50 Acute crustacea 2	0.0008 mg/l (Exposure time: 48 hours - Daphnia magna)
NOEC Chronic crustacea 1	0.00017 mg/l (Daphnia magna)
(s)-Methoprene Technical (65733-16-6)	
LC50 Acute fish 1	0.76 mg/l (Exposure time: 96h - Rainbow trout)
LC50 Acute fish 2	> 0.37 mg/l (Exposure time: 96h - Blue gill)
LC50 Acute crustacea 1	0.11 mg/l (Exposure time: 96h - Mysid shrimp)
NOEC Chronic fish 1	0.048 mg/l (Fathead minnow)
NOEC Chronic crustacea 1	0.014 mg/l (Mysid shrimp)
Piperonyl butoxide (51-03-6)	
LC50 Acute fish 1	1.9 mg/l (Exposure time: na - Rainbow trout)
LC50 Acute fish 2	3.94 mg/l (Exposure time: na - Sheepshead minnow)
LC50 Acute crustacea 1	0.49 mg/l (Exposure time: na - Mysid shrimp)
LC50 Acute crustacea 2	0.51 mg/l (Exposure time: na - Gammarus fasciatus (amphipod))
NOEC Chronic fish 1	0.04 mg/l (Fathead minnow)
NOEC Chronic crustacea 1	0.03 mg/l (Daphnia magna)

Adams Flea & Tick Spray for Cats

Safety Data Sheet

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

(s)-Methoprene Technical (65733-16-6)	
Log Kow	6.3
Piperonyl butoxide (51-03-6)	
Log Kow	4.75
2-Propanol, 1-methoxy (107-98-2)	
BCF fish 1	< 2
Log Pow	-0.437

12.4. Mobility in soil

(s)-Methoprene Technical (65733-16-6)	
Mobility in soil	10-14 days, rapidly hydrolyzed in soil.

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Product/Packaging disposal recommendations : Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Additional information : Flammable vapors may accumulate in the container.

SECTION 14: Transport information

	UN number	Proper Shipping Name	Transport hazard class(es)	Packing group	Environmental hazards
DOT	Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
IMDG	UN3092	1-METHOXY-2-PROPANOL	3	III	Not applicable
IATA	UN3092	1-Methoxy-2-propanol	3	III	Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

Piperonyl butoxide (51-03-6)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory Listed on SARA Section 313 (Specific toxic chemical listings)	
SARA Section 313 - Emission Reporting	1 %
2-Propanol, 1-methoxy (107-98-2)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
FIFRA Labelling	
EPA Registration Number	2724-803-270
This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.	
FIFRA Signal Word	Caution
FIFRA Hazard Statement	KEEP OUT OF REACH OF CHILDREN.

Adams Flea & Tick Spray for Cats

Safety Data Sheet

FIFRA Hazards to Humans and Domestic Animals	HAZARDS TO HUMANS - CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Repeated exposure to etofenprox can cause skin irritation. HAZARDS TO ANIMALS - CAUTION: Do not use on puppies less than 10 weeks of age or kittens less than 12 weeks of age.
FIFRA First Aid	If in eyes • Call a poison control center or doctor for treatment advice. • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
FIFRA Physical Hazard	Combustible, Do not use or store near heat or open flame

15.2. US State regulations

No additional information available

SECTION 16: Other information

Date of issue : 01 November 2012
Revision date : 09 June 2017
Supersedes : 01 May 2014

SDS US (GHS HazCom 2012) - CGP

The information and statements herein are believed to be reliable but are not to be construed as a warranty or representation for which we assume legal responsibility. Users should undertake sufficient verification and testing to determine the suitability for their own particular purpose of any information or products referred to herein. NO WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE IS MADE.