



## Safety Data Sheet

### Section 1: Identification

#### Product identifier

**Product Name**

- **Deadline Bug Bait**

**Synonyms**

- 100509274; EPA Reg. No.: 8119-5; UPC:0-70585-00701-5

**Product Description**

- Light brownish gray pellet.

**Relevant identified uses of the substance or mixture and uses advised against**

**Recommended use**

- Molluscicide. Insecticide.

**Restrictions on use**

- Keep out of the reach of children and domestic animals. Avoid contact with skin, eyes and clothing. Keep away from heat, sparks and flame. Avoid breathing dust

#### Details of the supplier of the safety data sheet

**Manufacturer**

- Matson, LLC  
P.O. Box 1820  
North Bend, WA 98045  
United States  
  
www.corrys.com

#### Emergency telephone number

**Manufacturer**

- 1-800-308-3723

**Manufacturer**

- 1-800-424-9300 - CHEMTREC

**Manufacturer**

- 1-703-527-3887 - CHEMTREC - Outside the U.S. - collect calls accepted

### Section 2: Hazard Identification

#### United States (US)

According to: OSHA 29 CFR 1910.1200 HCS

#### Classification of the substance or mixture

**OSHA HCS 2012**

- Carcinogenicity 1A  
Combustible Dust

#### Label elements

**OSHA HCS 2012**

**DANGER**



- Hazard statements** • May cause cancer.  
May form combustible dust concentrations in air.

### Precautionary statements

- Prevention** • Obtain special instructions before use.  
Do not handle until all safety precautions have been read and understood.  
Wear protective gloves/protective clothing/eye protection/face protection.
- Response** • IF exposed or concerned: Get medical advice/attention.
- Storage/Disposal** • Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.  
Store locked up.

### Other hazards

#### OSHA HCS 2012

- This product is extremely toxic to aquatic and estuarine invertebrates and is toxic to mollusks (clams, oysters, scallops, mussels). Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product is considered hazardous.

## Section 3 - Composition/Information on Ingredients

### Substances

- Material does not meet the criteria of a substance.

### Mixtures

Composition		
Chemical Name	Identifiers	%
Carbaryl (1-Naphthyl N-methylcarbamate)	CAS:63-25-2	5%
Metaldehyde (2,4,6,8-tetramethyl-1,3,5,7-tetraoxocyclo-octane)	CAS:9002-91-9	2%
Wheat flour & Mill flour	NDA	80% TO 85%
Limestone	CAS:1317-65-3	5%
Silica, crystalline - quartz	CAS:14808-60-7	> 0.1%
Other ingredients	NDA	Balance

## Section 4: First-Aid Measures

### Description of first aid measures

#### Inhalation

- IF INHALED: If breathing is difficult, remove person to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

#### Skin

- IF ON SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of

water for 15-20 minutes. Call a poison control center or doctor for treatment advice. If skin irritation occurs: Get medical advice/attention.

**Eye**

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

**Ingestion**

- IF SWALLOWED: call a poison center or doctor if you feel unwell. Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center.

**Most important symptoms and effects, both acute and delayed**

- Carbaryl is a cholinesterase inhibitor carbamate. The product inhibits cholinesterase resulting in stimulation of the central nervous system, the parasympathetic nervous system, and the somatic motor nerves. Metaldehyde is a systemic toxin. May cause cancer. This pesticide may be harmful to children and fatal to domestic animals if ingested.

**Indication of any immediate medical attention and special treatment needed****Notes to Physician**

- Treat symptomatically and supportively. Carbaryl is a N-methyl carbamate which is a cholinesterase inhibitor. Atropine is antidotal. Dust inhalation is usual route of accidental exposure, the product is rarely ingested. Treatment is symptomatic and supportive. Monitor severe exposures closely: seizures, electrolyte imbalances, acidosis, dehydration and increased body temperature have been reported.

**Other information**

- NOTE TO VETERINARIAN: Animals typically are exposed via ingestion . Treatment is symptomatic and supportive. If significant ingestion suspected and the animal is asymptomatic, consider induction of emesis or gastric lavage and administration of activated charcoal, cathartic and enema to limit absorption. Monitor asymptomatic and symptomatic animals closely. Treat seizures, electrolyte imbalances , acidosis, dehydration , and increased body temperature . Monitor liver function post recovery.

**Section 5: Fire-Fighting Measures****Extinguishing media**

**Suitable Extinguishing Media** • SMALL FIRES: Dry chemical, CO<sub>2</sub>, water spray or regular foam.  
LARGE FIRE: Water spray, fog or regular foam.

**Unsuitable Extinguishing Media**

- Avoid heavy hose streams.

**Firefighting Procedures**

- Combustible dust - use low-pressure medium fog streams to avoid dust clouds. Eliminate ignition sources.  
Move combustibles out of path of advancing pool if you can do so without risk.  
Stay upwind.  
LARGE FIRES: Dike fire control water for later disposal; do not scatter the material.

**Special hazards arising from the substance or mixture****Unusual Fire and Explosion Hazards**

- Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.

**Hazardous Combustion Products**

- Decomposes upon heating to produce toxic vapors/gases which may include carbon oxides and nitrogen oxides.

**Advice for firefighters**

- Wear positive pressure self-contained breathing apparatus (SCBA).

**Section 6 - Accidental Release Measures**

**Personal precautions, protective equipment and emergency procedures**

**Personal Precautions**

- Avoid contact with skin, eyes, and clothing. Use appropriate Personal Protective Equipment (PPE). Ventilate enclosed areas. Do not walk through spilled material. Keep all sources of ignition away and avoid creating dusty conditions.

**Emergency Procedures**

- Stay upwind. Ventilate closed spaces before entering. Contain spill and monitor for excessive dust accumulation. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep unauthorized personnel away. Turn off electric power to area.

**Environmental precautions**

- Contain and prevent from release into any waterway, sewer or drain.

**Methods and material for containment and cleaning up**

**Containment/Clean-up Measures**

- Use appropriate Personal Protective Equipment (PPE).  
Avoid generating dust.  
Dust Deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.  
Sweep or scoop up spills, dispose of any unusable material in approved landfill. Non-sparking tools should be used.

**Section 7 - Handling and Storage**

**Precautions for safe handling**

**Handling**

- Wash hands thoroughly with soap and water after handling. Read label before use. Avoid contact with skin or eyes. Avoid breathing dust. Avoid contact with heat and ignition sources.

**Conditions for safe storage, including any incompatibilities**

**Storage**

- Store in a well-ventilated place. Keep container tightly closed. Store locked up. Store only in original container. This product may be harmful to children and fatal to domestic animals if ingested. Children and dogs may be attracted to metaldehyde products and their packaging. Store in a cool/low-temperature, well-ventilated dry place away from heat and ignition sources.

**Incompatible Materials or Ignition Sources**

- Heat, sparks, open flame. Strong acids and oxidizing agents.

**Section 8 - Exposure Controls/Personal Protection**

**Control parameters**

**Exposure Limits/Guidelines**

- No data available.

Exposure Limits/Guidelines				
	Result	ACGIH	NIOSH	OSHA
Silica, crystalline - quartz (14808-60-7)	TWAs	0.025 mg/m3 TWA (respirable fraction)	0.05 mg/m3 TWA (respirable dust)	0.05 mg/m3 TWA (respirable dust)
Limestone (1317-65-3)	TWAs	Not established	10 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable dust)	15 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable fraction)
Carbaryl (1-Naphthyl N-methylcarbamate (63-25-2))	TWAs	0.5 mg/m3 TWA (inhalable fraction and vapor)	5 mg/m3 TWA	5 mg/m3 TWA

**Exposure Control Notations**

**ACGIH**  
 • Carbaryl (1-Naphthyl N-methylcarbamate (63-25-2): **Skin:** (Skin - potential significant contribution to overall exposure by the cutaneous route)

**Exposure Limits Supplemental**

**OSHA**  
 • Silica, crystalline - quartz (14808-60-7): **Mineral Dusts:** ((30)/(%SiO2 + 2) mg/m3 TWA, total dust; (250)/(%SiO2 + 5) mppcf TWA, respirable fraction; (10)/(%SiO2 + 2) mg/m3 TWA, respirable fraction)


**ACGIH**  
 • Carbaryl (1-Naphthyl N-methylcarbamate (63-25-2): **TLV Basis - Critical Effects:** (cholinesterase inhibition; embryo and male reproductive damage)  
 • Silica, crystalline - quartz (14808-60-7): **TLV Basis - Critical Effects:** (lung cancer; pulmonary fibrosis)

**Exposure controls**

**Engineering Measures/Controls**

- Use adequate ventilation to remove vapors (fumes, dust etc)

**Personal Protective Equipment Pictograms**



**Respiratory**

- If prolonged exposure is anticipated, it is recommended for handlers to wear an approved MSHA/NIOSH dust mask N-95.

**Eye/Face**

- Wear safety glasses.

**Hands**

- Wear appropriate gloves.

**Skin/Body**

- If prolonged exposure is anticipated, it is recommended for handlers to wear appropriate clothing to prevent skin contact.

**General Industrial Hygiene Considerations**

- Avoid contact with skin, eyes or clothing.

**Environmental Exposure Controls**

- Controls should be engineered to prevent release to the environment, including procedures to prevent spills, atmospheric release and release to waterways.

**Section 9 - Physical and Chemical Properties**

**Information on Physical and Chemical Properties**

Material Description			
Physical Form	Solid	Appearance/Description	Light brownish gray pellet.
Color	Light brownish gray.	Odor	Grain flour.
Odor Threshold	No data available		
General Properties			
Boiling Point	No data available	Melting Point/Freezing Point	No data available
Decomposition Temperature	No data available	pH	Not relevant
Specific Gravity/Relative Density	No data available	Bulk Density	0.56 g/cm <sup>3</sup>
Water Solubility	Insoluble	Viscosity	Not relevant
Volatility			
Vapor Pressure	No data available	Vapor Density	No data available
Evaporation Rate	No data available		
Flammability			
Flash Point	Not relevant	UEL	No data available
LEL	No data available	Autoignition	No data available
Flammability (solid, gas)	No data available		
Environmental			
Octanol/Water Partition coefficient	No data available		

## Section 10: Stability and Reactivity

### Reactivity

- This material is friable and can create small dust particles during any handling, processing, and transfer operations. This material can form explosive dust/air suspensions that are ignitable under some conditions.

### Chemical stability

- Stable under normal temperatures and pressures.

### Possibility of hazardous reactions

- Hazardous polymerization will not occur. May form combustible dust concentrations in the air.

### Conditions to avoid

- Heat, sparks, open flame, other ignition sources, and oxidizing conditions.

### Incompatible materials

- Strong acids. Strong oxidizing agents.

### Hazardous decomposition products

- Thermal decomposition may produce toxic vapors and/or gases.

## Section 11 - Toxicological Information

### Information on toxicological effects

Components		
Carbaryl (1-Naphthyl N-methylcarbamate (5%))	63-25-2	<b>Acute Toxicity:</b> Ingestion/Oral-Rat LD50 • 246-614 mg/kg; Inhalation-female LD50 Rat 2.43 mg/l 4 hour; Dermal-Rat LD50 >5,000 mg/kg <b>Irritation:</b> Eye-Rabbit • Minimally irritating; Skin-Rabbit • non irritant
Metaldehyde (2,4,6,8-tetramethyl-1,3,5,7-tetraoxycyclo-octane) (2%)	9002-91-9	<b>Acute Toxicity:</b> Ingestion/Oral-Rat LD50 • 283 mg/kg; Skin-Rat LD50 • >5,000 mg/kg; Eye-Rabbit mild irritant; Skin-Rabbit non irritant

GHS Properties	Classification
Acute toxicity	OSHA HCS 2012 • Acute Toxicity - Dermal - Classification criteria not met; Acute Toxicity - Inhalation - Classification criteria not met; Acute Toxicity - Oral - Classification criteria not met
Skin corrosion/Irritation	OSHA HCS 2012 • Classification criteria not met
Serious eye damage/Irritation	OSHA HCS 2012 • Classification criteria not met
Skin sensitization	OSHA HCS 2012 • Classification criteria not met
Respiratory sensitization	OSHA HCS 2012 • Classification criteria not met
Aspiration Hazard	OSHA HCS 2012 • Classification criteria not met
Carcinogenicity	OSHA HCS 2012 • Carcinogenicity 1A
Germ Cell Mutagenicity	OSHA HCS 2012 • Not classified - data lacking
Toxicity for Reproduction	OSHA HCS 2012 • Classification criteria not met
STOT-SE	OSHA HCS 2012 • Classification criteria not met
STOT-RE	OSHA HCS 2012 • Classification criteria not met

**Route(s) of entry/exposure** • Inhalation, Ingestion, Eyes, and Skin

**Potential Health Effects**

**Inhalation**

**Acute (Immediate)**

- This product causes reversible cholinesterase inhibition without long term effects. Repeated overexposure may cause more severe cholinesterase inhibition with more pronounced symptoms. May lead to rapid onset of nausea, vomiting, diarrhea, abdominal pain, involuntary shaking, excess salivation, pinpoint pupils, blurred vision. profuse sweating, temporary paralysis, respiratory depression, and convulsions. Acute Silicosis can occur with exposures to very high concentrations of respirable crystalline silica over a very short time period, sometimes as short as a few months. The symptoms of acute silicosis include progressive shortness of breath, fever, cough and weight loss. May cause respiratory irritation.

**Chronic (Delayed)**

- Repeated and prolonged exposure to crystalline silica containing materials may cause irritation and/or lung damage silicosis, fibrosis, inflammation, cancer.

**Skin**

**Acute (Immediate)**

- Exposure to dust may cause mechanical irritation.

**Chronic (Delayed)**

- No data available.

**Eye**

**Acute (Immediate)**

- Exposure to dust may cause mechanical irritation.

**Chronic (Delayed)**

- No data available.

**Ingestion**

**Acute (Immediate)**

- This product can be harmful to children and fatal to domestic animals if ingested. Dogs have been known to ingest metaldehyde after opening or tearing packaging. This product causes reversible cholinesterase inhibition without long term effects. Repeated overexposure may cause more severe cholinesterase inhibition with more pronounced symptoms. May lead to rapid onset of nausea, vomiting, diarrhea, abdominal pain, involuntary shaking, excess salivation, pinpoint pupils, blurred vision. profuse sweating, temporary paralysis, respiratory depression, and convulsions.

- Chronic (Delayed)** • No data available.
- Mutagenic Effects** • Not classified.
- Carcinogenic Effects** •  
Exposure to respirable crystalline silica dust from the finished product is not expected to occur due to the manner in which the constituents are bound, thus the finished product is not considered carcinogenic under conditions of normal use.

Carcinogenic Effects			
	CAS	IARC	NTP
Silica, crystalline - quartz	14808-60-7	Group 1-Carcinogenic	Known Human Carcinogen

- Reproductive Effects** • Not classified.

## Section 12 - Ecological Information

### Toxicity

- No data available

### Persistence and degradability

- Carbaryl: rapidly biodegradable. Metaldehyde: is not considered to be persistent.

### Bioaccumulative potential

- Carbaryl: does not bioaccumulate. Metaldehyde: Does not bioaccumulate.

### Mobility in Soil

- Carbaryl: slightly mobile in soils.

### Other adverse effects

- No data available.

### Potential Environmental Effects

- This product is extremely toxic to aquatic and estuarine invertebrates and is toxic to mollusks (clams, oysters, scallops, mussels).

## Section 13 - Disposal Considerations

### Waste treatment methods

#### Product waste

- Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

#### Packaging waste

- Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

## Section 14 - Transport Information

	UN number	UN proper shipping name	Transport hazard class (es)	Packing group	Environmental hazards
DOT	Not Applicable	Not Regulated	Not Applicable	Not Applicable	Not Applicable
IMO/IMDG	Not Applicable	Not Regulated	Not Applicable	Not Applicable	Not Applicable
IATA/ICAO	Not Applicable	Not Regulated	Not Applicable	Not Applicable	Not Applicable

- Special precautions for user** • None specified.

- Transport in bulk according to Annex II of MARPOL 73/78** • Not relevant.

**and the IBC Code**  
**Other information**

- IMO/IMDG • No data available
- IATA/ICAO • No data available

## Section 15 - Regulatory Information

### Safety, health and environmental regulations/legislation specific for the substance or mixture

**SARA Hazard Classifications** • Chronic, SARA Title III Section 313

### FIFRA – Pesticide Labeling

This material is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.

#### CAUTION

**Precautionary Statements** • KEEP OUT OF THE REACH OF CHILDREN.

**Hazards to Humans and  
 Domestic Animals**

Causes moderate eye irritation. Harmful if absorbed through skin. Harmful if swallowed. Harmful if inhaled. Avoid breathing dust. Avoid contact with skin, eyes, or clothing. Wash thoroughly after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse. **IMPORTANT:** This product may be harmful to children and fatal to domestic animals if ingested. Children and dogs may be attracted to metaldehyde products and their packaging. Keep children and pets out of treated areas from the start of application until the applied product is no longer visible.

**First Aid** •

This product contains N-methyl carbamate that inhibits cholinesterase. If in eyes: Hold eye open and rinse slowly and gently with water for 15 -20 minutes . Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. Call a poison control center or doctor for treatment advice. If swallowed: Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by the poison control center or doctor. Do not give anything by mouth to an unconscious person. If inhaled: Move person to fresh air. If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice. Metaldehyde is a systemic toxin. There is no antidote. The following instructions are not intended for laypeople. There is no home treatment. Exposed individuals and animals should receive emergency care as quickly as possible.

**NOTE TO PHYSICIAN:** Carbaryl is a N-methyl carbamate which is a cholinesterase inhibitor . Atropine is antidotal. Dust inhalation is usual route of accidental exposure; the product is rarely ingested. Treatment is symptomatic and supportive. Monitor severe exposures closely: seizures, electrolyte imbalances, acidosis, dehydration, and increased body temperature have been reported. **NOTE TO VETERINARIAN:** Animals typically are exposed via ingestion. Treatment is symptomatic and supportive. If significant ingestion suspected and the animal is asymptomatic, consider induction of emesis or gastric lavage and administration of activated charcoal, cathartic and enema to limit absorption. Monitor asymptomatic and symptomatic animals closely. Treat seizures, electrolyte imbalances, acidosis,

dehydration, and increased body temperature. Monitor liver function post recovery.

### Environmental Hazards •

This product is extremely toxic to aquatic and estuarine invertebrates and is toxic to mollusks (clams, oysters, scallops, mussels). To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters (including garden ponds). Do not apply if heavy rain is expected. Applying this product in calm weather when rain is not predicted for the next 24 hours will help ensure that wind or rain does not blow or wash pesticide off the treatment area. This pesticide is toxic to birds and mammals. Collect and remove any product that is spilled.

Inventory		
Component	CAS	TSCA
Metaldehyde (2,4,6,8-tetramethyl-1,3,5,7-tetraoxycyclo-octane)	9002-91-9	Yes
Carbaryl (1-Naphthyl N-methylcarbamate)	63-25-2	Yes
Limestone	1317-65-3	Yes
Silica, crystalline - quartz	14808-60-7	Yes

## United States

### Environment

#### U.S. - CAA (Clean Air Act) - 1990 Hazardous Air Pollutants

• Limestone	1317-65-3	Not Listed
• Metaldehyde (2,4,6,8-tetramethyl-1,3,5,7-tetraoxycyclo-octane)	9002-91-9	Not Listed
• Carbaryl (1-Naphthyl N-methylcarbamate)	63-25-2	
• Silica, crystalline - quartz	14808-60-7	Not Listed

#### U.S. - CERCLA/SARA - Hazardous Substances and their Reportable Quantities

• Limestone	1317-65-3	Not Listed
• Metaldehyde (2,4,6,8-tetramethyl-1,3,5,7-tetraoxycyclo-octane)	9002-91-9	Not Listed
• Carbaryl (1-Naphthyl N-methylcarbamate)	63-25-2	100 lb final RQ; 45.4 kg final RQ
• Silica, crystalline - quartz	14808-60-7	Not Listed

#### U.S. - CERCLA/SARA - Section 313 - Emission Reporting

• Limestone	1317-65-3	Not Listed
• Metaldehyde (2,4,6,8-tetramethyl-1,3,5,7-tetraoxycyclo-octane)	9002-91-9	Not Listed
• Carbaryl (1-Naphthyl N-methylcarbamate)	63-25-2	1.0 % de minimis concentration
• Silica, crystalline - quartz	14808-60-7	Not Listed

#### U.S. - RCRA (Resource Conservation & Recovery Act) - Basis for Listing - Appendix VII

• Limestone	1317-65-3	Not Listed
• Metaldehyde (2,4,6,8-tetramethyl-1,3,5,7-tetraoxycyclo-octane)	9002-91-9	Not Listed
• Carbaryl (1-Naphthyl N-methylcarbamate)	63-25-2	Included in waste stream: K156
• Silica, crystalline - quartz	14808-60-7	Not Listed

#### U.S. - RCRA (Resource Conservation & Recovery Act) - Hazardous Constituents - Appendix VIII to 40 CFR 261

• Limestone	1317-65-3	Not Listed
• Metaldehyde (2,4,6,8-tetramethyl-1,3,5,7-tetraoxycyclo-octane)	9002-91-9	Not Listed
• Carbaryl (1-Naphthyl N-methylcarbamate)	63-25-2	waste number U279
• Silica, crystalline - quartz	14808-60-7	Not Listed

## United States - California

### Environment

#### U.S. - California - Proposition 65 - Carcinogens List

• Limestone	1317-65-3	Not Listed
• Metaldehyde (2,4,6,8-tetramethyl-1,3,5,7-tetraoxycyclo-octane)	9002-91-9	Not Listed
• Carbaryl (1-Naphthyl N-methylcarbamate)	63-25-2	carcinogen, 2/5/2010
• Silica, crystalline - quartz	14808-60-7	Not Listed

#### U.S. - California - Proposition 65 - Developmental Toxicity

• Limestone	1317-65-3	Not Listed
• Metaldehyde (2,4,6,8-tetramethyl-1,3,5,7-tetraoxycyclo-octane)	9002-91-9	Not Listed
• Carbaryl (1-Naphthyl N-methylcarbamate)	63-25-2	developmental toxicity, 8/7/2009
• Silica, crystalline - quartz	14808-60-7	Not Listed

#### U.S. - California - Proposition 65 - Reproductive Toxicity - Female

• Limestone	1317-65-3	Not Listed
• Metaldehyde (2,4,6,8-tetramethyl-1,3,5,7-tetraoxycyclo-octane)	9002-91-9	Not Listed
• Carbaryl (1-Naphthyl N-methylcarbamate)	63-25-2	female reproductive toxicity 8/7/09
• Silica, crystalline - quartz	14808-60-7	Not Listed

#### U.S. - California - Proposition 65 - Reproductive Toxicity - Male

• Limestone	1317-65-3	Not Listed
• Metaldehyde (2,4,6,8-tetramethyl-1,3,5,7-tetraoxycyclo-octane)	9002-91-9	Not Listed
• Carbaryl (1-Naphthyl N-methylcarbamate)	63-25-2	male reproductive toxicity, 8/7/09
• Silica, crystalline - quartz	14808-60-7	Not Listed

## Section 16 - Other Information

**Revision Date** • 12/September/2016

**Last Revision Date** • 12/September/2016

**Preparation Date** • 12/September/2016

**Disclaimer/Statement of Liability**

• The information and statements herein are believed to be reliable but are not to be construed as a warranty or representation for which we assume legal responsibility. Users should undertake sufficient verification and testing to determine the suitability for their own particular purpose of any information or products referred to herein. NO WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE IS MADE.