

SAFETY DATA SHEET

Issuing Date No data available

Revision Date 20-Nov-2014

Revision Number 1



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name Comet Foaming Aerosol Spray

Other means of identification

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Bathroom and Tile Cleaner - Aerosol

Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier Name MEDTECH PRODUCTS INC
Supplier Address 660 White Plains Road
Tarrytown,
NY
10591
US
Supplier Phone Number Phone:1-864-879-0953
Fax:1-914-524-6815
Contact Phone914-524-6861
Supplier Email bodongo@prestigebrands.com
Emergency telephone number

2. HAZARDS IDENTIFICATION

Classification


This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

| | |
|-----------------------------------|----------------|
| Serious eye damage/eye irritation | Category 1 |
| Carcinogenicity | Category 2 |
| Flammable Aerosols | Category 1 |
| Gases under pressure | Compressed gas |

GHS Label elements, including precautionary statements



Emergency Overview

| | | | |
|---|---------------|-----------------------|----------------------|
| Signal word | Danger | | |
| Hazard Statements | | | |
| Causes serious eye damage | | | |
| Suspected of causing cancer | | | |
| Extremely flammable aerosol | | | |
| Contains gas under pressure; may explode if heated | | | |
|  | | | |
| Appearance | White | Physical State | Liquid spray Aerosol |
| | | | Odor Fruity |

Precautionary Statements - Prevention

Obtain special instructions before use
 Do not handle until all safety precautions have been read and understood
 Use personal protective equipment as required
 Keep away from heat/sparks/open flames/hot surfaces. - No smoking
 Pressurized container: Do not pierce or burn, even after use
 Do not spray on an open flame or other ignition source

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
 Immediately call a POISON CENTER or doctor/physician

Precautionary Statements - Storage

Store locked up
 Protect from sunlight. Store in a well-ventilated place
 Do not expose to temperatures exceeding 122°F (50°C)

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Unknown Toxicity

8.2745% of the mixture consists of ingredient(s) of unknown toxicity

Other information

Causes mild skin irritation
 Toxic to aquatic life with long lasting effects
 PROLONGED OR REPEATED CONTACT MAY DRY SKIN AND CAUSE IRRITATION

Interactions with Other Chemicals

Use of alcoholic beverages may enhance toxic effects.

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name | CAS No | Weight-% | Trade Secret |
|-----------------------|-------------|----------|--------------|
| Supplier Trade Secret | Proprietary | 3 - 7 | * |
| Supplier Trade Secret | Proprietary | 3 - 7 | * |
| Supplier Trade Secret | Proprietary | 1 - 5 | * |
| Supplier Trade Secret | Proprietary | 0.1 - 1 | * |
| Supplier Trade Secret | Proprietary | 0.1 - 1 | * |
| Supplier Trade Secret | Proprietary | 0.1 - 1 | * |
| Supplier Trade Secret | Proprietary | 0.1 - 1 | * |
| Supplier Trade Secret | Proprietary | 0.1 - 1 | * |
| Supplier Trade Secret | Proprietary | 0.1 - 1 | * |

*The exact percentage (concentration) of composition has been withheld as a trade secret

4. FIRST AID MEASURES

First aid measures

General Advice

Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.

Eye Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Seek immediate medical attention/advice.

Skin Contact

In case of contact with liquefied gas, thaw frosted parts with lukewarm water.

Inhalation

Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, (trained personnel should) give oxygen.

Ingestion

Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician.

Self-protection of the first aider

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

Most important symptoms and effects, both acute and delayed

Most Important Symptoms and Effects Burning sensation.

Indication of any immediate medical attention and special treatment needed

Notes to Physician

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Dry chemical. Carbon dioxide (CO₂).

Unsuitable extinguishing media

DO NOT EXTINGUISH A LEAKING GAS FIRE UNLESS LEAK CAN BE STOPPED.

Specific Hazards Arising from the Chemical

Some may burn but none ignite readily. Ruptured cylinders may rocket.

Uniform Fire Code

Aerosols: Level III

Hazardous Combustion Products

Carbon oxides.

Explosion Data

Sensitivity to Mechanical Impact Yes.

Sensitivity to Static Discharge Yes.

Protective equipment and precautions for firefighters

Move containers from fire area if you can do it without risk. Damaged cylinders should be handled only by specialists.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions

Stop leak if you can do it without risk.

Other Information

Ventilate the area.

Environmental Precautions

Environmental Precautions

Prevent entry into waterways, sewers, basements or confined areas.

Methods and material for containment and cleaning up

Methods for Containment

If possible, turn leaking containers so that gas escapes rather than liquid. Allow substance to evaporate.

Methods for cleaning up

Do not direct water at spill or source of leak.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling Handle in accordance with good industrial hygiene and safety practice. Avoid breathing vapors or mists. Contents under pressure. Do not puncture or incinerate cans. Keep away from open flames, hot surfaces and sources of ignition. Avoid contact with eyes.

Conditions for safe storage, including any incompatibilities

Storage Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Keep out of the reach of children. Protect from sunlight. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations.

Incompatible Products Strong oxidizing agents. Strong acids. Strong bases.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|-----------------------|--|--|--|
| Supplier Trade Secret | TWA: 10 ppm inhalable fraction and vapor | - | |
| Supplier Trade Secret | STEL: 1000 ppm | N/A | N/A |
| Supplier Trade Secret | STEL: 1000 ppm | TWA: 1000 ppm TWA: 1900 mg/m ³ (vacated) TWA: 1000 ppm (vacated) TWA: 1900 mg/m ³ | IDLH: 3300 ppm 10% LEL TWA: 1000 ppm TWA: 1900 mg/m ³ |

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits Immediately Dangerous to Life or Health

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992)

Appropriate engineering controls

Engineering Measures Showers
Eyewash stations
Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/Face Protection Tight sealing safety goggles.

Skin and Body Protection Wear protective gloves and protective clothing. Long sleeved clothing. Chemical resistant apron. Impervious gloves. Antistatic boots.

Respiratory Protection No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.



Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

| | | | |
|---|--------------------------|-----------------------|--------------------------|
| Physical State | Liquid spray, Aerosol | Odor | Fruity |
| Appearance | White | Odor Threshold | No information available |
| Color | No information available | | |
| <u>Property</u> | | <u>Values</u> | |
| pH | UNKNOWN | <u>Remarks</u> | <u>Method</u> |
| Melting / freezing point | No data available | None known | |
| Boiling point / boiling range | No data available | None known | |
| Flash Point | No data available | None known | |
| Evaporation Rate | No data available | None known | |
| Flammability (solid, gas) | No data available | None known | |
| Flammability Limit in Air | | | |
| Upper flammability limit | No data available | | |
| Lower flammability limit | No data available | | |
| Vapor pressure | No data available | None known | |
| Vapor density | No data available | None known | |
| Specific Gravity | No data available | None known | |
| Water Solubility | Soluble in water | None known | |
| Solubility in other solvents | No data available | None known | |
| Partition coefficient: n-octanol/water | No data available | None known | |
| Autoignition temperature | No data available | None known | |
| Decomposition temperature | No data available | None known | |
| Kinematic viscosity | No data available | None known | |
| Dynamic viscosity | No data available | None known | |
| Explosive properties | No data available | | |
| Oxidizing Properties | No data available | | |
| <u>Other Information</u> | | | |
| Softening Point | No data available | | |
| VOC Content (%) | No data available | | |
| Particle Size | No data available | | |
| Particle Size Distribution | | | |

10. STABILITY AND REACTIVITY

Reactivity

No data available.

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to avoid

Heat, flames and sparks. Excessive heat.

Incompatible materials

Strong oxidizing agents. Strong acids. Strong bases.

Hazardous Decomposition Products

Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

| | |
|---------------------|---|
| Inhalation | Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract. |
| Eye Contact | Specific test data for the substance or mixture is not available. Severely irritating to eyes. Causes serious eye damage. May cause burns. May cause irreversible damage to eyes. |
| Skin Contact | Specific test data for the substance or mixture is not available. May cause irritation. Prolonged contact may cause redness and irritation. |
| Ingestion | Specific test data for the substance or mixture is not available. Ingestion may cause irritation to mucous membranes. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. |

Component Information

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|-----------------------|----------------------|-------------------------|--------------------------|
| Supplier Trade Secret | = 3384 mg/kg (Rat) | = 2700 mg/kg (Rabbit) | - |
| Supplier Trade Secret | - | - | = 658 mg/L (Rat) 4 h |
| Supplier Trade Secret | = 920 mg/kg (Rat) | - | > 5 mg/L (Rat) 4 h |
| Supplier Trade Secret | = 85 mg/kg (Rat) | - | = 5.5 mg/L (Rat) 4 h |
| Supplier Trade Secret | - | - | = 124.7 mg/L (Rat) 4 h |

Information on toxicological effects

Symptoms Erythema (skin redness). May cause blindness. Burning.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.

Mutagenic Effects No information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical Name | ACGIH | IARC | NTP | OSHA |
|-----------------------|-------|----------|-------|------|
| Supplier Trade Secret | | Group 2B | | X |
| Supplier Trade Secret | | Group 2A | | X |
| Supplier Trade Secret | A3 | Group 1 | Known | X |

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive Toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Chronic Toxicity Contains a known or suspected carcinogen. Ethanol has been shown to be a reproductive toxin only when consumed as an alcoholic beverage.

Target Organ Effects Eyes. Respiratory system. Skin. Gastrointestinal tract (GI). Central Nervous System (CNS). Heart.

Aspiration Hazard No information available.

Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)

22,329.00 mg/kg

ATEmix (dermal)

47,368.00 mg/kg (ATE)

ATEmix (inhalation-gas)

5,536,166.00

12. ECOLOGICAL INFORMATION

Ecotoxicity

Toxic to aquatic life with long lasting effects.

| Chemical Name | Toxicity to Algae | Toxicity to Fish | Toxicity to Microorganisms | Daphnia Magna (Water Flea) |
|-----------------------|--|---|---|---|
| Supplier Trade Secret | 96h EC50: > 100 mg/L (Desmodesmus subspicatus) | 96h LC50: = 1300 mg/L (Lepomis macrochirus) | | 24h EC50: = 2850 mg/L 48h EC50: > 100 mg/L |
| Supplier Trade Secret | 96h EC50: 560 - 1000 mg/L (Chlorella vulgaris) | 96h LC50: 93 - 170 mg/L (Pimephales promelas) 96h LC50: 175 - 225 mg/L (Lepomis macrochirus) 96h LC50: = 470 mg/L (Pimephales promelas) 96h LC50: = 252 mg/L (Lepomis macrochirus) 96h LC50: 560 - 1000 mg/L (Poecilia reticulata) 96h LC50: = 114 mg/L (Pimephales promelas) 96h LC50: 560 - 1000 mg/L (Oryzias latipes) 96h LC50: 72 - 133 mg/L (Oncorhynchus mykiss) | EC50 3200 - 5600 mg/L 8 h | 48h LC50: 560 - 1000 mg/L |
| Supplier Trade Secret | | 96h LC50: 0.092 - 0.13 mg/L (Oncorhynchus mykiss) 96h LC50: 0.4 - 0.6 mg/L (Oncorhynchus mykiss) 96h LC50: 0.65 - 1 mg/L (Oncorhynchus mykiss) 96h LC50: = 2.3 mg/L (Pimephales promelas) 96h LC50: = 20 mg/L (Pimephales promelas) 96h LC50: = 0.19 mg/L (Oncorhynchus mykiss) | | |
| Supplier Trade Secret | | 96h LC50: > 100 mg/L (Pimephales promelas) 96h LC50: 13400 - 15100 mg/L (Pimephales promelas) 96h LC50: 12.0 - 16.0 mL/L (Oncorhynchus mykiss) | EC50 = 34634 mg/L 30 min EC50 = 35470 mg/L 5 min | 48h LC50: 9268 - 14221 mg/L 48h EC50: = 2 mg/L 24h EC50: = 10800 mg/L |

Persistence and Degradability

No information available.

Bioaccumulation

| Chemical Name | Log Pow |
|-----------------------|---------|
| Supplier Trade Secret | 2.88 |
| Supplier Trade Secret | -3.7 |
| Supplier Trade Secret | -0.32 |

Other adverse effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

| | |
|-------------------------------|---|
| Disposal methods | This material, as supplied, is a hazardous waste according to federal regulations (40 CFR 261). |
| Contaminated Packaging | Dispose of contents/containers in accordance with local regulations. |
| US EPA Waste Number | D001 |

California Hazardous Waste Codes 331

This product contains one or more substances that are listed with the State of California as a hazardous waste.

| Chemical Name | California Hazardous Waste |
|-----------------------|--------------------------------|
| Supplier Trade Secret | Toxic Ignitable Reactive |
| Supplier Trade Secret | Toxic Ignitable |

14. TRANSPORT INFORMATION

DOT

| | |
|--|---------------------------|
| Proper Shipping Name | CONSUMER COMMODITY |
| Hazard Class | ORM-D |
| Description | CONSUMER COMMODITY, ORM-D |
| Emergency Response Guide Number | 126 |

TDG

| | |
|-----------------------------|-----------------------|
| UN-No. | UN1950 |
| Proper Shipping Name | AEROSOLS |
| Hazard Class | 2.1 |
| Description | UN1950, AEROSOLS, 2.1 |

MEX

| | |
|-----------------------------|-----------------------|
| UN-No. | UN1950 |
| Proper Shipping Name | AEROSOLS |
| Hazard Class | 2.1 |
| Description | UN1950, AEROSOLS, 2.1 |

ICAO

| | |
|-----------------------------|-----------------------|
| UN-No. | UN1950 |
| Proper Shipping Name | AEROSOLS |
| Hazard Class | 2.1 |
| Description | UN1950, AEROSOLS, 2.1 |

IATA

| | |
|-----------------------------|----------------------------------|
| UN-No. | UN1950 |
| Proper Shipping Name | AEROSOLS, FLAMMABLE |
| Hazard Class | 2.1 |
| Description | UN1950, AEROSOLS, FLAMMABLE, 2.1 |

IMDG/IMO



UN-No. UN1950
Proper Shipping Name AEROSOLS
Hazard Class 2.1
EmS-No. F-D, S-U
Description UN1950, AEROSOLS, 2.1

RID

UN-No. UN1950
Proper Shipping Name AEROSOLS
Hazard Class 2.1
Classification code 5F
Description UN1950, AEROSOLS, 2.1

ADR

UN-No. UN1950
Proper Shipping Name AEROSOLS
Hazard Class 2.1
Classification code 5F
Tunnel restriction code (D)
Description UN1950, AEROSOLS, 2.1

ADN

UN-No. UN1950
Proper Shipping Name AEROSOLS
Hazard Class 2.1
Classification code 5F
Special Provisions 190, 327, 344, 625
Description UN1950, AEROSOLS, 2.1
Limited Quantity 1 L
Ventilation VE01, VE04

15. REGULATORY INFORMATION

International Inventories

TSCA Complies
 DSL All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
 DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

| Chemical Name | CAS No | Weight-% | SARA 313 - Threshold Values % |
|-------------------------|--------|----------|-------------------------------|
| Supplier Trade Secret - | | 3 - 7 | 1.0 |
| Supplier Trade Secret - | | 0.1 - 1 | 1.0 |

SARA 311/312 Hazard Categories

Acute Health Hazard Yes
Chronic Health Hazard Yes
Fire Hazard Yes
Sudden release of pressure hazard Yes
Reactive Hazard No



CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

| Chemical Name | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|-----------------------|-----------------------------|------------------------|---------------------------|----------------------------|
| Supplier Trade Secret | 100 lb | | | X |

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

| Chemical Name | Hazardous Substances RQs | Extremely Hazardous Substances RQs | RQ |
|-----------------------|--------------------------|------------------------------------|---|
| Supplier Trade Secret | 100 lb | | RQ 100 lb final RQ RQ 45.4 kg final RQ |

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals. Ethyl alcohol is only a considered a Proposition 65 developmental hazard when it is ingested as an alcoholic beverage.

| Chemical Name | California Proposition 65 |
|-------------------------|-----------------------------|
| Supplier Trade Secret - | Carcinogen Developmental |

U.S. State Right-to-Know Regulations

| Chemical Name | New Jersey | Massachusetts | Pennsylvania | Rhode Island | Illinois |
|-----------------------|------------|---------------|--------------|--------------|----------|
| Supplier Trade Secret | | | X | X | X |
| Supplier Trade Secret | X | X | X | | |
| Supplier Trade Secret | X | X | X | X | |
| Supplier Trade Secret | | X | | | |

International Regulations

| Component | Carcinogen Status | Exposure Limits |
|--------------------------------------|-------------------|--|
| Supplier Trade Secret (0.1 - 1) | | Mexico: TWA 1000 ppm Mexico: TWA 1900 mg/m ³ |

Canada

WHMIS Hazard Class

- A - Compressed gases
- B5 - Flammable aerosol
- D2A - Very toxic materials
- D2B - Toxic materials





16. OTHER INFORMATION

| | | | | |
|-------------|---------------------------|-----------------------|--------------------------|---|
| NFPA | Health Hazards 3 | Flammability 4 | Instability 0 | Physical and Chemical Hazards - Personal Protection X |
| HMIS | Health Hazards 3 * | Flammability 4 | Physical Hazard 0 | |

Chronic Hazard Star Legend * = Chronic Health Hazard

| | |
|----------------------|--|
| Prepared By | Product Stewardship 23 British American Blvd. Latham, NY 12110 1-800-572-6501 |
| Revision Date | 20-Nov-2014 |
| Revision Note | No information available |

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet