



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Lexol® 3-in-1 Leather Care

Version number: GHS 2.0  
Replaces version of: 2019-04-25 (GHS 1)

Revision: 2019-08-06

### SECTION 1: Identification

#### 1.1 Product identifier

Trade name **Lexol® 3-in-1 Leather Care**  
Alternative name(s) Lexol Quick Care All-In-One

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Consumer uses

#### 1.3 Details of the supplier of the safety data sheet

Energizer Manufacturing, Inc.  
25225 Detroit Rd.  
Westlake OH 44145  
United States

Telephone: 800-383-7323; 314-985-2000 (USA / CANADA)  
e-mail: energizer@custhelp.com  
Website: <http://data.energizer.com>

#### 1.4 Emergency telephone number

Emergency information service 1-314-985-1511 Int'l: 1-800-526-4727  
This number is only available during the following office hours: Mon-Fri 09:00 AM - 05:00 PM

### SECTION 2: Hazard(s) identification

#### 2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

| Section | Hazard class                      | Category | Hazard class and category | Hazard statement |
|---------|-----------------------------------|----------|---------------------------|------------------|
| A.3     | serious eye damage/eye irritation | 2        | Eye Irrit. 2              | H319             |

For full text of abbreviations: see SECTION 16.

#### 2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

- Signal word warning

- Pictograms

GHS07



- Hazard statements

H319 Causes serious eye irritation.



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Lexol® 3-in-1 Leather Care

Version number: GHS 2.0  
Replaces version of: 2019-04-25 (GHS 1)

Revision: 2019-08-06

### - Precautionary statements

|                |  |
|----------------|--|
| P101           | If medical advice is needed, have product container or label at hand.  |
| P102           | Keep out of reach of children.   |
| P103           | Read label before use.   |
| P280           | Wear eye protection/face protection.   |
| P305+P351+P338 | If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P337+P313      | If eye irritation persists: Get medical advice/attention.  |

### 2.3 Other hazards

Hazards not otherwise classified

Contains SECONDARY ALCOHOL ETHOXYLATE. May produce an allergic reaction.  
May be harmful if swallowed (GHS category 5: acutely toxic - oral).  
Harmful to aquatic life (GHS category 3: aquatic toxicity - acute).

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Not relevant (mixture)

### 3.2 Mixtures

Description of the mixture

| Name of substance               | Identifier           | Wt%       | Classification acc. to GHS                  | Pictograms |
|---------------------------------|----------------------|-----------|---|------------|
| Sodium Laureth Sulfate          | CAS No<br>9004-82-4  | 10 - < 25 | Acute Tox. 4 / H302<br>Eye Irrit. 2 / H319  |            |
| SECONDARY ALCOHOL<br>ETHOXYLATE | CAS No<br>68131-40-8 | < 1       | Acute Tox. 4 / H302<br>Skin Sens. 1B / H317 |            |

For full text of abbreviations: see SECTION 16.

## SECTION 4: First-aid measures

### 4.1 Description of first-aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Lexol® 3-in-1 Leather Care

Version number: GHS 2.0  
Replaces version of: 2019-04-25 (GHS 1)

Revision: 2019-08-06

### Following skin contact

Wash with plenty of soap and water.

### Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

### Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

#### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

#### 4.3 Indication of any immediate medical attention and special treatment needed

none

### SECTION 5: Fire-fighting measures

#### 5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO<sub>2</sub>)

Unsuitable extinguishing media

Water jet

#### 5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Nitrogen oxides (NO<sub>x</sub>), Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.



## Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

### Lexol® 3-in-1 Leather Care

Version number: GHS 2.0  
Replaces version of: 2019-04-25 (GHS 1)

Revision: 2019-08-06

#### 6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

Control of the effects

Protect against external exposure, such as

Frost

#### 7.3 Specific end use(s)

See section 16 for a general overview.

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

This information is not available.



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Lexol® 3-in-1 Leather Care

Version number: GHS 2.0  
Replaces version of: 2019-04-25 (GHS 1)

Revision: 2019-08-06

| Relevant PNECs of components of the mixture |            |           |                 |                       |                              |                              |
|---|------------|-----------|-----------------|-----------------------|------------------------------|------------------------------|
| Name of substance                           | CAS No     | End-point | Threshold level | Organism              | Environmental compartment    | Exposure time                |
| SECONDARY ALCOHOL ETHOXYLATE                | 68131-40-8 | PNEC      | 0.00153 mg/l    | aquatic organisms     | freshwater                   | short-term (single instance) |
| SECONDARY ALCOHOL ETHOXYLATE                | 68131-40-8 | PNEC      | 0.000153 mg/l   | aquatic organisms     | marine water                 | short-term (single instance) |
| SECONDARY ALCOHOL ETHOXYLATE                | 68131-40-8 | PNEC      | 6.43 mg/kg      | aquatic organisms     | marine sediment              | short-term (single instance) |
| SECONDARY ALCOHOL ETHOXYLATE                | 68131-40-8 | PNEC      | 12.9 mg/kg      | terrestrial organisms | soil                         | short-term (single instance) |
| SECONDARY ALCOHOL ETHOXYLATE                | 68131-40-8 | PNEC      | 8.24 mg/l       | aquatic organisms     | sewage treatment plant (STP) | short-term (single instance) |
| SECONDARY ALCOHOL ETHOXYLATE                | 68131-40-8 | PNEC      | 64.3 mg/kg      | aquatic organisms     | freshwater sediment          | short-term (single instance) |
| SECONDARY ALCOHOL ETHOXYLATE                | 68131-40-8 | PNEC      | 0.0153 mg/l     | aquatic organisms     | water                        | intermittent release         |

### 8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Lexol® 3-in-1 Leather Care

Version number: GHS 2.0  
Replaces version of: 2019-04-25 (GHS 1)

Revision: 2019-08-06

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

##### Appearance

|                |                 |
|----------------|-----------------|
| Physical state | liquid          |
| Color          | yellowish brown |
| Odor           | Oily            |

##### Other safety parameters

|   |   |
|---|---|
| pH (value)                              | 6.8 – 7.8                                     |
| Melting point/freezing point            | not determined                                |
| Initial boiling point and boiling range | >200 °C at 1 atm                              |
| Flash point                             | not flammable                                 |
| Evaporation rate                        | not determined                                |
| Flammability (solid, gas)               | not relevant, (fluid)                         |
| Explosive limits                        | not determined                                |
| Vapor pressure                          | not determined                                |
| Density                                 | not determined                                |
| Vapor density                           | this information is not available             |
| Relative density                        | information on this property is not available |
| Solubility(ies)                         | not determined                                |

##### Partition coefficient

|                             |                                   |
|-----------------------------|-----------------------------------|
| - n-octanol/water (log KOW) | this information is not available |
|-----------------------------|-----------------------------------|



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Lexol® 3-in-1 Leather Care

Version number: GHS 2.0  
Replaces version of: 2019-04-25 (GHS 1)

Revision: 2019-08-06

|                           |                |
|---------------------------|----------------|
| Auto-ignition temperature | 350 °C         |
| Viscosity                 | not determined |
| Explosive properties      | none           |
| Oxidizing properties      | none           |

### 9.2 Other information

|  |  |
|--|--|
| Solvent content                          | 96.47 %  |
| Solid content                            | 3.535 %  |
| Temperature class (USA, acc. to NEC 500) | T2 (maximum permissible surface temperature on the equipment: 300°C) |

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

### 10.2 Chemical stability

See below "Conditions to avoid".

### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

### 10.5 Incompatible materials

Oxidizers

### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

#### Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Lexol® 3-in-1 Leather Care

Version number: GHS 2.0  
Replaces version of: 2019-04-25 (GHS 1)

Revision: 2019-08-06

### Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

#### Acute toxicity

Shall not be classified as acutely toxic.

GHS of the United Nations, annex 4: May be harmful if swallowed.

Acute toxicity estimate (ATE) of components of the mixture

| Name of substance            | CAS No     | Exposure route | ATE         |
|------------------------------|------------|----------------|-------------|
| Sodium Laureth Sulfate       | 9004-82-4  | oral           | 500 mg/kg   |
| SECONDARY ALCOHOL ETHOXYLATE | 68131-40-8 | oral           | 2,000 mg/kg |

#### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

#### Serious eye damage/eye irritation

Causes serious eye irritation.

#### Respiratory or skin sensitization

Contains SECONDARY ALCOHOL ETHOXYLATE. May produce an allergic reaction.

#### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Shall not be classified as carcinogenic.

#### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

#### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

#### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

## SECTION 12: Ecological information

### 12.1 Toxicity

Harmful to aquatic life.



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Lexol® 3-in-1 Leather Care

Version number: GHS 2.0  
Replaces version of: 2019-04-25 (GHS 1)

Revision: 2019-08-06

Aquatic toxicity (acute) of components of the mixture

| Name of substance            | CAS No     | Endpoint | Value     | Species               | Exposure time |
|------------------------------|------------|----------|-----------|-----------------------|---------------|
| SECONDARY ALCOHOL ETHOXYLATE | 68131-40-8 | LL50     | 1.53 mg/l | fish                  | 96 h          |
| SECONDARY ALCOHOL ETHOXYLATE | 68131-40-8 | EL50     | 5.66 mg/l | aquatic invertebrates | 48 h          |

### 12.2 Persistence and degradability

Data are not available.

### 12.3 Bioaccumulative potential

Data are not available.

### 12.4 Mobility in soil

Data are not available.

### 12.5 Results of PBT and vPvB assessment

Data are not available.

### 12.6 Other adverse effects

Endocrine disrupting potential

None of the ingredients are listed.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

#### Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Lexol® 3-in-1 Leather Care

Version number: GHS 2.0  
Replaces version of: 2019-04-25 (GHS 1)

Revision: 2019-08-06

### SECTION 14: Transport information

- |  |   |
|--|---|
| <b>14.1 UN number</b>  | not subject to transport regulations                                  |
| <b>14.2 UN proper shipping name</b>  | not assigned  |
| <b>14.3 Transport hazard class(es)</b>   | not assigned  |
| <b>14.4 Packing group</b>  | not assigned  |
| <b>14.5 Environmental hazards</b>  | non-environmentally hazardous acc. to the dangerous goods regulations |
| <b>14.6 Special precautions for user</b>                                       | There is no additional information.                                   |
| <b>14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code</b> | The cargo is not intended to be carried in bulk.                      |

#### Information for each of the UN Model Regulations

##### **Transport of dangerous goods by road or rail (49 CFR US DOT)**

Not subject to transport regulations.

##### **International Maritime Dangerous Goods Code (IMDG)**

Not subject to IMDG.

##### **International Civil Aviation Organization (ICAO-IATA/DGR)**

Not subject to ICAO-IATA.

### SECTION 15: Regulatory information

#### **15.1 Safety, health and environmental regulations specific for the product in question**

##### **National regulations (United States)**

**Toxic Substance Control Act (TSCA)** all ingredients are listed

##### **Superfund Amendment and Reauthorization Act (SARA TITLE III )**

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

none of the ingredients are listed

##### **Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)**

- List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4)

none of the ingredients are listed

##### **Clean Air Act**

none of the ingredients are listed



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Lexol® 3-in-1 Leather Care

Version number: GHS 2.0  
Replaces version of: 2019-04-25 (GHS 1)

Revision: 2019-08-06

### California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

none of the ingredients are listed

### VOC content

Regulated Volatile Organic Compounds (VOC-EPA): Regulated Volatile Organic Compounds (VOC-Cal ARB):

### Industry or sector specific available guidance(s)

#### NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.

| Category            | Rating | Description  |
|---------------------|--------|--|
| Chronic             | /      | none   |
| Health              | 2      | temporary or minor injury may occur  |
| Flammability        | 1      | material that must be preheated before ignition can occur  |
| Physical hazard     | 0      | material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive |
| Personal protection | -      |  |

#### NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

| Category       | Degree of hazard | Description   |
|----------------|------------------|---|
| Flammability   | 1                | material that must be preheated before ignition can occur   |
| Health         | 0                | material that, under emergency conditions, would offer no hazard beyond that of ordinary combustible material |
| Instability    | 0                | material that is normally stable, even under fire conditions  |
| Special hazard |                  |   |

### National inventories

| Country | Inventory  | Status                         |
|---------|------------|--------------------------------|
| AU      | AICS       | not all ingredients are listed |
| CA      | DSL        | all ingredients are listed     |
| CA      | NDSL       | all ingredients are listed     |
| CN      | IECSC      | not all ingredients are listed |
| EU      | ECSI       | not all ingredients are listed |
| EU      | REACH Reg. | not all ingredients are listed |



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Lexol® 3-in-1 Leather Care

Version number: GHS 2.0  
Replaces version of: 2019-04-25 (GHS 1)

Revision: 2019-08-06

| Country | Inventory | Status                         |
|---------|-----------|--------------------------------|
| JP      | CSCL-ENCS | not all ingredients are listed |
| JP      | ISHA-ENCS | not all ingredients are listed |
| KR      | KECI      | all ingredients are listed     |
| MX      | INSQ      | not all ingredients are listed |
| NZ      | NZIoC     | all ingredients are listed     |
| PH      | PICCS     | not all ingredients are listed |
| TR      | CICR      | not all ingredients are listed |
| TW      | TCSI      | all ingredients are listed     |
| US      | TSCA      | all ingredients are listed     |

### Legend

|            |   |
|------------|---|
| AICS       | Australian Inventory of Chemical Substances                             |
| CICR       | Chemical Inventory and Control Regulation                               |
| CSCL-ENCS  | List of Existing and New Chemical Substances (CSCL-ENCS)                |
| DSL        | Domestic Substances List (DSL)  |
| ECSI       | EC Substance Inventory (EINECS, ELINCS, NLP)                            |
| IECSC      | Inventory of Existing Chemical Substances Produced or Imported in China |
| INSQ       | National Inventory of Chemical Substances                               |
| ISHA-ENCS  | Inventory of Existing and New Chemical Substances (ISHA-ENCS)           |
| KECI       | Korea Existing Chemicals Inventory                                      |
| NDSL       | Non-domestic Substances List (NDSL)                                     |
| NZIoC      | New Zealand Inventory of Chemicals                                      |
| PICCS      | Philippine Inventory of Chemicals and Chemical Substances               |
| REACH Reg. | REACH registered substances   |
| TCSI       | Taiwan Chemical Substance Inventory                                     |
| TSCA       | Toxic Substance Control Act   |

## 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

## SECTION 16: Other information, including date of preparation or last revision

### Indication of changes (revised safety data sheet)

| Section | Former entry (text/value)  | Actual entry (text/value)  | Safety-relevant |
|---------|--|--|-----------------|
| 1.3     | <p>Details of the supplier of the safety data sheet:<br/>Energizer Manufacturing, Inc.<br/>25225 Detroit Rd.<br/>Westlake OH 44145<br/>United States</p> <p>Telephone: 800-383-7323; 314-985-2000 (USA / CANADA)<br/>e-mail: energizer@custhelp.com<br/>Website: http://data.energizer.com</p> | <p>Details of the supplier of the safety data sheet:<br/>Energizer Manufacturing, Inc.<br/>25225 Detroit Rd.<br/>Westlake OH 44145<br/>United States</p> <p>Telephone: 800-383-7323; 314-985-2000 (USA / CANADA)<br/>e-mail: energizer@custhelp.com<br/>Website: http://data.energizer.com</p> | yes             |



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Lexol® 3-in-1 Leather Care

Version number: GHS 2.0  
Replaces version of: 2019-04-25 (GHS 1)

Revision: 2019-08-06

| Section | Former entry (text/value)   | Actual entry (text/value)   | Safety-relevant |
|---------|---|---|-----------------|
|         | Energizer Deutschland GMBH<br>Mettmanner Str. 25<br>Erkrath 40699 Germany<br><br>Telephone: + 49 211 5403 1610<br>e-mail: ConsumerServiceEU@energizer.com |   |                 |
| 15.1    |   | VOC content:<br>Regulated Volatile Organic Compounds (VOC-EPA); Regulated Volatile Organic Compounds (VOC-Cal ARB); | yes             |
| 15.1    |   | National inventories:<br>change in the listing (table)  | yes             |
| 16      |   | Abbreviations and acronyms:<br>change in the listing (table)  | yes             |

### Abbreviations and acronyms

| Abbr.         | Descriptions of used abbreviations   |
|---------------|--|
| 49 CFR US DOT | 49 CFR § 40 U.S. Department of Transportation  |
| Acute Tox.    | Acute toxicity   |
| ATE           | Acute Toxicity Estimate  |
| Cal ARB       | California Air Resources Board   |
| CAS           | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)   |
| DGR           | Dangerous Goods Regulations (see IATA/DGR)   |
| EINECS        | European Inventory of Existing Commercial Chemical Substances  |
| EL50          | Effective Loading 50 %: the EL50 corresponds to the loading rate required to produce a response in 50% of the test organisms                       |
| ELINCS        | European List of Notified Chemical Substances  |
| EPA           | Environmental Protection Agency. An agency of the federal government of the United States charged with protecting human health and the environment |
| Eye Dam.      | Seriously damaging to the eye  |
| Eye Irrit.    | Irritant to the eye  |
| GHS           | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations  |
| IATA          | International Air Transport Association  |
| IATA/DGR      | Dangerous Goods Regulations (DGR) for the air transport (IATA)   |
| ICAO          | International Civil Aviation Organization  |
| IMDG          | International Maritime Dangerous Goods Code  |



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Lexol® 3-in-1 Leather Care

Version number: GHS 2.0  
Replaces version of: 2019-04-25 (GHS 1)

Revision: 2019-08-06

| Abbr.          | Descriptions of used abbreviations  |
|----------------|---|
| LL50           | Lethal Loading 50 %: the LL50 corresponds to the loading rate causing 50 % lethality                          |
| MARPOL         | International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")             |
| NLP            | No-Longer Polymer   |
| NPCA-HMIS® III | National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition |
| OSHA           | Occupational Safety and Health Administration (United States)   |
| PBT            | Persistent, Bioaccumulative and Toxic   |
| PNEC           | Predicted No-Effect Concentration   |
| RTECS          | Registry of Toxic Effects of Chemical Substances (database of NIOSH with toxicological information)           |
| Skin Sens.     | Skin sensitization  |
| VOC            | Volatile Organic Compounds  |
| vPvB           | Very Persistent and very Bioaccumulative  |

### Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

### Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

### List of relevant phrases (code and full text as stated in chapter 2 and 3)

| Code | Text                                 |
|------|--------------------------------------|
| H302 | Harmful if swallowed.                |
| H317 | May cause an allergic skin reaction. |
| H319 | Causes serious eye irritation.       |

### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.