



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Eagle One Black & Plasti-Coat Wheel Cleaner (Effective 4/29/20)

Version number: 2.0  
Replaces version of: 2020-08-06 (1)

Revision: 2020-10-21

### SECTION 1: Identification

#### 1.1 Product identifier

Trade name **Eagle One Black & Plasti-Coat Wheel Cleaner (Effective 4/29/20)**  
Alternative number(s) 012844686203, 012844040241

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses General use

#### 1.3 Details of the supplier of the safety data sheet

Energizer Manufacturing, Inc.  
25225 Detroit Rd.  
Westlake OH 44145  
United States

Telephone: 800-383-7323; 314-985-2000 (USA / CANADA)  
Website: <http://data.energizer.com>

Energizer Trading Ltd.  
Sword House, Totteridge Road, High Wycombe, HP13 6DG, UK

Telephone: +44(0)8000353376  
e-mail: [ConsumerServiceEU@energizer.com](mailto:ConsumerServiceEU@energizer.com)

#### 1.4 Emergency telephone number

Emergency information service 1-314-985-1511 Int'l: 1-800-526-4727  
This number is only available during the following office hours: Mon-Fri 09:00 AM - 05:00 PM

### SECTION 2: Hazard(s) identification

#### 2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Section	Hazard class	Category	Hazard class and category	Hazard statement
A.45	skin sensitization	1	Skin Sens. 1	H317
B.16	substance or mixture corrosive to metals	1	Met. Corr. 1	H290

For full text of abbreviations: see SECTION 16.

#### 2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

- Signal word warning

**Eagle One Black & Plasti-Coat Wheel Cleaner (Effective 4/29/20)**

Version number: 2.0  
Replaces version of: 2020-08-06 (1)

Revision: 2020-10-21

- Pictograms

GHS05, GHS07



- Hazard statements

H290 May be corrosive to metals.  
H317 May cause an allergic skin reaction.

- Precautionary statements

P101 If medical advice is needed, have product container or label at hand.  
P102 Keep out of reach of children.  
P103 Read label before use.  
P234 Keep only in original container.  
P261 Avoid breathing dust/fume/gas/mist/vapors/spray.  
P272 Contaminated work clothing must not be allowed out of the workplace.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P302+P352 If on skin: Wash with plenty of water.  
P321 Specific treatment (see on this label).  
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.  
P363 Wash contaminated clothing before reuse.  
P390 Absorb spillage to prevent material damage.  
P406 Store in corrosive resistant container with a resistant inner liner.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

2.2.1.7 - Hazardous ingredients for labelling

Ammonium mercaptoacetate

**2.3 Other hazards**

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.


**SECTION 3: Composition/information on ingredients**

**3.1 Substances**

Not relevant (mixture)

**3.2 Mixtures**

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
Ammonium mercaptoacetate	CAS No 5421-46-5	5 - < 10	Acute Tox. 4 / H302 Skin Sens. 1 / H317 Met. Corr. 1 / H290	

For full text of abbreviations: see SECTION 16.



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Eagle One Black & Plasti-Coat Wheel Cleaner (Effective 4/29/20)

Version number: 2.0  
Replaces version of: 2020-08-06 (1)

Revision: 2020-10-21

### SECTION 4: First-aid measures

#### 4.1 Description of first- aid measures

##### General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

##### Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

##### Following skin contact

Wash with plenty of soap and water.

##### Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

##### Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

#### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

#### 4.3 Indication of any immediate medical attention and special treatment needed

none

### SECTION 5: Fire-fighting measures

#### 5.1 Extinguishing media

##### Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO<sub>2</sub>)

##### Unsuitable extinguishing media

Water jet

#### 5.2 Special hazards arising from the substance or mixture

Substance or mixture corrosive to metals.

##### Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Eagle One Black & Plasti-Coat Wheel Cleaner (Effective 4/29/20)

Version number: 2.0  
Replaces version of: 2020-08-06 (1)

Revision: 2020-10-21

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

#### 6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- Corrosive conditions

Store in corrosive resistant container with a resistant inner liner.



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Eagle One Black & Plasti-Coat Wheel Cleaner (Effective 4/29/20)

Version number: 2.0  
Replaces version of: 2020-08-06 (1)

Revision: 2020-10-21

### Control of the effects

Protect against external exposure, such as

Frost

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

### 7.3 Specific end use(s)

See section 16 for a general overview.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

This information is not available.

#### Relevant DNELs of components of the mixture

Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Ammonium mer-captoacetate	5421-46-5	DNEL	1.41 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Ammonium mer-captoacetate	5421-46-5	DNEL	2.06 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

#### Relevant PNECs of components of the mixture

Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Ammonium mer-captoacetate	5421-46-5	PNEC	38 µg/l	aquatic organisms	freshwater	short-term (single instance)
Ammonium mer-captoacetate	5421-46-5	PNEC	3.8 µg/l	aquatic organisms	marine water	short-term (single instance)
Ammonium mer-captoacetate	5421-46-5	PNEC	3.2 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)

### 8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Eagle One Black & Plasti-Coat Wheel Cleaner (Effective 4/29/20)

Version number: 2.0  
Replaces version of: 2020-08-06 (1)

Revision: 2020-10-21

### Skin protection

#### - Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

#### - Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

### Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### Appearance

Physical state	liquid
Color	various
Odor	characteristic

#### Other safety parameters

pH (value)	not determined
Melting point/freezing point	not determined
Initial boiling point and boiling range	100 °C
Flash point	not determined
Evaporation rate	not determined
Flammability (solid, gas)	not relevant, (fluid)
Explosive limits	not determined
Vapor pressure	0.048 Pa at 25 °C



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Eagle One Black & Plasti-Coat Wheel Cleaner (Effective 4/29/20)

Version number: 2.0  
Replaces version of: 2020-08-06 (1)

Revision: 2020-10-21

Density	not determined
Vapor density	this information is not available
Relative density	information on this property is not available
Solubility(ies)	not determined
Partition coefficient	
- n-octanol/water (log KOW)	this information is not available
Auto-ignition temperature	not determined
Viscosity	not determined
Explosive properties	none
Oxidizing properties	none
<b>9.2 Other information</b>	there is no additional information

### SECTION 10: Stability and reactivity

#### 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". Substance or mixture corrosive to metals.

#### 10.2 Chemical stability

See below "Conditions to avoid".

#### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

#### 10.5 Incompatible materials

Oxidizers

#### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Eagle One Black & Plasti-Coat Wheel Cleaner (Effective 4/29/20)

Version number: 2.0  
Replaces version of: 2020-08-06 (1)

Revision: 2020-10-21

### SECTION 11: Toxicological information

#### 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

##### Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

##### Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

##### Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity estimate (ATE) of components of the mixture

Name of substance	CAS No	Exposure route	ATE
Ammonium mercaptoacetate	5421-46-5	oral	500 mg/kg

##### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

##### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

##### Respiratory or skin sensitization

May cause an allergic skin reaction.

##### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

##### Carcinogenicity

Shall not be classified as carcinogenic.

##### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

##### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

##### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

##### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Eagle One Black & Plasti-Coat Wheel Cleaner (Effective 4/29/20)

Version number: 2.0  
Replaces version of: 2020-08-06 (1)

Revision: 2020-10-21

### SECTION 12: Ecological information

#### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

#### 12.2 Persistence and degradability

Data are not available.

#### 12.3 Bioaccumulative potential

Data are not available.

#### 12.4 Mobility in soil

Data are not available.

#### 12.5 Results of PBT and vPvB assessment

Data are not available.

#### 12.6 Other adverse effects

Endocrine disrupting potential  
None of the ingredients are listed.

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Only packagings which are approved (e.g. acc. to DOT) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

#### Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

### SECTION 14: Transport information

14.1	UN number	1760
14.2	UN proper shipping name	Corrosive liquid, n.o.s.
	Technical name (hazardous ingredients)	Sodium alkyl sulfate, Ammonium mercaptoacetate
14.3	Transport hazard class(es)	
	Class	8 (corrosive substances)
14.4	Packing group	III (substance presenting low danger)



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Eagle One Black & Plasti-Coat Wheel Cleaner (Effective 4/29/20)

Version number: 2.0  
Replaces version of: 2020-08-06 (1)

Revision: 2020-10-21

- 14.5 Environmental hazards** non-environmentally hazardous acc. to the dangerous goods regulations
- 14.6 Special precautions for user**  
There is no additional information.
- 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code**  
The cargo is not intended to be carried in bulk.

### Information for each of the UN Model Regulations

DOT

#### Transport of dangerous goods by road or rail (49 CFR US DOT)

Index number 1760  
Proper shipping name Corrosive liquid, n.o.s.  
- Particulars in the shipper's declaration UN1760, Corrosive liquid, n.o.s., (contains: Sodium alkyl sulfate, Ammonium mercaptoacetate), 8, III  
Class 8  
Packing group III  
Danger label(s) 8



Special provisions (SP) IB3, T7, TP1, TP28  
ERG No 154

#### International Maritime Dangerous Goods Code (IMDG)

UN number 1760  
Proper shipping name CORROSIVE LIQUID, N.O.S.  
- Particulars in the shipper's declaration UN1760, CORROSIVE LIQUID, N.O.S., (contains: Sodium alkyl sulfate, Ammonium mercaptoacetate), 8, III  
Class 8  
Marine pollutant -  
Packing group III  
Danger label(s) 8



Special provisions (SP) 223, 274




# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Eagle One Black & Plasti-Coat Wheel Cleaner (Effective 4/29/20)

Version number: 2.0  
Replaces version of: 2020-08-06 (1)

Revision: 2020-10-21

Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
EmS	F-A, S-B
Stowage category	A
<b>International Civil Aviation Organization (ICAO-IATA/DGR)</b>	
UN number	1760
Proper shipping name	Corrosive liquid, n.o.s.
- Particulars in the shipper's declaration	UN1760, Corrosive liquid, n.o.s., (contains: Sodium alkyl sulfate, Ammonium mercaptoacetate), 8, III
Class	8
Packing group	III
Danger label(s)	8
	
Special provisions (SP)	A3
Excepted quantities (EQ)	E1
Limited quantities (LQ)	1 L

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations specific for the product in question

##### National regulations (United States)

##### Superfund Amendment and Reauthorization Act (SARA TITLE III )

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

none of the ingredients are listed

- Specific Toxic Chemical Listings (EPCRA Section 313)

none of the ingredients are listed

##### Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

- List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4)

none of the ingredients are listed

##### Clean Air Act

none of the ingredients are listed



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Eagle One Black & Plasti-Coat Wheel Cleaner (Effective 4/29/20)

Version number: 2.0  
Replaces version of: 2020-08-06 (1)

Revision: 2020-10-21

### Right to Know Hazardous Substance List

- Cleaning Product Right to Know Act Substance List (CA-RTK)

Name of substance	Name acc. to inventory	CAS No	Functional-ity	Authoritative Lists
Water		7732-18-5	solvents	
Ammonium mercaptoacetate		5421-46-5	surfactant	
Alcohols, C12-14 secondary, ethoxylated		84133-50-6	surfactant	
Sodium alkyl sulfate		151-21-3	soap base	
Diammonium dithiodiglycolate		68223-93-8	cleaning agent	
Thyoglycolamide		758-08-7	surfactant	
Allyl Caproate		123-68-2	fragrance	
Allyl 3-cyclohexylpropionate		2705-87-5	fragrance	
Piperonal		120-57-0	fragrance	
2-t-Butylcyclohexyl Acetate		88-41-5	fragrance	
PEG		25322-68-3	fragrance	
Ethyl hexanoate		123-66-0	fragrance	

- Toxic or Hazardous Substance List (MA-TURA)

none of the ingredients are listed

### California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

none of the ingredients are listed

### Industry or sector specific available guidance(s)

#### NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.

Category	Rating	Description
Chronic	/	none
Health	2	temporary or minor injury may occur
Flammability	1	material that must be preheated before ignition can occur
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Eagle One Black & Plasti-Coat Wheel Cleaner (Effective 4/29/20)

Version number: 2.0  
Replaces version of: 2020-08-06 (1)

Revision: 2020-10-21

Category	Rating	Description
Personal protection	-	

### NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Category	Degree of hazard	Description
Flammability	1	material that must be preheated before ignition can occur
Health	2	material that, under emergency conditions, can cause temporary incapacitation or residual injury
Instability	0	material that is normally stable, even under fire conditions
Special hazard		

### National inventories

Country	Inventory	Status
AU	AICS	not all ingredients are listed
CA	DSL	not all ingredients are listed
CN	IECSC	not all ingredients are listed
EU	ECSI	not all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	not all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	not all ingredients are listed
PH	PICCS	not all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	not all ingredients are listed
US	TSCA	not all ingredients are listed

#### Legend

AICS Australian Inventory of Chemical Substances  
 CICR Chemical Inventory and Control Regulation  
 CSCL-ENCS List of Existing and New Chemical Substances (CSCL-ENCS)  
 DSL Domestic Substances List (DSL)



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Eagle One Black & Plasti-Coat Wheel Cleaner (Effective 4/29/20)

Version number: 2.0  
Replaces version of: 2020-08-06 (1)

Revision: 2020-10-21

### Legend

ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
ISHA-ENCS	Inventory of Existing and New Chemical Substances (ISHA-ENCS)
KECI	Korea Existing Chemicals Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

### 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

## SECTION 16: Other information, including date of preparation or last revision

### Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
14.2	Technical name (hazardous ingredients): Ammonium mercaptoacetate, Sodium alkyl sulfate	Technical name (hazardous ingredients): Sodium alkyl sulfate, Ammonium mercaptoacetate	yes
14.7	Particulars in the shipper's declaration: UN1760, Corrosive liquid, n.o.s., (contains: Ammonium mercaptoacetate, Sodium alkyl sulfate), 8, III	Particulars in the shipper's declaration: UN1760, Corrosive liquid, n.o.s., (contains: Sodium alkyl sulfate, Ammonium mercaptoacetate), 8, III	yes
14.7	Particulars in the shipper's declaration: UN1760, CORROSIVE LIQUID, N.O.S., (contains: Ammonium mercaptoacetate, Sodium alkyl sulfate), 8, III	Particulars in the shipper's declaration: UN1760, CORROSIVE LIQUID, N.O.S., (contains: Sodium alkyl sulfate, Ammonium mercaptoacetate), 8, III	yes
14.7	Particulars in the shipper's declaration: UN1760, Corrosive liquid, n.o.s., (contains: Ammonium mercaptoacetate, Sodium alkyl sulfate), 8, III	Particulars in the shipper's declaration: UN1760, Corrosive liquid, n.o.s., (contains: Sodium alkyl sulfate, Ammonium mercaptoacetate), 8, III	yes
15.1		Cleaning Product Right to Know Act Substance List (CA-RTK): change in the listing (table)	yes

### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
49 CFR US DOT	49 CFR U.S. Department of Transportation
Acute Tox.	Acute toxicity
ATE	Acute Toxicity Estimate



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Eagle One Black & Plasti-Coat Wheel Cleaner (Effective 4/29/20)

Version number: 2.0  
Replaces version of: 2020-08-06 (1)

Revision: 2020-10-21

Abbr.	Descriptions of used abbreviations
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
DOT	Department of Transportation (USA)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ERG No	Emergency Response Guidebook - Number
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
Met. Corr.	Substance or mixture corrosive to metals
NLP	No-Longer Polymer
NPCA-HMIS® III	National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition
OSHA	Occupational Safety and Health Administration (United States)
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
RTECS	Registry of Toxic Effects of Chemical Substances (database of NIOSH with toxicological information)
Skin Sens.	Skin sensitization
vPvB	Very Persistent and very Bioaccumulative

### Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

### Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Eagle One Black & Plasti-Coat Wheel Cleaner (Effective 4/29/20)

Version number: 2.0  
Replaces version of: 2020-08-06 (1)

Revision: 2020-10-21

### List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H317	May cause an allergic skin reaction.

### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.