



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All Ultra Shine Headlight Restoration Wipe - Step 1 Cleaning/Oxidation Removal

Version number: 2.0  
Replaces version of: 2020-06-09 (1)

Revision: 2020-10-21

### SECTION 1: Identification

#### 1.1 Product identifier

Trade name **Armor All Ultra Shine Headlight Restoration Wipe - Step 1 Cleaning/Oxidation Removal**  
Alternative number(s) 067788192082, step 1, 070612185143, step 1

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses General use

#### 1.3 Details of the supplier of the safety data sheet

Energizer Manufacturing, Inc.  
25225 Detroit Rd.  
Westlake OH 44145  
United States

Telephone: 800-383-7323; 314-985-2000 (USA / CANADA)  
Website: <http://data.energizer.com>

Energizer Trading Ltd.  
Sword House, Totteridge Road, High Wycombe, HP13 6DG, UK

Telephone: +44(0)8000353376  
e-mail: [ConsumerServiceEU@energizer.com](mailto:ConsumerServiceEU@energizer.com)

#### 1.4 Emergency telephone number

Emergency information service 1-314-985-1511 Int'l: 1-800-526-4727  
This number is only available during the following office hours: Mon-Fri 09:00 AM - 05:00 PM

### SECTION 2: Hazard(s) identification

#### 2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Section	Hazard class	Category	Hazard class and category	Hazard statement
A.3	serious eye damage/eye irritation	2	Eye Irrit. 2	H319
B.7	flammable solid	1	Flam. Sol. 1	H228

For full text of abbreviations: see SECTION 16.

#### 2.2 Label elements



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All Ultra Shine Headlight Restoration Wipe - Step 1 Cleaning/ Oxidation Removal

Version number: 2.0  
Replaces version of: 2020-06-09 (1)

Revision: 2020-10-21

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

- Signal word danger

- Pictograms

GHS02, GHS07



- Hazard statements

H228 Flammable solid.  
H319 Causes serious eye irritation.

- Precautionary statements

P101 If medical advice is needed, have product container or label at hand.  
P102 Keep out of reach of children.  
P103 Read label before use.  
P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.  
P240 Ground/bond container and receiving equipment.  
P241 Use explosion-proof electrical/ventilating/lighting equipment.  
P280 Wear protective gloves/eye protection/face protection.  
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P337+P313 If eye irritation persists: Get medical advice/attention.  
P370+P378 In case of fire: Use sand, carbon dioxide or powder extinguisher to extinguish.

### 2.3 Other hazards

Hazards not otherwise classified

May be harmful in contact with skin (GHS category 5: acutely toxic - dermal).  
May be harmful if inhaled (GHS category 5: acutely toxic - inhalation).

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Not relevant (mixture)

### 3.2 Mixtures

Description of the mixture



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All Ultra Shine Headlight Restoration Wipe - Step 1 Cleaning/ Oxidation Removal

Version number: 2.0  
Replaces version of: 2020-06-09 (1)

Revision: 2020-10-21

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
Propylene glycol monopropyl ether	CAS No 1569-01-3	25 - < 50	Eye Irrit. 2 / H319 Flam. Liq. 3 / H226	
dimethyl carbonate	CAS No 616-38-6	10 - < 25	Acute Tox. 3 / H331 Flam. Liq. 2 / H225	

For full text of abbreviations: see SECTION 16.

### SECTION 4: First-aid measures

#### 4.1 Description of first-aid measures

##### General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

##### Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

##### Following skin contact

Wash with plenty of soap and water.

##### Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

##### Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

#### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

#### 4.3 Indication of any immediate medical attention and special treatment needed

none

### SECTION 5: Fire-fighting measures

#### 5.1 Extinguishing media

Suitable extinguishing media

Water, Foam, ABC-powder

Unsuitable extinguishing media

Water jet



## Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

# Armor All Ultra Shine Headlight Restoration Wipe - Step 1 Cleaning/ Oxidation Removal

Version number: 2.0  
Replaces version of: 2020-06-09 (1)

Revision: 2020-10-21

## 5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

## 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

### 6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains, Take up mechanically

Advice on how to clean up a spill

Take up mechanically.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas. Ground/bond container and receiving equipment.



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All Ultra Shine Headlight Restoration Wipe - Step 1 Cleaning/ Oxidation Removal

Version number: 2.0  
Replaces version of: 2020-06-09 (1)

Revision: 2020-10-21

### - Specific notes/details

Dust deposits may accumulate on all deposition surfaces in a technical room. The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

### Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Managing of associated risks

#### - Explosive atmospheres

Removal of dust deposits.

#### - Flammability hazards

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

#### - Packaging compatibilities

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

### 7.3 Specific end use(s)

See section 16 for a general overview.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

This information is not available.

Relevant DNELs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Propylene glycol monopropyl ether	1569-01-3	DNEL	263 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Propylene glycol monopropyl ether	1569-01-3	DNEL	82.5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
dimethyl carbonate	616-38-6	DNEL	17.6 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
dimethyl carbonate	616-38-6	DNEL	57 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - systemic effects
dimethyl carbonate	616-38-6	DNEL	57 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - local effects



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All Ultra Shine Headlight Restoration Wipe - Step 1 Cleaning/ Oxidation Removal

Version number: 2.0  
Replaces version of: 2020-06-09 (1)

Revision: 2020-10-21

Relevant DNELs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
dimethyl carbonate	616-38-6	DNEL	5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
dimethyl carbonate	616-38-6	DNEL	66.7 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic effects

Relevant PNECs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Propylene glycol monopropyl ether	1569-01-3	PNEC	0.1 mg/l	aquatic organisms	freshwater	short-term (single instance)
Propylene glycol monopropyl ether	1569-01-3	PNEC	0.01 mg/l	aquatic organisms	marine water	short-term (single instance)
Propylene glycol monopropyl ether	1569-01-3	PNEC	1 mg/l	aquatic organisms	water	intermittent release
Propylene glycol monopropyl ether	1569-01-3	PNEC	4 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Propylene glycol monopropyl ether	1569-01-3	PNEC	0.386 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Propylene glycol monopropyl ether	1569-01-3	PNEC	0.039 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Propylene glycol monopropyl ether	1569-01-3	PNEC	0.018 mg/kg	terrestrial organisms	soil	short-term (single instance)
dimethyl carbonate	616-38-6	PNEC	0.5 mg/l	aquatic organisms	freshwater	short-term (single instance)
dimethyl carbonate	616-38-6	PNEC	0.05 mg/l	aquatic organisms	marine water	short-term (single instance)
dimethyl carbonate	616-38-6	PNEC	188 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)

### 8.2 Exposure controls

Appropriate engineering controls  
General ventilation.



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All Ultra Shine Headlight Restoration Wipe - Step 1 Cleaning/ Oxidation Removal

Version number: 2.0  
Replaces version of: 2020-06-09 (1)

Revision: 2020-10-21

### Individual protection measures (personal protective equipment)

#### Eye/face protection

Wear eye/face protection.

#### Skin protection

##### - Hand protection

Wear protective gloves.

##### - Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

#### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

#### Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### Appearance

Physical state	solid (fabrics)
Color	various
Odor	characteristic

#### Other safety parameters

pH (value)	not applicable
Melting point/freezing point	not determined
Initial boiling point and boiling range	363.4 K at 101.3 kPa
Flash point	16.7 °C at 1,013 hPa
Evaporation rate	not determined
Flammability (solid, gas)	flammable solid in accordance with GHS criteria
Vapor pressure	7,570 Pa at 298.3 K



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All Ultra Shine Headlight Restoration Wipe - Step 1 Cleaning/ Oxidation Removal

Version number: 2.0  
Replaces version of: 2020-06-09 (1)

Revision: 2020-10-21

Density	not determined
Vapor density	this information is not available
Relative density	information on this property is not available
Solubility(ies)	not determined

### Partition coefficient

- n-octanol/water (log KOW)	this information is not available
-----------------------------	-----------------------------------

Auto-ignition temperature	458 °C (relative self-ignition temperature for solids)
Viscosity	not relevant (solid matter)
Explosive properties	none
Oxidizing properties	none

### 9.2 Other information

Temperature class (USA, acc. to NEC 500)	T2C (maximum permissible surface temperature on the equipment: 230°C)
--	---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". The mixture contains reactive substance(s). Risk of ignition.

If heated:

Risk of ignition

### 10.2 Chemical stability

See below "Conditions to avoid".

### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

### 10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All Ultra Shine Headlight Restoration Wipe - Step 1 Cleaning/ Oxidation Removal

Version number: 2.0  
Replaces version of: 2020-06-09 (1)

Revision: 2020-10-21

### Hints to prevent fire or explosion

The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

### 10.5 Incompatible materials

Oxidizers

### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

#### Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

#### Acute toxicity

Shall not be classified as acutely toxic.

GHS of the United Nations, annex 4: May be harmful in contact with skin or if inhaled.

#### Acute toxicity estimate (ATE) of components of the mixture

Name of substance	CAS No	Exposure route	ATE
dimethyl carbonate	616-38-6	inhalation: vapor	5.36 mg <sub>i</sub> /4h

#### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

#### Serious eye damage/eye irritation

Causes serious eye irritation.

#### Respiratory or skin sensitization

Shall not be classified as a respiratory or skin sensitizer.

#### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Shall not be classified as carcinogenic.



## Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

# Armor All Ultra Shine Headlight Restoration Wipe - Step 1 Cleaning/ Oxidation Removal

Version number: 2.0  
Replaces version of: 2020-06-09 (1)

Revision: 2020-10-21

### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

## SECTION 12: Ecological information

### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

### 12.2 Persistence and degradability

Data are not available.

### 12.3 Bioaccumulative potential

Data are not available.

### 12.4 Mobility in soil

Data are not available.

### 12.5 Results of PBT and vPvB assessment

Data are not available.

### 12.6 Other adverse effects

Endocrine disrupting potential

None of the ingredients are listed.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Only packagings which are approved (e.g. acc. to DOT) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

### Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All Ultra Shine Headlight Restoration Wipe - Step 1 Cleaning/ Oxidation Removal

Version number: 2.0  
Replaces version of: 2020-06-09 (1)

Revision: 2020-10-21


### SECTION 14: Transport information

<b>14.1 UN number</b>	3175
<b>14.2 UN proper shipping name</b> Technical name (hazardous ingredients)	Solids containing flammable liquid, n.o.s. dimethyl carbonate, Propylene glycol monopropyl ether
<b>14.3 Transport hazard class(es)</b> Class	4.1 (flammable solids, self-reactive substances and solid desensitized explosives)
<b>14.4 Packing group</b>	II (substance presenting medium danger)
<b>14.5 Environmental hazards</b>	non-environmentally hazardous acc. to the dangerous goods regulations
<b>14.6 Special precautions for user</b> There is no additional information.	
<b>14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code</b> The cargo is not intended to be carried in bulk.	

#### Information for each of the UN Model Regulations

DOT

#### **Transport of dangerous goods by road or rail (49 CFR US DOT)**

Index number	3175
Proper shipping name - Particulars in the shipper's declaration	Solids containing flammable liquid, n.o.s. UN3175, Solids containing flammable liquid, n.o.s., (contains: dimethyl carbonate, Propylene glycol monopropyl ether), 4.1, II
Class	4.1
Packing group	II
Danger label(s)	4.1
	
Special provisions (SP)	47, IB6, IP2, T3, TP33
ERG No	133



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All Ultra Shine Headlight Restoration Wipe - Step 1 Cleaning/ Oxidation Removal

Version number: 2.0  
Replaces version of: 2020-06-09 (1)

Revision: 2020-10-21

### International Maritime Dangerous Goods Code (IMDG)

UN number	3175
Proper shipping name	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.
- Particulars in the shipper's declaration	UN3175, SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S., (contains: dimethyl carbonate, Propylene glycol monopropyl ether), 4.1, II, 16.7°C c.c.
Class	4.1
Marine pollutant	-
Packing group	II
Danger label(s)	4.1



Special provisions (SP)	216, 274
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 kg
EmS	F-A, S-I
Stowage category	B

### International Civil Aviation Organization (ICAO-IATA/DGR)

UN number	3175
Proper shipping name	Solids containing flammable liquid, n.o.s.
- Particulars in the shipper's declaration	UN3175, Solids containing flammable liquid, n.o.s., (contains: dimethyl carbonate, Propylene glycol monopropyl ether), 4.1, II
Class	4.1
Packing group	II
Danger label(s)	4.1



Special provisions (SP)	A46
Excepted quantities (EQ)	E2
Limited quantities (LQ)	5 kg



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All Ultra Shine Headlight Restoration Wipe - Step 1 Cleaning/ Oxidation Removal

Version number: 2.0  
Replaces version of: 2020-06-09 (1)

Revision: 2020-10-21

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations specific for the product in question

##### National regulations (United States)

**Toxic Substance Control Act (TSCA)** all ingredients are listed

##### Superfund Amendment and Reauthorization Act (SARA TITLE III )

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

none of the ingredients are listed

- Specific Toxic Chemical Listings (EPCRA Section 313)

none of the ingredients are listed

##### Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

- List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4)

none of the ingredients are listed

##### Clean Air Act

none of the ingredients are listed

##### Right to Know Hazardous Substance List

- Cleaning Product Right to Know Act Substance List (CA-RTK)

Name of substance	Name acc. to inventory	CAS No	Functional-ity	Authoritative Lists
Propylene glycol monopropyl ether		1569-01-3	solvents	
Cellulose, regenerated		68442-85-3	substrate	
Dimethyl carbonate		616-38-6	cleaning agent	
Hydrotreated heavy petroleum distillates	Distillates (petroleum), hydro-treated heavy paraffinic	64742-54-7	solvents	EC Annex VI CMRs - Cat. 1B

- Toxic or Hazardous Substance List (MA-TURA)

none of the ingredients are listed

- Hazardous Substances List (MN-ERTK)

none of the ingredients are listed



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All Ultra Shine Headlight Restoration Wipe - Step 1 Cleaning/ Oxidation Removal

Version number: 2.0  
Replaces version of: 2020-06-09 (1)

Revision: 2020-10-21

### - Hazardous Substance List (NJ-RTK)

Name of substance	Name acc. to inventory	CAS No	Remarks	Classifications
dimethyl carbonate	dimethyl carbonate	616-38-6		F3 R1

#### Legend

F3 Flammable - Third Degree  
R1 Reactive - First Degree

### - Hazardous Substance List (Chapter 323) (PA-RTK)

Name of substance	Name acc. to inventory	CAS No	Classification
dimethyl carbonate	CARBONIC ACID, DIMETHYL ESTER	616-38-6	

### - Hazardous Substance List (RI-RTK)

none of the ingredients are listed

### California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

none of the ingredients are listed

### Industry or sector specific available guidance(s)

#### NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.

Category	Rating	Description
Chronic	/	none
Health	2	temporary or minor injury may occur
Flammability	3	material that can be ignited under almost all ambient temperature conditions
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive
Personal protection	-	

#### NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All Ultra Shine Headlight Restoration Wipe - Step 1 Cleaning/ Oxidation Removal

Version number: 2.0  
Replaces version of: 2020-06-09 (1)

Revision: 2020-10-21

Category	Degree of hazard	Description
Flammability	3	material that can be ignited under almost all ambient temperature conditions
Health	0	material that, under emergency conditions, would offer no hazard beyond that of ordinary combustible material
Instability	0	material that is normally stable, even under fire conditions
Special hazard		

### National inventories

Country	Inventory	Status
AU	AICS	all ingredients are listed
CA	DSL	not all ingredients are listed
CA	NDSL	not all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	not all ingredients are listed
PH	PICCS	not all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed

#### Legend

AICS	Australian Inventory of Chemical Substances
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
KECI	Korea Existing Chemicals Inventory
NDSL	Non-domestic Substances List (NDSL)
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All Ultra Shine Headlight Restoration Wipe - Step 1 Cleaning/ Oxidation Removal

Version number: 2.0  
Replaces version of: 2020-06-09 (1)

Revision: 2020-10-21

Legend

TSCA Toxic Substance Control Act

### 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

### SECTION 16: Other information, including date of preparation or last revision

#### Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
9.1	Flash point: 16.7 °C	Flash point: 16.7 °C at 1,013 hPa	yes
9.2	Solvent content: 100 %		yes
9.2	Solid content: 0 %		yes
15.1		Cleaning Product Right to Know Act Substance List (CA-RTK): change in the listing (table)	yes
15.1		Hazardous Substance List (NJ-RTK): change in the listing (table)	yes
15.1		Hazardous Substance List (Chapter 323) (PA-RTK): change in the listing (table)	yes

#### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
49 CFR US DOT	49 CFR U.S. Department of Transportation
Acute Tox.	Acute toxicity
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
DOT	Department of Transportation (USA)
EINECS	European Inventory of Existing Commercial Chemical Substances



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All Ultra Shine Headlight Restoration Wipe - Step 1 Cleaning/ Oxidation Removal

Version number: 2.0  
Replaces version of: 2020-06-09 (1)

Revision: 2020-10-21

Abbr.	Descriptions of used abbreviations
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ERG No	Emergency Response Guidebook - Number
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NLP	No-Longer Polymer
NPCA-HMIS® III	National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition
OSHA	Occupational Safety and Health Administration (United States)
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
RTECS	Registry of Toxic Effects of Chemical Substances (database of NIOSH with toxicological information)
vPvB	Very Persistent and very Bioaccumulative

### Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

### Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All Ultra Shine Headlight Restoration Wipe - Step 1 Cleaning/ Oxidation Removal

Version number: 2.0  
Replaces version of: 2020-06-09 (1)

Revision: 2020-10-21

### List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H225	Highly flammable liquid and vapor.
H226	Flammable liquid and vapor.
H228	Flammable solid.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.

### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All Ultra Shine Headlight Restoration Wipe - Step 2 UV Sealant Protection

Version number: 2.0  
Replaces version of: 2020-06-09 (1)

Revision: 2020-10-21

### SECTION 1: Identification

#### 1.1 Product identifier

Trade name **Armor All Ultra Shine Headlight Restoration Wipe - Step 2 UV Sealant Protection**  
Alternative number(s) 067788192082, step 2, 070612185143, step 2

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses General use

#### 1.3 Details of the supplier of the safety data sheet

Energizer Manufacturing, Inc.  
25225 Detroit Rd.  
Westlake OH 44145  
United States

Telephone: 800-383-7323; 314-985-2000 (USA / CANADA)  
Website: <http://data.energizer.com>

Energizer Trading Ltd.  
Sword House, Totteridge Road, High Wycombe, HP13 6DG, UK

Telephone: +44(0)8000353376  
e-mail: [ConsumerServiceEU@energizer.com](mailto:ConsumerServiceEU@energizer.com)

#### 1.4 Emergency telephone number

Emergency information service 1-314-985-1511 Int'l: 1-800-526-4727  
This number is only available during the following office hours: Mon-Fri 09:00 AM - 05:00 PM

### SECTION 2: Hazard(s) identification

#### 2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Section	Hazard class	Category	Hazard class and category	Hazard statement
A.1I	acute toxicity (inhal.)	4	Acute Tox. 4	H332
A.3	serious eye damage/eye irritation	2	Eye Irrit. 2	H319
A.6	carcinogenicity	2	Carc. 2	H351
A.7	reproductive toxicity	2	Repr. 2	H361d
B.7	flammable solid	1	Flam. Sol. 1	H228

## Armor All Ultra Shine Headlight Restoration Wipe - Step 2 UV Sealant Protection

Version number: 2.0  
Replaces version of: 2020-06-09 (1)

Revision: 2020-10-21

For full text of abbreviations: see SECTION 16.

### 2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

- Signal word danger

- Pictograms

GHS02, GHS07, GHS08



- Hazard statements

H228	Flammable solid.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H351	Suspected of causing cancer.
H361d	Suspected of damaging the unborn child.

- Precautionary statements

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/lighting equipment.
P261	Avoid breathing dust/fume/gas/mist/vapors/spray.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/eye protection/face protection.
P304+P340	If inhaled: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312	Call a poison center/doctor if you feel unwell.
P370+P378	In case of fire: Use sand, carbon dioxide or powder extinguisher to extinguish.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

2.2.1.7- Hazardous ingredients for labelling

Titanium dioxide, toluene, hexan-1-ol

### 2.3 Other hazards

Hazards not otherwise classified

May be harmful if swallowed (GHS category 5: acutely toxic - oral).  
May be harmful in contact with skin (GHS category 5: acutely toxic - dermal).  
Harmful to aquatic life (GHS category 3: aquatic toxicity - acute).

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

## Armor All Ultra Shine Headlight Restoration Wipe - Step 2 UV Sealant Protection

Version number: 2.0  
Replaces version of: 2020-06-09 (1)

Revision: 2020-10-21





### SECTION 3: Composition/information on ingredients

#### 3.1 Substances

Not relevant (mixture)

#### 3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
hexan-1-ol	CAS No 111-27-3	25 - < 50	Acute Tox. 4 / H302 Acute Tox. 4 / H312 Flam. Liq. 3 / H226	
Diethylene glycol monobutyl ether	CAS No 112-34-5	25 - < 50	Eye Irrit. 2 / H319	
Titanium dioxide	CAS No 13463-67-7	< 1	Carc. 2 / H351	
toluene	CAS No 108-88-3	< 1	Acute Tox. 1 / H330 Skin Irrit. 2 / H315 Repr. 2 / H361d STOT SE 3 / H336 STOT RE 2 / H373 Asp. Tox. 1 / H304 Flam. Liq. 2 / H225	

For full text of abbreviations: see SECTION 16.

### SECTION 4: First-aid measures

#### 4.1 Description of first-aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.



## Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

# Armor All Ultra Shine Headlight Restoration Wipe - Step 2 UV Sealant Protection

Version number: 2.0  
Replaces version of: 2020-06-09 (1)

Revision: 2020-10-21

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

#### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

#### 4.3 Indication of any immediate medical attention and special treatment needed

none

### SECTION 5: Fire-fighting measures

#### 5.1 Extinguishing media

Suitable extinguishing media

Water, Foam, ABC-powder

Unsuitable extinguishing media

Water jet

#### 5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

#### 6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains, Take up mechanically



## Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

# Armor All Ultra Shine Headlight Restoration Wipe - Step 2 UV Sealant Protection

Version number: 2.0  
Replaces version of: 2020-06-09 (1)

Revision: 2020-10-21

Advice on how to clean up a spill

Take up mechanically.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

## 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas. Ground/bond container and receiving equipment.

- Specific notes/details

Dust deposits may accumulate on all deposition surfaces in a technical room. The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

### 7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- Explosive atmospheres

Removal of dust deposits.

- Flammability hazards

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

- Ventilation requirements

Keep any substance that emits harmful vapors or gases in a place that allows these to be permanently extracted.

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

### 7.3 Specific end use(s)

See section 16 for a general overview.



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All Ultra Shine Headlight Restoration Wipe - Step 2 UV Sealant Protection

Version number: 2.0  
Replaces version of: 2020-06-09 (1)

Revision: 2020-10-21

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)

Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m <sup>3</sup> ]	STEL [ppm]	STEL [mg/m <sup>3</sup> ]	Ceiling-C [ppm]	Ceiling-C [mg/m <sup>3</sup> ]	Notation	Source
US	toluene	108-88-3	REL	100 (10 h)	375 (10 h)	150	560				NIOSH REL
US	toluene	108-88-3	TLV®	20							AC-GIH® 2019
US	toluene	108-88-3	PEL	200		500 (10 min)		300			29 CFR 1910.1000
US	toluene (toluol)	108-88-3	PEL (CA)	10	37	150	560	500			Cal/OSHA PEL
US	diethylene glycol monobutyl ether	112-34-5	TLV®	10						iv	AC-GIH® 2019
US	titanium dioxide	13463-67-7	TLV®		10						AC-GIH® 2019
US	titanium dioxide	13463-67-7	PEL		15					i, dust	29 CFR 1910.1000
US	titanium dioxide	13463-67-7	REL							lowest, appx-A	NIOSH REL

**Notation**

appx-A  
Ceiling-C  
dust  
i  
iv  
lowest  
STEL  
TWA

NIOSH Potential Occupational Carcinogen (Appendix A)  
ceiling value is a limit value above which exposure should not occur  
as dust  
i  
inhalable fraction  
iv  
inhalable fraction and vapor  
exposure by all routes should be carefully controlled to levels as low as possible  
lowest  
exposure by all routes should be carefully controlled to levels as low as possible  
STEL  
short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)  
TWA  
time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All Ultra Shine Headlight Restoration Wipe - Step 2 UV Sealant Protection

Version number: 2.0  
Replaces version of: 2020-06-09 (1)

Revision: 2020-10-21

Biological limit values						
Country	Name of agent	Parameter	Notation	Identifier	Value	Source
US	toluene	toluene		BEI®	0.02 mg/l	ACGIH® 2019
US	toluene	toluene		BEI®	0.03 mg/l	ACGIH® 2019
US	toluene	o-cresol	hydr, crea	BEI®	0.3 mg/g	ACGIH® 2019

Notation

crea creatinine  
hydr hydrolysis

Relevant DNELs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
hexan-1-ol	111-27-3	DNEL	99 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
hexan-1-ol	111-27-3	DNEL	210 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - local effects
hexan-1-ol	111-27-3	DNEL	28 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
hexan-1-ol	111-27-3	DNEL	190 µg/cm <sup>2</sup>	human, dermal	worker (industry)	chronic - local effects
Diethylene glycol monobutyl ether	112-34-5	DNEL	67.5 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Diethylene glycol monobutyl ether	112-34-5	DNEL	67.5 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - local effects
Diethylene glycol monobutyl ether	112-34-5	DNEL	101.2 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - local effects
Diethylene glycol monobutyl ether	112-34-5	DNEL	83 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
toluene	108-88-3	DNEL	192 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
toluene	108-88-3	DNEL	384 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - systemic effects
toluene	108-88-3	DNEL	192 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - local effects



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All Ultra Shine Headlight Restoration Wipe - Step 2 UV Sealant Protection

Version number: 2.0  
Replaces version of: 2020-06-09 (1)

Revision: 2020-10-21

### Relevant DNELs of components of the mixture

Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
toluene	108-88-3	DNEL	384 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - local effects
toluene	108-88-3	DNEL	384 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

### Relevant PNECs of components of the mixture

Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
hexan-1-ol	111-27-3	PNEC	0.51 mg/l	aquatic organisms	freshwater	short-term (single instance)
hexan-1-ol	111-27-3	PNEC	0.051 mg/l	aquatic organisms	marine water	short-term (single instance)
hexan-1-ol	111-27-3	PNEC	62 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
hexan-1-ol	111-27-3	PNEC	2.8 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
hexan-1-ol	111-27-3	PNEC	0.28 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
hexan-1-ol	111-27-3	PNEC	0.25 mg/kg	terrestrial organisms	soil	short-term (single instance)
Diethylene glycol monobutyl ether	112-34-5	PNEC	1.1 mg/l	aquatic organisms	freshwater	short-term (single instance)
Diethylene glycol monobutyl ether	112-34-5	PNEC	0.11 mg/l	aquatic organisms	marine water	short-term (single instance)
Diethylene glycol monobutyl ether	112-34-5	PNEC	200 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Diethylene glycol monobutyl ether	112-34-5	PNEC	4.4 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Diethylene glycol monobutyl ether	112-34-5	PNEC	0.44 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Diethylene glycol monobutyl ether	112-34-5	PNEC	0.32 mg/kg	terrestrial organisms	soil	short-term (single instance)
toluene	108-88-3	PNEC	0.68 mg/l	aquatic organisms	freshwater	short-term (single instance)



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All Ultra Shine Headlight Restoration Wipe - Step 2 UV Sealant Protection

Version number: 2.0  
Replaces version of: 2020-06-09 (1)

Revision: 2020-10-21

Relevant PNECs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
toluene	108-88-3	PNEC	0.68 mg/l	aquatic organisms	marine water	short-term (single instance)
toluene	108-88-3	PNEC	13.61 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
toluene	108-88-3	PNEC	16.39 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
toluene	108-88-3	PNEC	16.39 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
toluene	108-88-3	PNEC	2.89 mg/kg	terrestrial organisms	soil	short-term (single instance)

### 8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear protective gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All Ultra Shine Headlight Restoration Wipe - Step 2 UV Sealant Protection

Version number: 2.0  
Replaces version of: 2020-06-09 (1)

Revision: 2020-10-21

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

##### Appearance

Physical state	solid (fabrics)
Color	various
Odor	characteristic

##### Other safety parameters

pH (value)	not applicable
Melting point/freezing point	not determined
Initial boiling point and boiling range	155 °C at 101.6 kPa
Flash point	60 °C at 101.5 kPa
Evaporation rate	not determined
Flammability (solid, gas)	flammable solid in accordance with GHS criteria
Explosion limits of dust clouds	not determined
Vapor pressure	3.64 mbar at 38 °C
Density	not determined
Vapor density	this information is not available
Relative density	information on this property is not available
Solubility(ies)	not determined

##### Partition coefficient

- n-octanol/water (log KOW)	this information is not available
-----------------------------	-----------------------------------



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All Ultra Shine Headlight Restoration Wipe - Step 2 UV Sealant Protection

Version number: 2.0  
Replaces version of: 2020-06-09 (1)

Revision: 2020-10-21

Auto-ignition temperature	210 °C (relative self-ignition temperature for solids)
Viscosity	not relevant (solid matter)
Explosive properties	none
Oxidizing properties	none

### 9.2 Other information

Temperature class (USA, acc. to NEC 500)	T3 (maximum permissible surface temperature on the equipment: 200°C)
--	--

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". The mixture contains reactive substance(s). Risk of ignition.

If heated:

Risk of ignition

### 10.2 Chemical stability

See below "Conditions to avoid".

### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

### 10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints to prevent fire or explosion

The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

### 10.5 Incompatible materials

Oxidizers

### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All Ultra Shine Headlight Restoration Wipe - Step 2 UV Sealant Protection

Version number: 2.0  
Replaces version of: 2020-06-09 (1)

Revision: 2020-10-21

### SECTION 11: Toxicological information

#### 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

##### Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

##### Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

##### Acute toxicity

Harmful if inhaled.

GHS of the United Nations, annex 4: May be harmful if swallowed or in contact with skin.

##### - Acute toxicity estimate (ATE)

Inhalation: gas 6,950 ppmV/4h

##### Acute toxicity estimate (ATE) of components of the mixture

Name of substance	CAS No	Exposure route	ATE
hexan-1-ol	111-27-3	dermal	1,500 mg/kg
toluene	108-88-3	inhalation: gas	7.6 ppmV/4h

##### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

##### Serious eye damage/eye irritation

Causes serious eye irritation.

##### Respiratory or skin sensitization

Shall not be classified as a respiratory or skin sensitizer.

##### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

##### Carcinogenicity

Suspected of causing cancer.

##### IARC Monographs on the Evaluation of Carcinogenic Risks to Humans

Name of substance	CAS No	Classification	Number
Titanium dioxide	13463-67-7	2B	
toluene	108-88-3	3	



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All Ultra Shine Headlight Restoration Wipe - Step 2 UV Sealant Protection

Version number: 2.0  
Replaces version of: 2020-06-09 (1)

Revision: 2020-10-21

### Legend

2B Possibly carcinogenic to humans  
3 Not classifiable as to carcinogenicity in humans

### Reproductive toxicity

Suspected of damaging the unborn child.

### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

## SECTION 12: Ecological information

### 12.1 Toxicity

Harmful to aquatic life.

Aquatic toxicity (acute) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
hexan-1-ol	111-27-3	LC50	97.5 mg/l	fish	96 h
hexan-1-ol	111-27-3	EC50	201 mg/l	aquatic invertebrates	24 h
hexan-1-ol	111-27-3	ErC50	79.7 mg/l	algae	72 h
Diethylene glycol monobutyl ether	112-34-5	LC50	1,300 mg/l	fish	96 h
Diethylene glycol monobutyl ether	112-34-5	EC50	>100 mg/l	aquatic invertebrates	48 h
Diethylene glycol monobutyl ether	112-34-5	ErC50	>100 mg/l	algae	96 h
toluene	108-88-3	LC50	5.5 mg/l	fish	96 h
toluene	108-88-3	EC50	84 mg/l	microorganisms	24 h

### 12.2 Persistence and degradability

Data are not available.

### 12.3 Bioaccumulative potential

Data are not available.



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All Ultra Shine Headlight Restoration Wipe - Step 2 UV Sealant Protection

Version number: 2.0  
Replaces version of: 2020-06-09 (1)

Revision: 2020-10-21

### 12.4 Mobility in soil

Data are not available.

### 12.5 Results of PBT and vPvB assessment

Data are not available.

### 12.6 Other adverse effects

Endocrine disrupting potential

None of the ingredients are listed.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Only packagings which are approved (e.g. acc. to DOT) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

#### Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

## SECTION 14: Transport information

14.1	<b>UN number</b>	3175
14.2	<b>UN proper shipping name</b>	Solids containing flammable liquid, n.o.s.
	Technical name (hazardous ingredients)	toluene, hexan-1-ol
14.3	<b>Transport hazard class(es)</b>	
	Class	4.1 (flammable solids, self-reactive substances and solid desensitized explosives)
14.4	<b>Packing group</b>	II (substance presenting medium danger)
14.5	<b>Environmental hazards</b>	non-environmentally hazardous acc. to the dangerous goods regulations
14.6	<b>Special precautions for user</b>	
	There is no additional information.	
14.7	<b>Transport in bulk according to Annex II of MARPOL and the IBC Code</b>	
	The cargo is not intended to be carried in bulk.	



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All Ultra Shine Headlight Restoration Wipe - Step 2 UV Sealant Protection


Version number: 2.0  
Replaces version of: 2020-06-09 (1)

Revision: 2020-10-21


### Information for each of the UN Model Regulations

DOT

#### Transport of dangerous goods by road or rail (49 CFR US DOT)

Index number	3175
Proper shipping name	Solids containing flammable liquid, n.o.s.
- Particulars in the shipper's declaration	UN3175, Solids containing flammable liquid, n.o.s., (contains: toluene, hexan-1-ol), 4.1, II
- Reportable quantity (RQ)	914,411 lbs (415,143 kg) (toluene)
Class	4.1
Packing group	II
Danger label(s)	4.1
	
Special provisions (SP)	47, IB6, IP2, T3, TP33
ERG No	133

#### International Maritime Dangerous Goods Code (IMDG)

UN number	3175
Proper shipping name	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.
- Particulars in the shipper's declaration	UN3175, SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S., (contains: toluene, hexan-1-ol), 4.1, II, 60°C c.c.
Class	4.1
Marine pollutant	-
Packing group	II
Danger label(s)	4.1
	
Special provisions (SP)	216, 274
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 kg
EmS	F-A, S-I
Stowage category	B



# Safety Data Sheet


acc. to 29 CFR 1910.1200 App D

## Armor All Ultra Shine Headlight Restoration Wipe - Step 2 UV Sealant Protection

Version number: 2.0  
Replaces version of: 2020-06-09 (1)

Revision: 2020-10-21

### International Civil Aviation Organization (ICAO-IATA/DGR)

UN number	3175
Proper shipping name	Solids containing flammable liquid, n.o.s.
- Particulars in the shipper's declaration	UN3175, Solids containing flammable liquid, n.o.s., (contains: toluene, hexan-1-ol), 4.1, II
Class	4.1
Packing group	II
Danger label(s)	4.1
	
Special provisions (SP)	A46
Excepted quantities (EQ)	E2
Limited quantities (LQ)	5 kg

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations specific for the product in question

##### National regulations (United States)

**Toxic Substance Control Act (TSCA)** all ingredients are listed

##### Superfund Amendment and Reauthorization Act (SARA TITLE III )

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

none of the ingredients are listed

- Specific Toxic Chemical Listings (EPCRA Section 313)

Toxics Release Inventory: Specific Toxic Chemical Listings

Name of substance	CAS No	Remarks	Effective date
toluene	108-88-3		1987-01-01

##### Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

- List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4)



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All Ultra Shine Headlight Restoration Wipe - Step 2 UV Sealant Protection

Version number: 2.0  
Replaces version of: 2020-06-09 (1)

Revision: 2020-10-21

Name of substance	CAS No	Remarks	Statutory code	Final RQ pounds (Kg)
toluene	108-88-3		1 2 3 4	1000 (454)

**Legend**

- 1 "1" indicates that the statutory source is section 311(b)(2) of the Clean Water Act
- 2 "2" indicates that the source is section 307(a) of the Clean Water Act
- 3 "3" indicates that the source is section 112 of the Clean Air Act
- 4 "4" indicates that the source is section 3001 of the Resource Conservation and Recovery Act (RCRA)

**Clean Air Act**

none of the ingredients are listed

**Right to Know Hazardous Substance List**

- Cleaning Product Right to Know Act Substance List (CA-RTK)

Name of substance	Name acc. to inventory	CAS No	Functional-ity	Authoritative Lists
Hexan-1-ol		111-27-3	solvents	
Diethylene glycol monobutyl ether	Glycol ethers		solvents	CA TACs
Cellulose, regenerated		68442-85-3	substrate	
Titanium dioxide	Titanium dioxide (airborne, unbound particles of respirable size)	13463-67-7	whitener	IARC Carcinogens - 2B Prop 65
Toluene	Toluene	108-88-3	solvents	ATSDR Neurotoxicants CA MCLs CA TACs CDC 4th National Exposure Report CWA 303(c) CWA 303(d) IRIS Neurotoxicants OEHHA RELs Prop 65

- Toxic or Hazardous Substance List (MA-TURA)

Name of substance	Name acc. to inventory	CAS No	DEP CODE	PBT / HHS / LHS	PBT / HHS Thres hold	De Minimis Concentra-tion Threshold
Diethylene glycol monobutyl ether	Glycol Ethers		1022			1.0 %



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All Ultra Shine Headlight Restoration Wipe - Step 2 UV Sealant Protection

Version number: 2.0  
Replaces version of: 2020-06-09 (1)

Revision: 2020-10-21

Name of substance	Name acc. to inventory	CAS No	DEP CODE	PBT / HHS / LHS	PBT / HHS Thres hold	De Minimis Concentration Threshold
toluene	Toluene	108-88-3				1.0 %

### - Hazardous Substance List (NJ-RTK)

Name of substance	Name acc. to inventory	CAS No	Remarks	Classifications
Titanium dioxide	titanium dioxide	13463-67-7		
Diethylene glycol monobutyl ether	glycol, ethers			
toluene	toluene (benzene, methyl-) (toluol)	108-88-3		TE F3
hexan-1-ol	1-hexanol (hexyl alcohol)	111-27-3		F2

#### Legend

F2 Flammable - Second Degree  
F3 Flammable - Third Degree  
TE Teratogenic

### - Hazardous Substance List (Chapter 323) (PA-RTK)

Name of substance	Name acc. to inventory	CAS No	Classification
Diethylene glycol monobutyl ether	GLYCOL ETHERS		E
toluene	BENZENE, METHYL-	108-88-3	E
hexan-1-ol	1-HEXANOL	111-27-3	

#### Legend

E Environmental hazard

### - Hazardous Substance List (RI-RTK)

Name of substance	Name acc. to inventory	CAS No	References
Titanium dioxide	Titanium dioxide	13463-67-7	T
toluene	Methylbenzene	108-88-3	T, F
hexan-1-ol	1-Hexanol	111-27-3	F

#### Legend

F Flammability (NFPA®)  
T Toxicity (ACGIH®)



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All Ultra Shine Headlight Restoration Wipe - Step 2 UV Sealant Protection

Version number: 2.0  
Replaces version of: 2020-06-09 (1)

Revision: 2020-10-21

### California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

Proposition 65 List of chemicals			
Name acc. to inventory	CAS No	Remarks	Type of the toxicity
titanium dioxide	13463-67-7	airborne, unbound particles of respirable size	cancer
toluene	108-88-3		developmental

### Industry or sector specific available guidance(s)

#### NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.

Category	Rating	Description
Chronic	*	chronic (long-term) health effects may result from repeated overexposure
Health	2	temporary or minor injury may occur
Flammability	3	material that can be ignited under almost all ambient temperature conditions
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive
Personal protection	-	

#### NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Category	Degree of hazard	Description
Flammability	3	material that can be ignited under almost all ambient temperature conditions
Health	1	material that, under emergency conditions, can cause significant irritation
Instability	0	material that is normally stable, even under fire conditions
Special hazard		



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All Ultra Shine Headlight Restoration Wipe - Step 2 UV Sealant Protection

Version number: 2.0  
Replaces version of: 2020-06-09 (1)

Revision: 2020-10-21

### National inventories

Country	Inventory	Status
AU	AICS	all ingredients are listed
CA	DSL	not all ingredients are listed
CA	NDSL	not all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	not all ingredients are listed
PH	PICCS	not all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed

#### Legend

AICS	Australian Inventory of Chemical Substances
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
ISHA-ENCS	Inventory of Existing and New Chemical Substances (ISHA-ENCS)
KECI	Korea Existing Chemicals Inventory
NDSL	Non-domestic Substances List (NDSL)
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

### 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All Ultra Shine Headlight Restoration Wipe - Step 2 UV Sealant Protection

Version number: 2.0  
Replaces version of: 2020-06-09 (1)

Revision: 2020-10-21

### SECTION 16: Other information, including date of preparation or last revision

#### Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
9.2	Solvent content: 88.97 %		yes
9.2	Solid content: 0.2 %		yes
15.1		Cleaning Product Right to Know Act Substance List (CA-RTK): change in the listing (table)	yes
15.1		Toxic or Hazardous Substance List (MA-TURA): change in the listing (table)	yes
15.1		Hazardous Substance List (NJ-RTK): change in the listing (table)	yes
15.1		Hazardous Substance List (Chapter 323) (PA-RTK): change in the listing (table)	yes
15.1		Hazardous Substance List (RI-RTK): change in the listing (table)	yes

#### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
29 CFR 1910.1000	29 CFR 1910.1000, Tables Z-1, Z-2, Z-3 - Occupational Safety and Health Standards: Toxic and Hazardous Substances (permissible exposure limits)
49 CFR US DOT	49 CFR U.S. Department of Transportation
ACGIH®	American Conference of Governmental Industrial Hygienists
ACGIH® 2019	From ACGIH®, 2019 TLVs® and BEIs® Book. Copyright 2019. Reprinted with permission. Information on the proper use of the TLVs® and BEIs®: <a href="http://www.acgih.org/tlv-bei-guidelines/policies-procedures-presentations/tlv-bei-position-statement">http://www.acgih.org/tlv-bei-guidelines/policies-procedures-presentations/tlv-bei-position-statement</a>
Acute Tox.	Acute toxicity
Asp. Tox.	Aspiration hazard
ATE	Acute Toxicity Estimate
Cal/OSHA PEL	California Division of Occupational Safety and Health (Cal/OSHA): Permissible Exposure Limits (PELs)
Carc.	Carcinogenicity



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All Ultra Shine Headlight Restoration Wipe - Step 2 UV Sealant Protection

Version number: 2.0  
Replaces version of: 2020-06-09 (1)

Revision: 2020-10-21

Abbr.	Descriptions of used abbreviations
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DEP CODE	Department of Environmental Protection Code
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
DOT	Department of Transportation (USA)
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
ERG No	Emergency Response Guidebook - Number
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
HHS	Higher hazard substance
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LHS	Lower hazard substance
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NFPA®	National Fire Protection Association (United States)
NIOSH REL	National Institute for Occupational Safety and Health (NIOSH): Recommended Exposure Limits (RELs)



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All Ultra Shine Headlight Restoration Wipe - Step 2 UV Sealant Protection

Version number: 2.0  
Replaces version of: 2020-06-09 (1)

Revision: 2020-10-21

Abbr.	Descriptions of used abbreviations
NLP	No-Longer Polymer
NPCA-HMIS® III	National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition
OSHA	Occupational Safety and Health Administration (United States)
PBT	Persistent, Bioaccumulative and Toxic
PEL	Permissible exposure limit
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
Repr.	Reproductive toxicity
RTECS	Registry of Toxic Effects of Chemical Substances (database of NIOSH with toxicological information)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STEL	Short-term exposure limit
STOT RE	Specific target organ toxicity - repeated exposure
STOT SE	Specific target organ toxicity - single exposure
TLV®	Threshold Limit Values
TWA	Time-weighted average
vPvB	Very Persistent and very Bioaccumulative

### Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

### Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

### List of relevant phrases (code and full text as stated in chapter 2 and 3)



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All Ultra Shine Headlight Restoration Wipe - Step 2 UV Sealant Protection

Version number: 2.0  
Replaces version of: 2020-06-09 (1)

Revision: 2020-10-21

Code	Text
H225	Highly flammable liquid and vapor.
H226	Flammable liquid and vapor.
H228	Flammable solid.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H332	Harmful if inhaled.
H336	May cause drowsiness or dizziness.
H351	Suspected of causing cancer.
H361d	Suspected of damaging the unborn child.
H373	May cause damage to organs through prolonged or repeated exposure.

### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.