



Orajel™ Kids Anticavity Fluoride Toothpaste

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Revision Date: 06/12/2021 Date of Issue: 09/30/2020

Version: 1.2

SECTION 1: IDENTIFICATION

Product Identifier

Product Form: Mixture

Product Name: Orajel™ Kids Anticavity Fluoride Toothpaste

Product Code: 42013386, 42013389

Intended Use of the Product

Oral Care

Name, Address, and Telephone of the Responsible Party

Company

Church & Dwight

500 Charles Ewing Blvd

Ewing Township, NJ 08628

T 1-800-524-1328

www.churchdwight.com

Emergency Telephone Number

Emergency Number : For Medical Emergency: 1-888-234-1828 (USA and Canada), 952-853-1925 (Outside USA and Canada);
For Chemical Emergency: ChemTel LLC (800)255-3924 (North America) +1 (813)248-0585 (International)

SECTION 2: HAZARDS IDENTIFICATION

This product is labeled in accordance with regulations administered by the Consumer Product Safety Commission (CPSC) and the Food and Drug Administration (FDA). The use pattern and exposure in the workplace are generally not consistent with those experienced by consumers. The requirements of the Occupational Safety and Health Administration applicable to this SDS differ from the labeling requirements of the CPSC and FDA and, as a result, this SDS may contain additional health hazard information not pertinent to consumer use and not found on the product label.

Classification of the Substance or Mixture

GHS-US/CA Classification

Aquatic Chronic 3 H412

Full text of hazard classes and H-statements : see section 16

Label Elements

GHS-US/CA Labeling

Hazard Statements (GHS-US/CA) : H412 - Harmful to aquatic life with long lasting effects.

Precautionary Statements (GHS-US/CA) : P273 - Avoid release to the environment.

P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations.

Other Hazards

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

Unknown Acute Toxicity (GHS-US/CA)

No data available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

| Name | Product Identifier | % * | GHS Ingredient Classification |
|-----------------------------------------|-----------------------|---------|-----------------------------------------------------------------------------------------------------------------------------|
| Silica, amorphous, precipitated and gel | (CAS-No.) 112926-00-8 | < 18.9 | Not classified |
| 1,2,3-Propanetriol | (CAS-No.) 56-81-5 | 1 - 5 | Not classified |
| Sodium fluoride | (CAS-No.) 7681-49-4 | 0.1 - 1 | Acute Tox. 3 (Oral), H301 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Aquatic Acute 3, H402 Aquatic Chronic 3, H412 |

Full text of H-phrases: see section 16

Orajel™ Kids Anticavity Fluoride Toothpaste

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

*Percentages are listed in weight by weight percentage (w/w%) for liquid and solid ingredients. Gas ingredients are listed in volume by volume percentage (v/v%).

** The actual concentration of ingredient(s) is withheld as a trade secret in accordance with the Hazardous Products Regulations (HPR) SOR/2015-17 and 29 CFR 1910.1200.

SECTION 4: FIRST AID MEASURES

Description of First-aid Measures

General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

Inhalation: When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.

Skin Contact: Remove contaminated clothing. Drench affected area with water for at least 5 minutes. Obtain medical attention if irritation develops or persists.

Eye Contact: Rinse cautiously with water for at least 5 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists.

Ingestion: Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

Most Important Symptoms and Effects Both Acute and Delayed

General: Not expected to present a significant hazard under anticipated conditions of normal use.

Inhalation: Prolonged exposure may cause irritation.

Skin Contact: Prolonged exposure may cause skin irritation.

Eye Contact: May cause slight irritation to eyes.

Ingestion: Ingestion may cause adverse effects.

Chronic Symptoms: None expected under normal conditions of use.

Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media: Water spray, fog, carbon dioxide (CO₂), alcohol-resistant foam, or dry chemical.

Unsuitable Extinguishing Media: Do not use a heavy water stream. Use of heavy stream of water may spread fire.

Special Hazards Arising From the Substance or Mixture

Fire Hazard: Not considered flammable but may burn at high temperatures.

Explosion Hazard: Product is not explosive.

Reactivity: Hazardous reactions will not occur under normal conditions.

Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire.

Firefighting Instructions: Use water spray or fog for cooling exposed containers.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Hazardous Combustion Products: Carbon oxides (CO, CO₂). Silicon oxides.

Other Information: Do not allow run-off from fire fighting to enter drains or water courses.

Reference to Other Sections

Refer to Section 9 for flammability properties.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Avoid prolonged contact with eyes, skin and clothing. Avoid breathing (vapor, mist, spray).

For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protective equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit.

Ventilate area.

Orajel™ Kids Anticavity Fluoride Toothpaste

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Environmental Precautions

Prevent entry to sewers and public waters. Avoid release to the environment.

Methods and Materials for Containment and Cleaning Up

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

Methods for Cleaning Up: Clean up spills immediately and dispose of waste safely. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling

Precautions for Safe Handling: Avoid prolonged contact with eyes, skin and clothing. Avoid breathing vapors, mist, spray. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures.

Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Comply with applicable regulations.

Storage Conditions: Keep container closed when not in use. Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.

Incompatible Materials: Strong acids, strong bases, strong oxidizers.

Specific End Use(s)

Oral Care

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), OSHA (PEL), or Canadian provincial governments.

| Sodium fluoride (7681-49-4) | | |
|--------------------------------------------------------------|--------------------------------------|---------------------------------------------------------------------------------------------------|
| USA OSHA | OSHA PEL (TWA) (mg/m ³) | 2.5 mg/m ³ (as F) |
| USA NIOSH | NIOSH REL (TWA) (mg/m ³) | 2.5 mg/m ³ (as F) |
| USA IDLH | US IDLH (mg/m ³) | 250 mg/m ³ |
| Silica, amorphous, precipitated and gel (112926-00-8) | | |
| British Columbia | OEL TWA (mg/m ³) | 4 mg/m ³ (total) 1.5 mg/m ³ (respirable) |
| New Brunswick | OEL TWA (mg/m ³) | 10 mg/m ³ (Silica - amorphous, precipitated silica and silica gel) |
| Nunavut | OEL STEL (mg/m ³) | 20 mg/m ³ (Silica amorphous) |
| Nunavut | OEL TWA (mg/m ³) | 10 mg/m ³ (Silica amorphous) |
| Northwest Territories | OEL STEL (mg/m ³) | 20 mg/m ³ (Silica amorphous) |
| Northwest Territories | OEL TWA (mg/m ³) | 10 mg/m ³ (Silica amorphous) |
| Québec | VEMP (mg/m ³) | 6 mg/m ³ (containing no Asbestos and <1% Crystalline silica-respirable dust) |
| Saskatchewan | OEL STEL (mg/m ³) | 20 mg/m ³ (Silica amorphous) |
| Saskatchewan | OEL TWA (mg/m ³) | 10 mg/m ³ (Silica amorphous) |
| 1,2,3-Propanetriol (56-81-5) | | |
| USA OSHA | OSHA PEL (TWA) (mg/m ³) | 15 mg/m ³ (mist, total particulate) 5 mg/m ³ (mist, respirable fraction) |
| Alberta | OEL TWA (mg/m ³) | 10 mg/m ³ (mist) |
| British Columbia | OEL TWA (mg/m ³) | 10 mg/m ³ (mist, total) 3 mg/m ³ (mist-respirable) |
| New Brunswick | OEL TWA (mg/m ³) | 10 mg/m ³ (mist) |
| Nunavut | OEL STEL (mg/m ³) | 20 mg/m ³ (mist) |
| Nunavut | OEL TWA (mg/m ³) | 10 mg/m ³ (mist) |
| Northwest Territories | OEL STEL (mg/m ³) | 20 mg/m ³ (mist) |

Orajel™ Kids Anticavity Fluoride Toothpaste

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

| | | |
|-----------------------|-------------------------------|------------------------------------------------|
| Northwest Territories | OEL TWA (mg/m ³) | 10 mg/m ³ (mist) |
| Québec | VEMP (mg/m ³) | 10 mg/m ³ (mist) |
| Saskatchewan | OEL STEL (mg/m ³) | 20 mg/m ³ (mist) |
| Saskatchewan | OEL TWA (mg/m ³) | 10 mg/m ³ (mist) |
| Yukon | OEL TWA (mg/m ³) | 30 mppcf (mist) 10 mg/m ³ (mist) |

Exposure Controls

Appropriate Engineering Controls: For occupational/workplace settings: Suitable eye/body wash equipment should be available in the vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.

Personal Protective Equipment: For occupational/workplace settings and bulk quantities: Gloves. Protective clothing. Protective goggles.



Materials for Protective Clothing: For occupational/workplace settings: Chemically resistant materials and fabrics.

Hand Protection: For occupational/workplace settings: Wear protective gloves.

Eye Protection: For occupational/workplace settings: Chemical safety goggles.

Skin and Body Protection: For occupational/workplace settings: Wear suitable protective clothing.

Respiratory Protection: If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

| | |
|----------------------------------------|---------------------------------------|
| Physical State | : Liquid |
| Appearance | : Clear, translucent, blue or red gel |
| Odor | : Fruity |
| Odor Threshold | : Not available |
| pH | : Not available |
| Evaporation Rate | : Not available |
| Melting Point | : Not available |
| Freezing Point | : Not available |
| Boiling Point | : Not available |
| Flash Point | : Not available |
| Auto-ignition Temperature | : Not available |
| Decomposition Temperature | : Not available |
| Flammability (solid, gas) | : Not applicable |
| Lower Flammable Limit | : Not available |
| Upper Flammable Limit | : Not available |
| Vapor Pressure | : Not available |
| Relative Vapor Density at 20°C | : Not available |
| Relative Density | : Not available |
| Specific Gravity | : Not available |
| Solubility | : Not available |
| Partition Coefficient: N-Octanol/Water | : Not available |
| Viscosity | : Not available |

SECTION 10: STABILITY AND REACTIVITY

Reactivity: Hazardous reactions will not occur under normal conditions.

Chemical Stability: Stable under recommended handling and storage conditions (see section 7).

Possibility of Hazardous Reactions: Hazardous polymerization will not occur.

Conditions to Avoid: Direct sunlight, extremely high or low temperatures, and incompatible materials.

Incompatible Materials: Strong acids, strong bases, strong oxidizers.

Orajel™ Kids Anticavity Fluoride Toothpaste

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Hazardous Decomposition Products: Not expected to decompose under ambient conditions.

SECTION 11: TOXICOLOGICAL INFORMATION

Information on Toxicological Effects - Product

Acute Toxicity (Oral): Not classified

Acute Toxicity (Dermal): Not classified

Acute Toxicity (Inhalation): Not classified

LD50 and LC50 Data: Not available

Skin Corrosion/Irritation: Not classified

Eye Damage/Irritation: Not classified

Respiratory or Skin Sensitization: Not classified

Germ Cell Mutagenicity: Not classified

Carcinogenicity: Not classified

Specific Target Organ Toxicity (Repeated Exposure): Not classified

Reproductive Toxicity: Not classified

Specific Target Organ Toxicity (Single Exposure): Not classified

Aspiration Hazard: Not classified

Symptoms/Injuries After Inhalation: Prolonged exposure may cause irritation.

Symptoms/Injuries After Skin Contact: Prolonged exposure may cause skin irritation.

Symptoms/Injuries After Eye Contact: May cause slight irritation to eyes.

Symptoms/Injuries After Ingestion: Ingestion may cause adverse effects.

Chronic Symptoms: None expected under normal conditions of use.

Information on Toxicological Effects - Ingredient(s)

LD50 and LC50 Data:

| | |
|--------------------------------------------------------------|----------------------------------------------|
| Sodium fluoride (7681-49-4) | |
| LD50 Oral Rat | 148.5 mg/kg |
| LD50 Dermal Rat | > 2000 mg/kg (no details given) |
| 1,2,3-Propanetriol (56-81-5) | |
| LD50 Oral Rat | 12600 mg/kg |
| LD50 Dermal Rabbit | > 10 g/kg |
| LC50 Inhalation Rat | > 570 mg/m ³ (Exposure time: 1 h) |
| Sodium fluoride (7681-49-4) | |
| IARC Group | 3 |
| Silica, amorphous, precipitated and gel (112926-00-8) | |
| IARC Group | 3 |

SECTION 12: ECOLOGICAL INFORMATION

Toxicity

Ecology - General: Harmful to aquatic life with long lasting effects.

| | |
|--------------------------------------------------------------|------------------------------------------------------------------------------------------|
| Sodium fluoride (7681-49-4) | |
| LC50 Fish 1 | > 530 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus) |
| EC50 Daphnia 1 | 338 mg/l (Exposure time: 48 h - Species: Daphnia magna) |
| LC50 Fish 2 | 830 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [semi-static]) |
| EC50 Daphnia 2 | 98 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static]) |
| NOEC Chronic Crustacea | 8.2 mg/l |
| Silica, amorphous, precipitated and gel (112926-00-8) | |
| LC50 Fish 1 | 10000 mg/l |
| 1,2,3-Propanetriol (56-81-5) | |
| LC50 Fish 1 | 54000 (51000 – 57000) mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static]) |
| Persistence and Degradability | |
| Orajel™ Kids Anticavity Fluoride Toothpaste | |
| Persistence and Degradability | May cause long-term adverse effects in the environment. |

Orajel™ Kids Anticavity Fluoride Toothpaste

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Bioaccumulative Potential

| | |
|----------------------------------------------------|----------------------|
| Orajel™ Kids Anticavity Fluoride Toothpaste | |
| Bioaccumulative Potential | Not established. |
| 1,2,3-Propanetriol (56-81-5) | |
| BCF Fish 1 | (no bioaccumulation) |
| Log POW | -1.76 |

Mobility in Soil Not available

Other Adverse Effects

Other Information: Avoid release to the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal Recommendations: Dispose of contents/container in accordance with local, regional, national, territorial, provincial, and international regulations.

Ecology - Waste Materials: Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

SECTION 14: TRANSPORT INFORMATION

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

In Accordance with DOT Not regulated for transport

In Accordance with IMDG Not regulated for transport

In Accordance with IATA Not regulated for transport

In Accordance with TDG Not regulated for transport

SECTION 15: REGULATORY INFORMATION

US Federal and International Regulations

| | |
|----------------------------------------------------------------------------------------------------|---------|
| Sodium fluoride (7681-49-4) | |
| Listed on the AICS (Australian Inventory of Chemical Substances) | |
| Listed on the Canadian DSL (Domestic Substances List) | |
| Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) | |
| Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances) | |
| Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory | |
| Listed on the Japanese ISHL (Industrial Safety and Health Law) | |
| Listed on KECL/KECI (Korean Existing Chemicals Inventory) | |
| Listed on NZIoC (New Zealand Inventory of Chemicals) | |
| Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) | |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory | |
| Japanese Pollutant Release and Transfer Register Law (PRTR Law) | |
| Listed on the Canadian IDL (Ingredient Disclosure List) | |
| Listed on INSQ (Mexican National Inventory of Chemical Substances) | |
| Listed on the TCSI (Taiwan Chemical Substance Inventory) | |
| CERCLA RQ | 1000 lb |
| Silica, amorphous, precipitated and gel (112926-00-8) | |
| Listed on the AICS (Australian Inventory of Chemical Substances) | |
| Listed on the Canadian DSL (Domestic Substances List) | |
| Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) | |
| Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory | |
| Listed on the Japanese ISHL (Industrial Safety and Health Law) | |
| Listed on KECL/KECI (Korean Existing Chemicals Inventory) | |
| Listed on NZIoC (New Zealand Inventory of Chemicals) | |
| Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) | |
| Listed on INSQ (Mexican National Inventory of Chemical Substances) | |
| Listed on the TCSI (Taiwan Chemical Substance Inventory) | |
| 1,2,3-Propanetriol (56-81-5) | |

Orajel™ Kids Anticavity Fluoride Toothpaste

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Listed on the AICS (Australian Inventory of Chemical Substances)
Listed on the Canadian DSL (Domestic Substances List)
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory
Listed on the Japanese ISHL (Industrial Safety and Health Law)
Listed on KECL/KECI (Korean Existing Chemicals Inventory)
Listed on NZIoC (New Zealand Inventory of Chemicals)
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
Listed on INSQ (Mexican National Inventory of Chemical Substances)
Listed on the TCSI (Taiwan Chemical Substance Inventory)

US State Regulations

Sodium fluoride (7681-49-4)

U.S. - Massachusetts - Right To Know List
U.S. - New Jersey - Right to Know Hazardous Substance List
U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List
U.S. - Pennsylvania - RTK (Right to Know) List

Silica, amorphous, precipitated and gel (112926-00-8)

U.S. - Massachusetts - Right To Know List
U.S. - New Jersey - Right to Know Hazardous Substance List
U.S. - Pennsylvania - RTK (Right to Know) List

1,2,3-Propanetriol (56-81-5)

U.S. - Massachusetts - Right To Know List
U.S. - New Jersey - Right to Know Hazardous Substance List
U.S. - Pennsylvania - RTK (Right to Know) List

Canadian Regulations

Sodium fluoride (7681-49-4)

Listed on the Canadian DSL (Domestic Substances List)

Silica, amorphous, precipitated and gel (112926-00-8)

Listed on the Canadian DSL (Domestic Substances List)

1,2,3-Propanetriol (56-81-5)

Listed on the Canadian DSL (Domestic Substances List)

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Date of Preparation or Latest Revision : 06/12/2021

Other Information : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200 and Canada's Hazardous Products Regulations (HPR) SOR/2015-17.
This product is labeled in accordance with regulations administered by the Consumer Product Safety Commission (CPSC) and the Food and Drug Administration (FDA). The use pattern and exposure in the workplace are generally not consistent with those experienced by consumers. The requirements of the Occupational Safety and Health Administration applicable to this SDS differ from the labeling requirements of the CPSC and FDA and, as a result, this SDS may contain additional health hazard information not pertinent to consumer use and not found on the product label.

GHS Full Text Phrases:

| | |
|---------------------|------------------------------------------------------------------|
| Acute Tox. 3 (Oral) | Acute toxicity (oral) Category 3 |
| Aquatic Acute 3 | Hazardous to the aquatic environment - Acute Hazard Category 3 |
| Aquatic Chronic 3 | Hazardous to the aquatic environment - Chronic Hazard Category 3 |
| Eye Irrit. 2A | Serious eye damage/eye irritation Category 2A |
| Skin Irrit. 2 | Skin corrosion/irritation Category 2 |

Orajel™ Kids Anticavity Fluoride Toothpaste

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

| | |
|------|---------------------------------------------------|
| H301 | Toxic if swallowed |
| H315 | Causes skin irritation |
| H319 | Causes serious eye irritation |
| H402 | Harmful to aquatic life |
| H412 | Harmful to aquatic life with long lasting effects |

This Product Safety Data Sheet is offered solely for your information, consideration and investigation. Church & Dwight Co., Inc. provides no warranties; either expressed or implied, and assumes no responsibility for the accuracy or completeness of data contained herein. Church & Dwight Co., Inc. urges persons receiving this information to make their own determination as to the information suitability for their particular application.

Church&Dwight NA GHS SDS 2015