# SAFETY DATA SHEET

## 1. Identification

**Product identifier:** Sprayway Si02 Ceramic Wax

**Other means of identification**
**SDS number:** RE1000043346

**Recommended restrictions**
**Product Use:** Coating
**Restrictions on use:** Not known.

**Manufacturer/Importer/Distributor Information**

**Manufacturer**

Company Name: Sprayway, Inc.
Address: 1000 INTEGRAM DR.
Pacific, MO 63069
Telephone: 1-630-628-3000
Fax:

**Emergency telephone number:** 1-866-836-8855

## 2. Hazard(s) identification

**Hazard Classification**
**Physical Hazards**

| | |
|---|---|
| Flammable aerosol | Category 1 |

**Environmental Hazards**

| | |
|---|---|
| Acute hazards to the aquatic environment | Category 3 |

**Label Elements**

**Hazard Symbol:**

**Signal Word:** Danger

**Hazard Statement:** Extremely flammable aerosol.
Harmful to aquatic life.

**Precautionary Statements**

**Prevention:** Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Avoid release to the environment.

**Storage:** Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

**Disposal:** Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

**Hazard(s) not otherwise classified (HNOC):** None.

## 3. Composition/information on ingredients

**Mixtures**

| Chemical Identity | CAS number | Content in percent (%)* |
|---|---|---|
| Butane | 106-97-8 | 5 - <10% |
| Propane | 74-98-6 | 1 - <5% |
| Silica | 7631-86-9 | 1 - <5% |
| Alcohols, C12-14, ethoxylated | 68439-50-9 | 0.1 - <1% |

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

## 4. First-aid measures

**Ingestion:** Rinse mouth thoroughly.

**Inhalation:** Move to fresh air.

**Skin Contact:** Remove contaminated clothing and wash the skin thoroughly with soap and water after work.

**Eye contact:** Rinse immediately with plenty of water.

**Most important symptoms/effects, acute and delayed**

**Symptoms:** No data available.

**Hazards:** No data available.

**Indication of immediate medical attention and special treatment needed**

**Treatment:** No data available.

## 5. Fire-fighting measures

**General Fire Hazards:** Use water spray to keep fire-exposed containers cool. Fight fire from a protected location. Move containers from fire area if you can do so without risk.

**Suitable (and unsuitable) extinguishing media**

**Suitable extinguishing media:** Use fire-extinguishing media appropriate for surrounding materials.

**Unsuitable extinguishing media:** Do not use water jet as an extinguisher, as this will spread the fire.

**Specific hazards arising from the chemical:** Vapors may travel considerable distance to a source of ignition and flash back.

**Special protective equipment and precautions for firefighters**

**Special fire fighting procedures:** No data available.

**Special protective equipment for fire-fighters:** Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

## 6. Accidental release measures

**Personal precautions, protective equipment and emergency procedures:** Ventilate closed spaces before entering them. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep upwind.

**Methods and material for containment and cleaning up:** Stop the flow of material, if this is without risk. Absorb with sand or other inert absorbent.

**Notification Procedures:** ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop leak if you can do so without risk.

**Environmental Precautions:** Avoid release to the environment. Prevent further leakage or spillage if safe to do so.

## 7. Handling and storage

**Precautions for safe handling:** Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use.

**Conditions for safe storage, including any incompatibilities:** Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use. Aerosol Level 1

## 8. Exposure controls/personal protection

**Control Parameters**

**Occupational Exposure Limits**

| Chemical Identity | Type | Exposure Limit Values | | Source |
|---|---|---|---|---|
| Butane | REL | 800 ppm | 1,900 mg/m3 | US. NIOSH: Pocket Guide to Chemical Hazards (2005) |
| | STEL | 1,000 ppm | | US. ACGIH Threshold Limit Values (03 2018) |
| | TWA | 800 ppm | 1,900 mg/m3 | US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989) |
| Propane | REL | 1,000 ppm | 1,800 mg/m3 | US. NIOSH: Pocket Guide to Chemical Hazards (2005) |
| | PEL | 1,000 ppm | 1,800 mg/m3 | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006) |
| | TWA | 1,000 ppm | 1,800 mg/m3 | US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989) |
| Silica | TWA | | 6 mg/m3 | US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989) |
| | TWA | | 20 millions of particles per cubic foot of air | US. OSHA Table Z-3 (29 CFR 1910.1000) (2000) |
| | TWA | | 0.8 mg/m3 | US. OSHA Table Z-3 (29 CFR 1910.1000) (2000) |

| | | | | |
|---|---|---|---|---|
| | REL | | 6 mg/m3 | US. NIOSH: Pocket Guide to Chemical Hazards (2005) |
| Morpholine | REL | 20 ppm | 70 mg/m3 | US. NIOSH: Pocket Guide to Chemical Hazards (2005) |
| | STEL | 30 ppm | 105 mg/m3 | US. NIOSH: Pocket Guide to Chemical Hazards (2005) |
| | TWA | 20 ppm | | US. ACGIH Threshold Limit Values (2008) |
| | TWA | 20 ppm | 70 mg/m3 | US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989) |
| | STEL | 30 ppm | 105 mg/m3 | US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989) |
| | PEL | 20 ppm | 70 mg/m3 | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006) |
| Benzene, dimethyl- | STEL | 150 ppm | 655 mg/m3 | US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989) |
| | TWA | 100 ppm | 435 mg/m3 | US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989) |
| | TWA | 100 ppm | | US. ACGIH Threshold Limit Values (2008) |
| | REL | 100 ppm | 435 mg/m3 | US. NIOSH: Pocket Guide to Chemical Hazards (2016) |
| | PEL | 100 ppm | 435 mg/m3 | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006) |
| | STEL | 150 ppm | | US. ACGIH Threshold Limit Values (2008) |
| | STEL | 150 ppm | 655 mg/m3 | US. NIOSH: Pocket Guide to Chemical Hazards (2016) |
| Sodium hydroxide (Na(OH)) | Ceiling | | 2 mg/m3 | US. ACGIH Threshold Limit Values (2008) |
| | Ceiling | | 2 mg/m3 | US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989) |
| | Ceil_Time | | 2 mg/m3 | US. NIOSH: Pocket Guide to Chemical Hazards (2005) |
| | PEL | | 2 mg/m3 | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006) |
| Benzene | REL | 0.1 ppm | | US. NIOSH: Pocket Guide to Chemical Hazards (2005) |
| | TWA | 1 ppm | | US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989) |
| | Ceiling | 25 ppm | | US. OSHA Table Z-2 (29 CFR 1910.1000) (02 2006) |
| | TWA | 0.5 ppm | | US. ACGIH Threshold Limit Values (2008) |
| | STEL | 2.5 ppm | | US. ACGIH Threshold Limit Values (2008) |
| | STEL | 5 ppm | | US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053) (02 2006) |
| | OSHA_ACT | 0.5 ppm | | US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053) (02 2006) |
| | TWA | 10 ppm | | US. OSHA Table Z-2 (29 CFR 1910.1000) (02 2006) |
| | MAX. CONC | 50 ppm | | US. OSHA Table Z-2 (29 CFR 1910.1000) (02 2006) |
| | STEL | 5 ppm | | US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989) |
| | TWA | 1 ppm | | US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053) (02 2006) |
| | STEL | 1 ppm | | US. NIOSH: Pocket Guide to Chemical Hazards (2005) |

**Biological Limit Values**

| Chemical Identity | Exposure Limit Values | Source |
|---|---|---|
| Benzene, dimethyl- (Methylhippuric acids: Sampling time: End of shift.) | 1.5 g/g (Creatinine in urine) | ACGIH BEL (03 2013) |
| Benzene (S-Phenylmercapturic acid: Sampling time: End of shift.) | 25 µg/g (Creatinine in urine) | ACGIH BEL (03 2013) |
| Benzene (t,t-Muconic acid: Sampling time: End of shift.) | 500 µg/g (Creatinine in urine) | ACGIH BEL (03 2013) |

**Appropriate Engineering Controls** No data available.

**Individual protection measures, such as personal protective equipment**

| | |
|---|---|
| **General information:** | Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. |
| **Eye/face protection:** | Wear goggles/face shield. |
| **Skin Protection** | |
| **Hand Protection:** | No data available. |
| **Other:** | No data available. |
| **Respiratory Protection:** | In case of inadequate ventilation use suitable respirator. Seek advice from local supervisor. |
| **Hygiene measures:** | When using do not smoke. Observe good industrial hygiene practices. |

## 9. Physical and chemical properties

| | |
|---|---|
| **Appearance** | |
| **Physical state:** | liquid |
| **Form:** | Spray Aerosol |
| **Color:** | No data available. |
| **Odor:** | No data available. |
| **Odor threshold:** | No data available. |
| **pH:** | No data available. |
| **Melting point/freezing point:** | No data available. |
| **Initial boiling point and boiling range:** | No data available. |
| **Flash Point:** | -104.44 °C |
| **Evaporation rate:** | No data available. |
| **Flammability (solid, gas):** | No data available. |
| **Upper/lower limit on flammability or explosive limits** | |
| **Flammability limit - upper (%):** | No data available. |
| **Flammability limit - lower (%):** | No data available. |
| **Explosive limit - upper (%):** | No data available. |
| **Explosive limit - lower (%):** | No data available. |
| **Vapor pressure:** | 3,585 - 4,964 hPa (20 °C) |
| **Vapor density:** | No data available. |
| **Density:** | No data available. |
| **Relative density:** | No data available. |
| **Solubility(ies)** | |
| **Solubility in water:** | No data available. |
| **Solubility (other):** | No data available. |
| **Partition coefficient (n-octanol/water):** | No data available. |
| **Auto-ignition temperature:** | No data available. |
| **Decomposition temperature:** | No data available. |
| **Viscosity:** | No data available. |

## 10. Stability and reactivity

| | |
|---|---|
| **Reactivity:** | No data available. |

| | |
|---|---|
| **Chemical Stability:** | Material is stable under normal conditions. |
| **Possibility of hazardous reactions:** | No data available. |
| **Conditions to avoid:** | Avoid heat or contamination. |
| **Incompatible Materials:** | No data available. |
| **Hazardous Decomposition Products:** | No data available. |

## 11. Toxicological information

**Information on likely routes of exposure**

| | |
|---|---|
| **Inhalation:** | No data available. |
| **Skin Contact:** | No data available. |
| **Eye contact:** | No data available. |
| **Ingestion:** | No data available. |

**Symptoms related to the physical, chemical and toxicological characteristics**

| | |
|---|---|
| **Inhalation:** | No data available. |
| **Skin Contact:** | No data available. |
| **Eye contact:** | No data available. |
| **Ingestion:** | No data available. |

**Information on toxicological effects**

**Acute toxicity (list all possible routes of exposure)**

**Oral**

| | |
|---|---|
| **Product:** | Not classified for acute toxicity based on available data. |
| **Specified substance(s):** | |
| Silica | LD 50 (Rat): > 5,000 mg/kg |
| Alcohols, C12-14, ethoxylated | LD 50 (Rat): > 2,000 mg/kg |

**Dermal**

| | |
|---|---|
| **Product:** | Not classified for acute toxicity based on available data. |
| **Specified substance(s):** | |
| Silica | LD 50 (Rabbit): > 5,000 mg/kg |
| Alcohols, C12-14, ethoxylated | LD 50 (Rabbit): 2,216 mg/kg |

**Inhalation**

| | |
|---|---|
| **Product:** | Not classified for acute toxicity based on available data. |
| **Specified substance(s):** | |
| Butane | LC 50: > 100 mg/l<br>LC 50: > 100 mg/l |

| | |
|---|---|
| Propane | LC 50: > 100 mg/l<br>LC 50: > 100 mg/l |
| Silica | LC 50 (Rat): > 58.8 mg/l |

**Repeated dose toxicity**

**Product:** No data available.

**Specified substance(s):**

| | |
|---|---|
| Butane | LOAEL (Rat(Female, Male), Inhalation, >= 28 d): 12,000 ppm(m) Inhalation Experimental result, Key study<br>NOAEL (Rat(Female, Male), Inhalation, >= 28 d): 4,000 ppm(m) Inhalation Experimental result, Key study |
| Propane | NOAEL (Rat(Female, Male), Inhalation, >= 28 d): 4,000 ppm(m) Inhalation Experimental result, Key study<br>LOAEL (Rat(Female, Male), Inhalation, >= 28 d): 12,000 ppm(m) Inhalation Experimental result, Key study |
| Silica | NOAEL (Rat(Female, Male), Oral, 13 Weeks): 4,000 mg/kg Oral Experimental result, Key study<br>NOAEL (Rat(Female, Male), Inhalation): 1.3 mg/m3 Inhalation Experimental result, Key study |
| Alcohols, C12-14, ethoxylated | NOAEL (Rat(Female, Male), Oral, 90 d): 500 mg/kg Oral Read-across based on grouping of substances (category approach), Key study |

**Skin Corrosion/Irritation**

**Product:** No data available.

**Specified substance(s):**

| | |
|---|---|
| Silica | in vivo (Rabbit): Not irritant Experimental result, Key study |
| Alcohols, C12-14, ethoxylated | in vivo (Rabbit): Not irritant Experimental result, Weight of Evidence study |

**Serious Eye Damage/Eye Irritation**

**Product:** No data available.

**Specified substance(s):**

| | |
|---|---|
| Silica | Rabbit, 24 - 72 hrs: Not irritating |
| Alcohols, C12-14, ethoxylated | Rabbit, 24 - 72 hrs: Not irritating |

**Respiratory or Skin Sensitization**

**Product:** No data available.

**Specified substance(s):**

| | |
|---|---|
| Alcohols, C12-14, ethoxylated | Skin sensitization:, in vivo (Guinea pig): Non sensitising |

**Carcinogenicity**

**Product:** No data available.

**IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:**

No carcinogenic components identified

**US. National Toxicology Program (NTP) Report on Carcinogens:**

No carcinogenic components identified

**US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):**
No carcinogenic components identified

**Germ Cell Mutagenicity**

**In vitro**
**Product:** No data available.

**In vivo**
**Product:** No data available.

**Reproductive toxicity**
**Product:** No data available.

**Specific Target Organ Toxicity - Single Exposure**
**Product:** No data available.

**Specific Target Organ Toxicity - Repeated Exposure**
**Product:** No data available.

**Aspiration Hazard**
**Product:** No data available.

**Other effects:** No data available.

## 12. Ecological information

**Ecotoxicity:**

**Acute hazards to the aquatic environment:**

**Fish**
**Product:** No data available.

**Specified substance(s):**

| | |
|---|---|
| Butane | LC 50 (Various, 96 h): 147.54 mg/l QSAR QSAR, Key study |
| Propane | LC 50 (Various, 96 h): 147.54 mg/l QSAR QSAR, Key study |
| Silica | LL 0 (Danio rerio, 96 h): 10,000 mg/l Experimental result, Key study |
| Alcohols, C12-14, ethoxylated | LC 50 (Danio rerio, 96 h): 1.2 mg/l Experimental result, Key study |

**Aquatic Invertebrates**
**Product:** No data available.

**Specified substance(s):**

| | |
|---|---|
| Butane | LC 50 (Daphnia sp., 48 h): 69.43 mg/l QSAR QSAR, Key study |
| Silica | EC 50 (Daphnia magna, 24 h): > 1,000 mg/l Experimental result, Key study |
| Alcohols, C12-14, ethoxylated | EC 50 (Daphnia magna, 48 h): 0.53 mg/l Experimental result, Key study |

**Chronic hazards to the aquatic environment:**

**Fish**
**Product:** No data available.

**Specified substance(s):**

| | |
|---|---|
| Alcohols, C12-14, ethoxylated | NOAEL (Lepomis macrochirus): 0.33 mg/l Read-across based on grouping of substances (category approach), Weight of Evidence study |

**Aquatic Invertebrates**

**Product:** No data available.

**Specified substance(s):**

| | |
|---|---|
| Alcohols, C12-14, ethoxylated | NOAEL (Daphnia magna): 1.75 mg/l Read-across based on grouping of substances (category approach), Weight of Evidence study |

**Toxicity to Aquatic Plants**

**Product:** No data available.

**Persistence and Degradability**

**Biodegradation**

**Product:** No data available.

**Specified substance(s):**

| | |
|---|---|
| Butane | 100 % (385.5 h) Detected in water. Experimental result, Key study |
| Propane | 100 % (385.5 h) Detected in water. Experimental result, Key study<br>50 % (3.19 d) Detected in water. QSAR, Weight of Evidence study |
| Alcohols, C12-14, ethoxylated | 95 % (28 d) Detected in water. Experimental result, Key study<br>100 % (28 d) Detected in water. Experimental result, Supporting study |

**BOD/COD Ratio**

**Product:** No data available.

**Bioaccumulative potential**

**Bioconcentration Factor (BCF)**

**Product:** No data available.

**Specified substance(s):**

| | |
|---|---|
| Alcohols, C12-14, ethoxylated | Pimephales promelas, Bioconcentration Factor (BCF): 237 Aquatic sediment Read-across from supporting substance (structural analogue or surrogate), Key study |

**Partition Coefficient n-octanol / water (log Kow)**

**Product:** No data available.

**Specified substance(s):**

| | |
|---|---|
| Alcohols, C12-14, ethoxylated | Log Kow: 4.22 - 6.73 Yes QSAR, Weight of Evidence study |

**Mobility in soil:** No data available.

**Known or predicted distribution to environmental compartments**

| | |
|---|---|
| Butane | No data available. |
| Propane | No data available. |
| Silica | No data available. |
| Alcohols, C12-14, ethoxylated | No data available. |

**Other adverse effects:** Harmful to aquatic organisms.

## 13. Disposal considerations

**Disposal instructions:** Discharge, treatment, or disposal may be subject to national, state, or local laws.

**Contaminated Packaging:** No data available.

## 14. Transport information

**DOT**

| | |
|---|---|
| UN Number: | UN 1950 |
| UN Proper Shipping Name: | Aerosols, flammable |
| Transport Hazard Class(es) | |
| Class: | 2.1 |
| Label(s): | – |
| Packing Group: | II |
| Marine Pollutant: | No |
| Environmental Hazards: | No |
| Marine Pollutant | No |
| Special precautions for user: | Not regulated. |

**IMDG**

| | |
|---|---|
| UN Number: | UN 1950 |
| UN Proper Shipping Name: | Aerosols, flammable |
| Transport Hazard Class(es) | |
| Class: | 2 |
| Label(s): | – |
| EmS No.: | |
| Packing Group: | – |
| Environmental Hazards: | No |
| Marine Pollutant | No |
| Special precautions for user: | Not regulated. |

**IATA**

| | |
|---|---|
| UN Number: | UN 1950 |
| Proper Shipping Name: | Aerosols, flammable |
| Transport Hazard Class(es): | |
| Class: | 2.1 |
| Label(s): | – |
| Packing Group: | – |
| Environmental Hazards: | No |
| Marine Pollutant | No |
| Special precautions for user: | Not regulated. |

## 15. Regulatory information

**US Federal Regulations**

**Restrictions on use:** Not known.

**TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)**

**US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)**

| Chemical Identity | OSHA hazard(s) |
|---|---|
| Benzene | Flammability |
| | Cancer |
| | Aspiration |
| | Eye |
| | Blood |
| | Skin |
| | respiratory tract irritation |
| | Central nervous system |

**CERCLA Hazardous Substance List (40 CFR 302.4):**

| Chemical Identity | Reportable quantity |
|---|---|
| Butane | lbs. 100 |
| Propane | lbs. 100 |
| Morpholine | lbs. 100 |
| Benzene, dimethyl- | lbs. 100 |
| Sodium hydroxide (Na(OH)) | lbs. 1000 |
| Benzene | lbs. 10 |

**Superfund Amendments and Reauthorization Act of 1986 (SARA)**

**Hazard categories**

Fire Hazard
Flammable aerosol

**SARA 302 Extremely Hazardous Substance**

None present or none present in regulated quantities.

**SARA 304 Emergency Release Notification**

| Chemical Identity | Reportable quantity |
|---|---|
| Butane | lbs. 100 |
| Propane | lbs. 100 |
| Morpholine | lbs. 100 |
| Benzene, dimethyl- | lbs. 100 |
| Sodium hydroxide (Na(OH)) | lbs. 1000 |
| Benzene | lbs. 10 |

**SARA 311/312 Hazardous Chemical**

| Chemical Identity | Threshold Planning Quantity |
|---|---|
| Butane | 10000 lbs |
| Propane | 10000 lbs |
| Silica | 10000 lbs |
| Alcohols, C12-14, ethoxylated | 10000 lbs |
| Morpholine | 10000 lbs |
| Benzene, dimethyl- | 10000 lbs |
| Sodium hydroxide (Na(OH)) | 10000 lbs |
| Benzene | 10000 lbs |

**SARA 313 (TRI Reporting)**

None present or none present in regulated quantities.

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):**
**Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)**

**US State Regulations**

**US. California Proposition 65**
This product contains chemical(s) known to the State of California to cause cancer and/or to cause birth defects or other reproductive harm.

| | |
|---|---|
| Benzene | Developmental toxin. 03 2008 |
| Benzene | Carcinogenic. 05 2011 |
| Benzene | Male reproductive toxin. 03 2008 |

**US. New Jersey Worker and Community Right-to-Know Act**

**Chemical Identity**
Butane
Propane
Silica

**US. Massachusetts RTK - Substance List**
No ingredient regulated by MA Right-to-Know Law present.

**US. Pennsylvania RTK - Hazardous Substances**

**Chemical Identity**
Butane
Propane
Silica

**US. Rhode Island RTK**
No ingredient regulated by RI Right-to-Know Law present.

**International regulations**

**Montreal protocol**
Not applicable

**Stockholm convention**
Not applicable

**Rotterdam convention**
Not applicable

**Kyoto protocol**
Not applicable

**Inventory Status:**

| | |
|---|---|
| Australia AICS: | Not in compliance with the inventory. |
| Canada DSL Inventory List: | On or in compliance with the inventory |
| Canada NDSL Inventory: | Not in compliance with the inventory. |
| Ontario Inventory: | Not in compliance with the inventory. |
| China Inv. Existing Chemical Substances: | Not in compliance with the inventory. |
| Japan (ENCS) List: | Not in compliance with the inventory. |
| Japan ISHL Listing: | Not in compliance with the inventory. |
| Japan Pharmacopoeia Listing: | Not in compliance with the inventory. |
| Korea Existing Chemicals Inv. (KECI): | Not in compliance with the inventory. |
| Mexico INSQ: | Not in compliance with the inventory. |
| New Zealand Inventory of Chemicals: | Not in compliance with the inventory. |
| Philippines PICCS: | Not in compliance with the inventory. |
| Taiwan Chemical Substance Inventory: | Not in compliance with the inventory. |
| US TSCA Inventory: | On or in compliance with the inventory |
| EINECS, ELINCS or NLP: | Not in compliance with the inventory. |

## 16.Other information, including date of preparation or last revision

| | |
|---|---|
| **Issue Date:** | 01/16/2020 |
| **Revision Information:** | No data available. |
| **Version #:** | 1.0 |
| **Further Information:** | No data available. |
| **Disclaimer:** | This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment. |