



# M.A.X. Power Car Wash

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations  
US GHS SDS  
Revision Date: 02/09/2024      Date of Issue: 11/16/2020      Supersedes Date: 10/03/2022

Version: 2.3

### SECTION 1: IDENTIFICATION

#### 1.1. Product Identifier

**Product Form:** Mixture  
**Product Name:** M.A.X. Power Car Wash  
**Product Code:** 50597, 50604, 51022, 50683, 54291

#### 1.2. Intended Use of the Product

**Use of the Substance/Mixture:** Motor Vehicle Wash

#### 1.3. Name, Address, and Telephone of the Responsible Party

##### Manufacturer

Turtle Wax, Inc.  
948 Springer Dr.  
Lombard, IL 60148  
Phone Number: 1(630)455-3700  
Toll-Free Number: 1(800)887-8539

#### 1.4. Emergency Telephone Number

**Emergency Number** : Velocity EHS  
1-800-255-3924 (US and Canada)  
1-813-248-0585 (International)

### SECTION 2: HAZARDS IDENTIFICATION

#### 2.1. Classification of the Substance or Mixture

Skin Sens. 1A      H317

Full text of hazard classes and H-statements : see section 16

#### 2.2. Label Elements

##### GHS-US Labeling

**Hazard Pictograms (GHS-US)** :



GHS07

**Signal Word (GHS-US)** :

Warning

**Hazard Statements (GHS-US)** :

H317 - May cause an allergic skin reaction.

**Precautionary Statements (GHS-US)** :

P261 - Avoid breathing vapors, mist, or spray.  
P272 - Contaminated work clothing must not be allowed out of the workplace.  
P280 - Wear protective gloves, protective clothing, and eye protection.  
P302+P352 - If on skin: Wash with plenty of water.  
P321 - Specific treatment (see section 4 on this SDS).  
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.  
P363 - Wash contaminated clothing before reuse.  
P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations.

#### 2.3. Other Hazards

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

#### 2.4. Unknown Acute Toxicity (GHS-US)

No data available

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1. Substance

Not applicable

#### 3.2. Mixture

Name	Synonyms	Product Identifier	%	GHS US classification
------	----------	--------------------	---	-----------------------

# M.A.X. Power Car Wash

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

US GHS SDS

Dodecylbenzenesulfonic acid	Benzenesulfonic acid, dodecyl- / Dodecylbenzenesulphonic acid / dodecylbenzenesulfonic acid	(CAS-No.) 27176-87-0	1.6 - 1.8	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Acute 2, H401 Aquatic Chronic 2, H411
Benzenesulfonic acid, 4-C10-13-sec-alkyl derivatives	Alkylbenzene Sulfonic Acid / Derivatives, benzenesulfonic acid, 4-C10-13-sec- alkyl / Benzenesulphonic acid, 4-C10-13-sec-alkyl derivatives	(CAS-No.) 85536-14-7	1.6 – 1.8	Acute Tox. 4 (Oral), H302 Skin Corr. 1C, H314 Eye Dam. 1, H318 Aquatic Acute 2, H401 Aquatic Chronic 3, H412
Benzenesulfonic acid, C10-16-alkyl derivatives	Alkylbenzene Sulfonic Acid / Benzenesulphonic acid, C10-16-alkyl derivatives / C10-16-Alkylbenzenesulfonic acid	(CAS-No.) 68584-22-5	1.6 – 1.8	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation:dust,mist), H332 Eye Irrit. 2A, H319 Aquatic Acute 2, H401
Sodium lauryl sulfate	Dodecyl sodium sulfate / Dodecyl sulfate, sodium / Dodecyl sulfate, sodium salt / Sodium dodecyl sulfate	(CAS-No.) 151-21-3	0.4 – 0.9	Flam. Sol. 2, H228 Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Acute 2, H401 Aquatic Chronic 3, H412 Comb. Dust
Sodium hydroxide	Caustic soda / Sodium hydroxide (Na(OH)) / LYE	(CAS-No.) 1310-73-2	< 0.4	Met. Corr. 1, H290 Acute Tox. 4 (Oral), H302 Skin Corr. 1A, H314 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Acute 3, H402 Aquatic Chronic 3, H412
D-Limonene	Cyclohexene, 1-methyl-4-(1-methylethenyl)-, (4R)- / Cyclohexene, 1-methyl-4-(1-methylethenyl)-, (R)- / (R)-p-Mentha-1,8-diene	(CAS-No.) 5989-27-5	<0.06	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
1,2,3-Propanetriol	Glycerin / Glycerine / Glycerol / 1,2,3-Trihydroxypropane	(CAS-No.) 56-81-5	< 0.03	Not classified
Sulfur dioxide	Sulphur dioxide / Sulphurous anhydride / Sulfur(IV) oxide	(CAS-No.) 7446-09-5	< 0.002	Press. Gas (Comp.), H280 Acute Tox. 3 (Inhalation:gas), H331 Skin Corr. 1B, H314 Eye Dam. 1, H318
Methanol	Methyl alcohol / Carbinol / Methyl hydroxide / Wood alcohol	(CAS-No.) 67-56-1	< 0.002	Flam. Liq. 2, H225 Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation:vapour), H331 STOT SE 1, H370

# M.A.X. Power Car Wash

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations  
US GHS SDS

Chloroacetic acid	Acetic acid, chloro- / Chloroethanoic acid / MCA / Monochloroacetic acid / Monochloroethanoic acid	(CAS-No.) 79-11-8	< 0.001	Met. Corr. 1, H290 Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 2 (Inhalation:dust,mist), H330 Skin Corr. 1, H314 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Dichloroacetic acid	Acetic acid, dichloro- / DCA / 2,2-Dichloroethanoic acid / Acetic acid, 2,2-dichloro-	(CAS-No.) 79-43-6	< 0.001	Acute Tox. 3 (Dermal), H311 Skin Corr. 1A, H314 Eye Dam. 1, H318 Carc. 2, H351 Aquatic Acute 1, H400
Citral	3,7-Dimethyl-2,6-octadienal / 2,6-Octadienal, 3,7-dimethyl- / CITRAL / 3,7-Dimethylocta-2,6-dien-8-al	(CAS-No.) 5392-40-5	< 0.001	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1B, H317 Aquatic Acute 2, H401
Myrcene	7-Methyl-3-methylene-1,6-octadiene / 7-Methyl-3-methyleneocta-1,6-diene / 3-Methylene-7-methyl-1,6-octadiene	(CAS-No.) 123-35-3	< 0.001	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Carc. 2, H351 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Ammonia	Ammonia, anhydrous / Free ammonia / Gaseous ammonia / Non-ionic ammonia	(CAS-No.) 7664-41-7	< 0.0006	Flam. Gas 2, H221 Press. Gas (Comp.), H280 Acute Tox. 3 (Inhalation:gas), H331 Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Acute 1, H400 Aquatic Chronic 2, H411

Full text of H-phrases: see section 16

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of First-aid Measures

**First-aid Measures General:** Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

**First-aid Measures After Inhalation:** When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.

**First-aid Measures After Skin Contact:** Remove contaminated clothing. Drench affected area with water for at least 15 minutes. Obtain medical attention if irritation/rash develops or persists.

**First-aid Measures After Eye Contact:** Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for at least 15 minutes. Obtain medical attention.

**First-aid Measures After Ingestion:** Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

### 4.2. Most Important Symptoms and Effects Both Acute and Delayed

**Symptoms/Injuries:** Skin sensitization.

**Symptoms/Injuries After Inhalation:** Prolonged exposure may cause irritation.

**Symptoms/Injuries After Skin Contact:** May cause an allergic skin reaction.

**Symptoms/Injuries After Eye Contact:** May cause slight irritation to eyes.

**Symptoms/Injuries After Ingestion:** Ingestion may cause adverse effects.

**Chronic Symptoms:** None expected under normal conditions of use.

# M.A.X. Power Car Wash

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations  
US GHS SDS

### 4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

## SECTION 5: FIRE-FIGHTING MEASURES

### 5.1. Extinguishing Media

**Suitable Extinguishing Media:** Water spray, fog, carbon dioxide (CO<sub>2</sub>), alcohol-resistant foam, or dry chemical.

**Unsuitable Extinguishing Media:** Do not use a heavy water stream. Use of heavy stream of water may spread fire.

### 5.2. Special Hazards Arising From the Substance or Mixture

**Fire Hazard:** Not considered flammable but may burn at high temperatures.

**Explosion Hazard:** Product is not explosive.

**Reactivity:** Hazardous reactions will not occur under normal conditions.

### 5.3. Advice for Firefighters

**Precautionary Measures Fire:** Exercise caution when fighting any chemical fire.

**Firefighting Instructions:** Use water spray or fog for cooling exposed containers.

**Protection During Firefighting:** Do not enter fire area without proper protective equipment, including respiratory protection.

**Hazardous Combustion Products:** Carbon oxides (CO, CO<sub>2</sub>). Silicon oxides. Acrid smoke and irritating fumes.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

**General Measures:** Avoid breathing (vapor, mist, spray). Do not get in eyes, on skin, or on clothing.

#### 6.1.1. For Non-Emergency Personnel

**Protective Equipment:** Use appropriate personal protective equipment (PPE).

**Emergency Procedures:** Evacuate unnecessary personnel.

#### 6.1.2. For Emergency Personnel

**Protective Equipment:** Equip cleanup crew with proper protection.

**Emergency Procedures:** Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit.

Ventilate area.

### 6.2. Environmental Precautions

Prevent entry to sewers and public waters.

### 6.3. Methods and Materials for Containment and Cleaning Up

**For Containment:** Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

**Methods for Cleaning Up:** Clean up spills immediately and dispose of waste safely. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

### 6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

## SECTION 7: HANDLING AND STORAGE

### 7.1. Precautions for Safe Handling

**Precautions for Safe Handling:** Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid prolonged contact with eyes, skin and clothing. Avoid breathing vapors, mist, spray.

**Hygiene Measures:** Handle in accordance with good industrial hygiene and safety procedures.

### 7.2. Conditions for Safe Storage, Including Any Incompatibilities

**Technical Measures:** Comply with applicable regulations.

**Storage Conditions:** Keep container closed when not in use. Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.

**Incompatible Materials:** Strong acids, strong bases, strong oxidizers.

### 7.3. Specific End Use(s)

Motor Vehicle Wash

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), or OSHA (PEL).

D-Limonene (5989-27-5)		
USA AIHA	WEEL TWA [ppm]	30 ppm

# M.A.X. Power Car Wash

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations  
US GHS SDS

<b>1,2,3-Propanetriol (56-81-5)</b>		
<b>USA OSHA</b>	OSHA PEL (TWA) [1]	15 mg/m <sup>3</sup> (mist, total particulate) 5 mg/m <sup>3</sup> (mist, respirable fraction)
<b>Sodium hydroxide (1310-73-2)</b>		
<b>USA ACGIH</b>	ACGIH OEL Ceiling	2 mg/m <sup>3</sup>
<b>USA NIOSH</b>	NIOSH REL (Ceiling)	2 mg/m <sup>3</sup>
<b>USA IDLH</b>	IDLH	10 mg/m <sup>3</sup>
<b>USA OSHA</b>	OSHA PEL (TWA) [1]	2 mg/m <sup>3</sup>
<b>Ammonia (7664-41-7)</b>		
<b>USA ACGIH</b>	ACGIH OEL TWA [ppm]	25 ppm
<b>USA ACGIH</b>	ACGIH OEL STEL [ppm]	35 ppm
<b>USA NIOSH</b>	NIOSH REL (TWA)	18 mg/m <sup>3</sup>
<b>USA NIOSH</b>	NIOSH REL TWA [ppm]	25 ppm
<b>USA NIOSH</b>	NIOSH REL (STEL)	27 mg/m <sup>3</sup>
<b>USA NIOSH</b>	NIOSH REL STEL [ppm]	35 ppm
<b>USA IDLH</b>	IDLH [ppm]	300 ppm
<b>USA OSHA</b>	OSHA PEL (TWA) [1]	35 mg/m <sup>3</sup>
<b>USA OSHA</b>	OSHA PEL (TWA) [2]	50 ppm
<b>Citral (5392-40-5)</b>		
<b>USA ACGIH</b>	ACGIH OEL TWA [ppm]	5 ppm (inhalable fraction and vapor)
<b>USA ACGIH</b>	ACGIH chemical category	Not Classifiable as a Human Carcinogen, Skin - potential significant contribution to overall exposure by the cutaneous route, dermal sensitizer
<b>Methanol (67-56-1)</b>		
<b>USA ACGIH</b>	ACGIH OEL TWA [ppm]	200 ppm
<b>USA ACGIH</b>	ACGIH OEL STEL [ppm]	250 ppm
<b>USA ACGIH</b>	ACGIH chemical category	Skin - potential significant contribution to overall exposure by the cutaneous route
<b>USA ACGIH</b>	BEI (BLV)	15 mg/l Parameter: Methanol - Medium: urine - Sampling time: end of shift (background, nonspecific)
<b>USA NIOSH</b>	NIOSH REL (TWA)	260 mg/m <sup>3</sup>
<b>USA NIOSH</b>	NIOSH REL TWA [ppm]	200 ppm
<b>USA NIOSH</b>	NIOSH REL (STEL)	325 mg/m <sup>3</sup>
<b>USA NIOSH</b>	NIOSH REL STEL [ppm]	250 ppm
<b>USA IDLH</b>	IDLH [ppm]	6000 ppm
<b>USA OSHA</b>	OSHA PEL (TWA) [1]	260 mg/m <sup>3</sup>
<b>USA OSHA</b>	OSHA PEL (TWA) [2]	200 ppm
<b>Chloroacetic acid (79-11-8)</b>		
<b>USA ACGIH</b>	ACGIH OEL TWA [ppm]	0.5 ppm (inhalable fraction and vapor)
<b>USA ACGIH</b>	ACGIH chemical category	Not Classifiable as a Human Carcinogen, Skin - potential significant contribution to overall exposure by the cutaneous route
<b>USA AIHA</b>	WEEL TWA [ppm]	0.5 ppm
<b>USA AIHA</b>	AIHA chemical category	skin notation
<b>Dichloroacetic acid (79-43-6)</b>		
<b>USA ACGIH</b>	ACGIH OEL TWA [ppm]	0.5 ppm
<b>USA ACGIH</b>	ACGIH chemical category	Confirmed Animal Carcinogen with Unknown Relevance to Humans, Skin - potential significant contribution to overall exposure by the cutaneous route
<b>Sulfur dioxide (7446-09-5)</b>		
<b>USA ACGIH</b>	ACGIH OEL STEL [ppm]	0.25 ppm
<b>USA ACGIH</b>	ACGIH chemical category	Not Classifiable as a Human Carcinogen
<b>USA NIOSH</b>	NIOSH REL (TWA)	5 mg/m <sup>3</sup>
<b>USA NIOSH</b>	NIOSH REL TWA [ppm]	2 ppm

# M.A.X. Power Car Wash

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations  
US GHS SDS

<b>USA NIOSH</b>	NIOSH REL (STEL)	13 mg/m <sup>3</sup>
<b>USA NIOSH</b>	NIOSH REL STEL [ppm]	5 ppm
<b>USA IDLH</b>	IDLH [ppm]	100 ppm
<b>USA OSHA</b>	OSHA PEL (TWA) [1]	13 mg/m <sup>3</sup>
<b>USA OSHA</b>	OSHA PEL (TWA) [2]	5 ppm

### 8.2. Exposure Controls

#### Appropriate Engineering Controls

: Suitable eye/body wash equipment should be available in the vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.

#### Personal Protective Equipment

: Gloves. Protective clothing. Protective goggles. Insufficient ventilation: wear respiratory protection.



#### Materials for Protective Clothing

: Chemically resistant materials and fabrics.

#### Hand Protection

: Wear protective gloves.

#### Eye and Face Protection

: Chemical safety goggles.

#### Skin and Body Protection

: Wear suitable protective clothing.

#### Respiratory Protection

: If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

#### Other Information

: When using, do not eat, drink or smoke.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on Basic Physical and Chemical Properties

Physical State	: Liquid
Appearance	: Yellow
Odor	: Fruity
Odor Threshold	: No data available
pH	: 10.25
Evaporation Rate	: No data available
Melting Point	: No data available
Freezing Point	: No data available
Boiling Point	: No data available
Flash Point	: > 93 °C Closed Cup (199.4 °F)
Auto-ignition Temperature	: No data available
Decomposition Temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapor Pressure	: No data available
Relative Vapor Density at 20°C	: No data available
Relative Density	: No data available
Specific Gravity	: 1.007
Solubility	: No data available
Partition Coefficient: N-Octanol/Water	: No data available
Viscosity	: No data available
Viscosity, Dynamic	: Thin Liquid

### 9.2. Other Information

VOC content (California)	: 0 %
% NVM by Weight	: 3.25 %

## SECTION 10: STABILITY AND REACTIVITY

**10.1. Reactivity:** Hazardous reactions will not occur under normal conditions.

**10.2. Chemical Stability:** Stable under recommended handling and storage conditions (see section 7).

# M.A.X. Power Car Wash

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations  
US GHS SDS

- 10.3. Possibility of Hazardous Reactions:** Hazardous polymerization will not occur.
- 10.4. Conditions to Avoid:** Direct sunlight, extremely high or low temperatures, and incompatible materials.
- 10.5. Incompatible Materials:** Strong acids, strong bases, strong oxidizers.
- 10.6. Hazardous Decomposition Products:** Thermal decomposition may produce: Carbon oxides (CO, CO<sub>2</sub>). Nitrogen oxides. Acrid smoke and irritating fumes.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on Toxicological Effects

**Acute Toxicity (Oral):** Not classified

**Acute Toxicity (Dermal):** Not classified

**Acute Toxicity (Inhalation):** Not classified

<b>D-Limonene (5989-27-5)</b>	
LD50 Oral Rat	4400 mg/kg
LD50 Dermal Rabbit	> 5 g/kg
<b>Sodium lauryl sulfate (151-21-3)</b>	
LD50 Oral Rat	1288 mg/kg
LD50 Dermal Rat	> 2000 mg/kg
LC50 Inhalation Rat	> 3900 mg/m <sup>3</sup> (Exposure time: 1 h)
<b>1,2,3-Propanetriol (56-81-5)</b>	
LD50 Oral Rat	12600 mg/kg
LD50 Dermal Rabbit	> 10 g/kg
LC50 Inhalation Rat	> 2.75 mg/l/4h
<b>Sodium hydroxide (1310-73-2)</b>	
LD50 Oral Rat	325 mg/kg
<b>Ammonia (7664-41-7)</b>	
LD50 Oral Rat	350 mg/kg
LC50 Inhalation Rat	5.1 mg/l (Exposure time: 1 h)
LC50 Inhalation Rat	2000 ppm/4h (Exposure time: 4 h)
<b>Citral (5392-40-5)</b>	
LD50 Oral Rat	4960 mg/kg
LD50 Dermal Rabbit	2250 mg/kg
<b>Dodecylbenzenesulfonic acid (27176-87-0)</b>	
LD50 Oral Rat	1260 mg/kg
LD50 Dermal Rabbit	631 – 1000 mg/kg
<b>Benzenesulfonic acid, 4-C10-13-sec-alkyl derivatives (85536-14-7)</b>	
LD50 Oral Rat	1219 mg/kg
<b>Benzenesulfonic acid, C10-16-alkyl derivatives (68584-22-5)</b>	
LD50 Oral Rat	775 mg/kg
LD50 Dermal Rat	> 2000 mg/kg
LC50 Inhalation Rat	> 1.9 mg/l/4h (No deaths)
ATE (Dust/Mist)	1.50 mg/l/4h
<b>Methanol (67-56-1)</b>	
LD50 Dermal Rabbit	15840 mg/kg
LC50 Inhalation Rat	22500 ppm (Exposure time: 8 h)
ATE (Oral)	100.00 mg/kg body weight
ATE (Dermal)	300.00 mg/kg body weight
ATE (Vapors)	3.00 mg/l/4h
<b>Chloroacetic acid (79-11-8)</b>	
LD50 Oral Rat	55 mg/kg
LD50 Dermal Rabbit	250 mg/kg
LC50 Inhalation Rat	180 mg/m <sup>3</sup> (Exposure time: 4 h)
LC50 Inhalation Rat	0.18 mg/l/4h
<b>Dichloroacetic acid (79-43-6)</b>	

# M.A.X. Power Car Wash

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations  
US GHS SDS

LD50 Oral Rat	2820 mg/kg
LD50 Dermal Rabbit	510 mg/kg
<b>Sulfur dioxide (7446-09-5)</b>	
LC50 Inhalation Rat	2500 ppm/1h
ATE (Gases)	1,250.00 ppmV/4h

**Skin Corrosion/Irritation:** Not classified. (Not irritating via OECD Guidelines for the Testing of Chemicals, Test #404.)

**pH:** 10.25

**Serious Eye Damage/Irritation:** Not classified. (In accordance with OECD Guidelines for the Testing of Chemicals, Test #405, this product is not classified as irritating.)

**pH:** 10.25

**Respiratory or Skin Sensitization:** May cause an allergic skin reaction.

**Germ Cell Mutagenicity:** Not classified

**Carcinogenicity:** Not classified

<b>D-Limonene (5989-27-5)</b>	
IARC group	3
National Toxicology Program (NTP) Status	Evidence of Carcinogenicity.
<b>Sulfuric acid (7664-93-9)</b>	
IARC group	1
OSHA Hazard Communication Carcinogen List	In OSHA Hazard Communication Carcinogen list.

<b>Dichloroacetic acid (79-43-6)</b>	
IARC group	2B
OSHA Hazard Communication Carcinogen List	In OSHA Hazard Communication Carcinogen list.

<b>Sulfur dioxide (7446-09-5)</b>	
IARC group	3

**Reproductive Toxicity:** Not classified

**Specific Target Organ Toxicity (Single Exposure):** Not classified

**Specific Target Organ Toxicity (Repeated Exposure):** Not classified

**Aspiration Hazard:** Not classified

**Symptoms/Injuries After Inhalation:** Prolonged exposure may cause irritation.

**Symptoms/Injuries After Skin Contact:** May cause an allergic skin reaction.

**Symptoms/Injuries After Eye Contact:** May cause slight irritation to eyes.

**Symptoms/Injuries After Ingestion:** Ingestion may cause adverse effects.

**Chronic Symptoms:** None expected under normal conditions of use.

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

**Ecology - General** : Not classified.

<b>D-Limonene (5989-27-5)</b>	
LC50 Fish 1	0.619 (0.619 – 0.796) mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
EC50 - Crustacea [1]	0.421 mg/l
LC50 Fish 2	35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)
<b>Sodium lauryl sulfate (151-21-3)</b>	
LC50 Fish 1	8 (8 – 12.5) mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 - Crustacea [1]	1.8 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC50 Fish 2	15 (15 – 18.9) mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
NOEC Chronic Crustacea	0.88 mg/l
<b>1,2,3-Propanetriol (56-81-5)</b>	
LC50 Fish 1	54000 (51000 – 57000) mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
<b>Sodium hydroxide (1310-73-2)</b>	
LC50 Fish 1	45.4 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
EC50 - Crustacea [1]	40 mg/l

# M.A.X. Power Car Wash

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations  
US GHS SDS

<b>Ammonia (7664-41-7)</b>	
LC50 Fish 1	0.083 mg/l
EC50 - Crustacea [1]	25.4 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC50 Fish 2	0.26 – 4.6 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)
<b>Citral (5392-40-5)</b>	
LC50 Fish 1	4.1 mg/l
EC50 - Crustacea [1]	7 mg/l (Exposure time: 48 h - Species: Daphnia magna)
<b>Dodecylbenzenesulfonic acid (27176-87-0)</b>	
LC50 Fish 1	10.8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
EC50 - Crustacea [1]	5.88 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC50 Fish 2	3.5 – 10 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static])
NOEC Chronic Crustacea	3.3 mg/l
<b>Benzenesulfonic acid, 4-C10-13-sec-alkyl derivatives (85536-14-7)</b>	
LC50 Fish 1	5.6 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [flow-through])
EC50 - Crustacea [1]	5.2 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC50 Fish 2	1.67 mg/l (Exposure time: 96h - Species: Lepomis macrochirus)
<b>Benzenesulfonic acid, C10-16-alkyl derivatives (68584-22-5)</b>	
LC50 Fish 1	3 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
EC50 - Crustacea [1]	2.9 mg/l (Exposure time: 48 h - Species: Daphnia magna)
ErC50 (Algae)	170 mg/l (Exposure time: 96h - Species: Selenastrum capricornutum)
<b>Methanol (67-56-1)</b>	
LC50 Fish 1	28200 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
EC50 - Crustacea [1]	1340 mg/l
LC50 Fish 2	> 100 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
<b>Chloroacetic acid (79-11-8)</b>	
LC50 Fish 1	145 mg/l (Exposure time: 96 h - Species: Pimephales promelas [semi-static])
EC50 - Crustacea [1]	77 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 - Crustacea [2]	71 – 85 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
ErC50 (Algae)	0.033 mg/l
NOEC Chronic Algae	0.005 mg/l
<b>Dichloroacetic acid (79-43-6)</b>	
EC50 - Crustacea [1]	23 mg/l
<b>Myrcene (123-35-3)</b>	
EC50 - Crustacea [1]	0.45 mg/l

## 12.2. Persistence and Degradability

<b>M.A.X. Power Car Wash</b>	
Persistence and Degradability	Not established.

## 12.3. Bioaccumulative Potential

<b>M.A.X. Power Car Wash</b>	
Bioaccumulative Potential	Not established.
<b>Sodium lauryl sulfate (151-21-3)</b>	
BCF Fish 1	(will not bioconcentrate)
Partition coefficient n-octanol/water (Log Pow)	1.6
<b>1,2,3-Propanetriol (56-81-5)</b>	
BCF Fish 1	(no bioaccumulation)
Partition coefficient n-octanol/water (Log Pow)	-1.76
<b>Citral (5392-40-5)</b>	
Partition coefficient n-octanol/water (Log Pow)	2.76 (at 25 °C)
<b>Dodecylbenzenesulfonic acid (27176-87-0)</b>	

# M.A.X. Power Car Wash

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations  
US GHS SDS

BCF Fish 1	130
<b>Benzenesulfonic acid, 4-C10-13-sec-alkyl derivatives (85536-14-7)</b>	
Partition coefficient n-octanol/water (Log Pow)	2 (at 23 °C)
<b>Benzenesulfonic acid, C10-16-alkyl derivatives (68584-22-5)</b>	
Partition coefficient n-octanol/water (Log Pow)	2 (at 23 °C)
<b>Methanol (67-56-1)</b>	
BCF Fish 1	< 10
Partition coefficient n-octanol/water (Log Pow)	-0.77
<b>Chloroacetic acid (79-11-8)</b>	
Partition coefficient n-octanol/water (Log Pow)	0.2
<b>Sulfur dioxide (7446-09-5)</b>	
BCF Fish 1	(no bioaccumulation expected)

**12.4. Mobility in Soil** No additional information available

**12.5. Other Adverse Effects**

**Other Information** : Avoid release to the environment.

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste Treatment Methods

**Waste Disposal Recommendations:** Dispose of contents/container in accordance with local, regional, national, and international regulations.

**Additional Information:** Container may remain hazardous when empty. Continue to observe all precautions.

**Ecology - Waste Materials:** Avoid release to the environment.

## SECTION 14: TRANSPORT INFORMATION

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

### 14.1. In Accordance with DOT

This product meets the limited quantity exceptions as specified in the 49 CFR as Not Regulated as dangerous goods when shipped in accordance with any applicable subparts that may apply.

**Proper Shipping Name** : ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S. (CONTAINS :  
Dodecylbenzenesulfonic acid)

**Hazard Class** : 9

**Identification Number** : UN3082

**Label Codes** : 9

**Packing Group** : III

**ERG Number** : 171



### 14.2. In Accordance with IMDG

**Proper Shipping Name** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS :  
Dodecylbenzenesulfonic acid)

**Hazard Class** : 9

**Identification Number** : UN3082

**Packing Group** : III

**Label Codes** : 9

**EmS-No. (Fire)** : F-A

**EmS-No. (Spillage)** : S-F



### 14.3. In Accordance with IATA

**Proper Shipping Name** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS :  
Dodecylbenzenesulfonic acid)

**Packing Group** : III

**Identification Number** : UN3082

**Hazard Class** : 9

# M.A.X. Power Car Wash

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations  
US GHS SDS

Label Codes : 9



ERG Code (IATA) : 9L

### SECTION 15: REGULATORY INFORMATION

#### 15.1. US Federal Regulations

All components in this mixture are listed on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory, have been exempted, are not listed, not disclosed due to CBI requirements or disclosure rules according to the relevant regulation.

<b>M.A.X. Power Car Wash</b>	
<b>SARA Section 311/312 Hazard Classes</b>	Health hazard - Respiratory or skin sensitization
<b>Sodium hydroxide (1310-73-2)</b>	
<b>CERCLA RQ</b>	1000 lb
<b>Ammonia (7664-41-7)</b>	
Listed on the United States SARA Section 302 Subject to reporting requirements of United States SARA Section 313	
<b>CERCLA RQ</b>	100 lb
<b>SARA Section 302 Threshold Planning Quantity (TPQ)</b>	500 lb
<b>SARA Section 313 - Emission Reporting</b>	1 % (includes anhydrous Ammonia and aqueous Ammonia from water dissociable Ammonium salts and other sources, 10% of total aqueous Ammonia is reportable under this listing)
<b>Dodecylbenzenesulfonic acid (27176-87-0)</b>	
<b>CERCLA RQ</b>	1000 lb
<b>Benzenesulfonic acid, 4-C10-13-sec-alkyl derivatives (85536-14-7)</b>	
<b>EPA TSCA Regulatory Flag</b>	PMN - PMN - indicates a commenced PMN substance.
<b>Methanol (67-56-1)</b>	
Subject to reporting requirements of United States SARA Section 313	
<b>CERCLA RQ</b>	5000 lb
<b>SARA Section 313 - Emission Reporting</b>	1 %
<b>Chloroacetic acid (79-11-8)</b>	
Listed on the United States SARA Section 302 Subject to reporting requirements of United States SARA Section 313	
<b>CERCLA RQ</b>	100 lb
<b>SARA Section 302 Threshold Planning Quantity (TPQ)</b>	100 – 10000 lb
<b>SARA Section 313 - Emission Reporting</b>	1 %
<b>Sulfur dioxide (7446-09-5)</b>	
Listed on the United States SARA Section 302	
<b>SARA Section 302 Threshold Planning Quantity (TPQ)</b>	500 lb

#### 15.2. US State Regulations

<b>1,2,3-Propanetriol (56-81-5)</b>
U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Pennsylvania - RTK (Right to Know) List U.S. - Massachusetts - Right To Know List
<b>Sodium hydroxide (1310-73-2)</b>
U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Pennsylvania - RTK (Right to Know) List U.S. - Massachusetts - Right To Know List U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List
<b>Ammonia (7664-41-7)</b>
U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Pennsylvania - RTK (Right to Know) List

# M.A.X. Power Car Wash

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations  
US GHS SDS

U.S. - Massachusetts - Right To Know List  
U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List

### Dodecylbenzenesulfonic acid (27176-87-0)

U.S. - New Jersey - Right to Know Hazardous Substance List  
U.S. - Pennsylvania - RTK (Right to Know) List  
U.S. - Massachusetts - Right To Know List  
U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List

### Methanol (67-56-1)

U.S. - New Jersey - Right to Know Hazardous Substance List  
U.S. - Pennsylvania - RTK (Right to Know) List  
U.S. - Massachusetts - Right To Know List  
U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List

### Chloroacetic acid (79-11-8)

U.S. - New Jersey - Right to Know Hazardous Substance List  
U.S. - Pennsylvania - RTK (Right to Know) List  
U.S. - Massachusetts - Right To Know List  
U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List

### Dichloroacetic acid (79-43-6)

U.S. - New Jersey - Right to Know Hazardous Substance List

### Sulfur dioxide (7446-09-5)

U.S. - New Jersey - Right to Know Hazardous Substance List  
U.S. - Pennsylvania - RTK (Right to Know) List  
U.S. - Massachusetts - Right To Know List  
U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List

### California Proposition 65



**WARNING:** This product can expose you to Dichloroacetic acid, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

Chemical Name (CAS No.)	Carcinogenicity	Developmental Toxicity	Female Reproductive Toxicity	Male Reproductive Toxicity
Methanol (67-56-1)		X		
Dichloroacetic acid (79-43-6)	X	X		X
Sulfur dioxide (7446-09-5)		X		
Myrcene (123-35-3)	X			

## SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

**Date of Preparation or Latest Revision** : 02/09/2024  
**Formula Identification Number** : 40729  
**Other Information** : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200

### GHS Full Text Phrases:

Acute Tox. 2 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 2
Acute Tox. 3 (Dermal)	Acute toxicity (dermal) Category 3
Acute Tox. 3 (Inhalation:gas)	Acute toxicity (inhalation:gas) Category 3
Acute Tox. 3 (Inhalation:vapour)	Acute toxicity (inhalation:vapor) Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral) Category 3
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Aquatic Acute 2	Hazardous to the aquatic environment - Acute Hazard Category 2
Aquatic Acute 3	Hazardous to the aquatic environment - Acute Hazard Category 3
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2

# M.A.X. Power Car Wash

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations  
US GHS SDS

Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic Hazard Category 3
Carc. 1A	Carcinogenicity Category 1A
Carc. 2	Carcinogenicity Category 2
Comb. Dust	Combustible Dust
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Flam. Gas 2	Flammable gases Category 2
Flam. Liq. 2	Flammable liquids Category 2
Flam. Liq. 4	Flammable liquids Category 4
Flam. Sol. 2	Flammable solids Category 2
Met. Corr. 1	Corrosive to metals Category 1
Muta. 2	Germ cell mutagenicity Category 2
Press. Gas (Comp.)	Gases under pressure Compressed gas
Skin Corr. 1	Skin corrosion/irritation Category 1
Skin Corr. 1A	Skin corrosion/irritation Category 1A
Skin Corr. 1B	Skin corrosion/irritation Category 1B
Skin Corr. 1C	Skin corrosion/irritation Category 1C
Skin Irrit. 2	Skin corrosion/irritation Category 2
Skin Sens. 1	Skin sensitization, Category 1
Skin Sens. 1A	Skin sensitization, category 1A
Skin Sens. 1B	Skin sensitization, category 1B
STOT SE 1	Specific target organ toxicity (single exposure) Category 1
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H221	Flammable gas
H225	Highly flammable liquid and vapor
H227	Combustible liquid
H228	Flammable solid
H280	Contains gas under pressure; may explode if heated
H290	May be corrosive to metals
H301	Toxic if swallowed
H302	Harmful if swallowed
H311	Toxic in contact with skin
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H330	Fatal if inhaled
H331	Toxic if inhaled
H332	Harmful if inhaled
H335	May cause respiratory irritation
H341	Suspected of causing genetic defects
H350	May cause cancer
H351	Suspected of causing cancer
H370	Causes damage to organs
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects


# M.A.X. Power Car Wash

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations  
US GHS SDS

H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

- NFPA Health Hazard** : 1 - Materials that, under emergency conditions, can cause significant irritation.
- NFPA Fire Hazard** : 1 - Materials that must be preheated before ignition can occur.
- NFPA Reactivity Hazard** : 0 - Material that in themselves are normally stable, even under fire conditions.



- HMIS III Rating
- Health** : 1 Slight Hazard
- Flammability** : 1 Slight Hazard
- Physical** : 0 Minimal Hazard

*Legal disclaimer: Turtle Wax, Inc. All rights reserved.*

*This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any particular conditions or process. Such information is, to the best of our knowledge and belief, accurate and reliable as of the date issued. No warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the responsibility of the user or processor to satisfy themselves as to the suitability of such information for their own particular circumstances, conditions or use, including transportation, storage and disposal which are outside of our control.*

SDS US (GHS HazCom)