



# Equicare Flysect Super-7 Repellant Spray

## Safety Data Sheet

Issue date: 08/30/2016

Revision date: 11/15/2024

Supersedes: 06/28/2024

Version: 1.4

### SECTION 1: Identification

#### 1.1. Identification

Product form : Mixture  
Name : Equicare Flysect Super-7 Repellant Spray  
Synonyms : 100502018, 100502332, 100502333, 100502154, 100502331, 100502334, EPA Reg. No.: 270-300

#### 1.2. Recommended use and restrictions on use

Recommended use : Insecticide.  
Restrictions on use : Keep out of reach of children. Keep away from heat, sparks and flame. Avoid inhalation of vapors or fumes. Avoid contact with eyes, skin or clothing.

#### 1.3. Supplier

Farnam Companies, Inc.  
1501 E. Woodfield Road, Suite 200W  
Schaumburg, IL 60173

www.farnam.com

#### 1.4. Emergency telephone number

Emergency number : 1-800-234-2269  
1-800-424-9300 - CHEMTREC  
1-703-527-3887 - CHEMTREC - Outside North America - Collect Calls Accepted

### SECTION 2: Hazard(s) identification

#### 2.1. Classification of the substance or mixture

##### GHS US classification

Flammable liquids, Category 2	Highly flammable liquid and vapor.
Serious eye damage/eye irritation, Category 2A	Causes serious eye irritation.
Skin sensitisation, Category 1	May cause an allergic skin reaction.
Specific target organ toxicity – Single exposure, Category 3, Narcosis	May cause drowsiness or dizziness.

#### 2.2. GHS Label elements, including precautionary statements

##### GHS US labelling

Hazard pictograms (GHS US) :



GHS02

GHS07

Signal word (GHS US) :

Danger

Hazard statements (GHS US) :

Highly flammable liquid and vapor.  
May cause an allergic skin reaction.  
Causes serious eye irritation.  
May cause drowsiness or dizziness.

Precautionary statements (GHS US) :

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
Keep container tightly closed.  
Ground/Bond container and receiving equipment.  
Use explosion-proof electrical/ventilating/lighting equipment.  
Use only non-sparking tools.  
Take precautionary measures against static discharge.  
Avoid breathing fume/mist/vapors/spray.  
Wash hands, forearms and face thoroughly after handling.  
Use only outdoors or in a well-ventilated area.  
Contaminated work clothing must not be allowed out of the workplace.  
Wear protective gloves/protective clothing/eye protection/face protection.  
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
If inhaled: Remove person to fresh air and keep comfortable for breathing.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

# Equicare Flysect Super-7 Repellent Spray

## Safety Data Sheet

and easy to do. Continue rinsing.  
Call poison control or doctor if you feel unwell.  
If skin irritation or rash occurs: Get medical advice/attention.  
If eye irritation persists: Get medical advice/attention.  
Wash contaminated clothing before reuse.  
In case of fire: Use water fog, dry chemical, CO<sub>2</sub>, alcohol resistant foam to extinguish.  
Store in a well-ventilated place. Keep container tightly closed. Keep cool.  
Keep cool.  
Store locked up.  
Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

### 2.3. Other hazards which do not result in classification

Other hazards which do not result in classification : This product is toxic to aquatic organisms, including fish and invertebrates. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product is considered hazardous.

### 2.4. Unknown acute toxicity (GHS US)

Not applicable

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%
Permethrin	(CAS-No.) 52645-53-1	0.2
Pyrethrins	(CAS-No.) 8003-34-7	0.2
Piperonyl butoxide	(CAS-No.) 51-03-6	0.5
N-Octyl Bicycloheptene Dicarboximide	(CAS-No.) 113-48-4	2
Di-n-propyl Isocinchomeronate	(CAS-No.) 136-45-8	1
Butoxy Polypropylene Glycol	(CAS-No.) 9003-13-8	5
Isopropyl alcohol	(CAS-No.) 67-63-0	85 – 90
Non hazardous ingredients	(CAS-No.) N/A	Balance

Comments : \* The exact percentage (concentration) of composition has been withheld as a trade secret.

## SECTION 4: First-aid measures

### 4.1. Description of first aid measures

First-aid measures general : Call a poison center or a doctor if you feel unwell.  
First-aid measures after inhalation : IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.  
First-aid measures after skin contact : IF ON SKIN: Wash with plenty of soap and water. Rinse skin with water/shower. Take off immediately all contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.  
First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice and attention.  
First-aid measures after ingestion : IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth. Do NOT induce vomiting unless directed to do so by medical personnel.

### 4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects : May cause drowsiness or dizziness.  
Symptoms/effects after skin contact : May cause an allergic reaction in individuals with a sensitivity to n-octyl bicycloheptene dicarboximide.  
Symptoms/effects after eye contact : Causes serious eye irritation.

### 4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

## SECTION 5: Fire-fighting measures

### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Carbon dioxide. Alcohol-resistant foam.  
Unsuitable extinguishing media : Avoid heavy hose streams.

# Equicare Flysect Super-7 Repellant Spray

## Safety Data Sheet

### 5.2. Specific hazards arising from the chemical

- Fire hazard : Highly flammable liquid and vapor.
- Explosion hazard : Air/vapor mixtures may explode when ignited. Containers may explode when heated. Vapors may travel to source of ignition and flash back.
- Reactivity : Non-reactive under normal handling and storage conditions.

### 5.3. Special protective equipment and precautions for fire-fighters

- Firefighting instructions : Do not allow fire fighting water to escape into waterways or sewers. As an immediate precautionary measure, isolate spill or leak area for at least 50 meters (150 feet) in all directions. Do not use direct stream of water. A direct stream of water may spread fire. Ventilate closed spaces before entering. Do not breathe gas/fumes/vapor/spray. Large fires: Dike fire control water for later disposal. Eliminate all ignition sources if safe to do so. Keep unauthorized personnel away. Stay upwind.
- Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

- Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid breathing fume/mist/vapors/spray. Avoid contact with skin and eyes.

#### 6.1.2. For emergency responders

- Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: Exposure controls/personal protection.
- Emergency procedures : ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Take precautionary measures against static discharge. Turn off electric power to area. Use grounded electrical/mechanical equipment. Ventilate area. Wear appropriate personal protective equipment, avoid direct contact. Stay upwind.

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

- Methods for cleaning up : Absorb spills with an inert material, clay granules or other inert absorbent material and put in container for disposal. All equipment used when handling the product must be grounded. Use clean, non-sparking tools to collect absorbed material. Use appropriate PPE.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

- Precautions for safe handling : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapors may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Use only outdoors or in a well-ventilated area. Avoid breathing fume/mist/vapors/spray. Avoid contact with skin and eyes.
- Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : Ground/bond container and receiving equipment.
- Storage conditions : Store in a well-ventilated place. Keep container tightly closed. Store locked up. Do not store near heat or open flame. Keep cool. Protect from sunlight.
- Incompatible materials : Aluminium. Strong acids. Strong oxidizers. Strong bases.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

Pyrethrins (8003-34-7)		
ACGIH	ACGIH OEL TWA	5 mg/m <sup>3</sup>
ACGIH	Remark (ACGIH)	Liver dam; LRT irr
OSHA	OSHA PEL TWA	5 mg/m <sup>3</sup>
IDLH	IDLH	5000 mg/m <sup>3</sup>
NIOSH	NIOSH REL TWA	5 mg/m <sup>3</sup>

# Equicare Flysect Super-7 Repellant Spray

## Safety Data Sheet

Isopropyl alcohol (67-63-0)		
ACGIH	ACGIH OEL TWA	200 ppm
ACGIH	ACGIH OEL STEL	400 ppm
ACGIH	Remark (ACGIH)	Eye & URT irr; CNS impair
OSHA	OSHA PEL TWA	980 mg/m <sup>3</sup>
OSHA	OSHA PEL TWA	400 ppm
IDLH	IDLH	2000 ppm (10% LEL)
NIOSH	NIOSH REL TWA	980 mg/m <sup>3</sup>
NIOSH	NIOSH REL TWA	400 ppm
NIOSH	NIOSH REL STEL	1225 mg/m <sup>3</sup>
NIOSH	NIOSH REL STEL	500 ppm

### 8.2. Appropriate engineering controls

- Appropriate engineering controls : Adequate ventilation systems as needed to control concentrations of airborne contaminants below applicable threshold limit values.
- Environmental exposure controls : Avoid release to the environment.

### 8.3. Individual protection measures/Personal protective equipment

#### Hand protection:

Wear chemical resistant gloves

#### Eye protection:

Chemical goggles or safety glasses

#### Skin and body protection:

Wear suitable protective clothing

#### Respiratory protection:

In case of insufficient ventilation, use NIOSH approved respiratory protection.



## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Light yellow liquid
Colour	: Light yellow
Odour	: Alcohol
Odour threshold	: No data available
pH	: 5.4 (10% aq. solution)
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: Initial boiling point/range: 82.5 °C (180.5 °F) (Isopropyl alcohol)
Flash point	: 12 °C (54 °F) TCC
Relative evaporation rate (butylacetate=1)	: No data available
Flammability	: Not applicable
Vapour pressure	: No data available
Relative vapour density at 20°C	: No data available
Relative density	: 0.811 @ 20 °C (68 °F)

# Equicare Flysect Super-7 Repellent Spray

## Safety Data Sheet

Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: < 50 cP @ 20 °C (68 °F)
Explosive limits	: Lower explosion limit: 2 vol % (Isopropyl alcohol) Upper explosion limit: 12.7 vol % (Isopropyl alcohol)
Explosive properties	: Not explosive
Oxidising properties	: Not applicable

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Non-reactive under normal handling and storage conditions.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use. Hazardous polymerization will not occur.

### 10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

### 10.5. Incompatible materials

Aluminium. Strong acids. Strong bases. Strong oxidizing agents.

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Decomposes upon heating to produce toxic vapors/gases which include oxides of carbon.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

<b>Permethrin (52645-53-1)</b>	
LD50 oral rat	adult female LD50 • 2280 mg/kg; adult male LD50 • 3580 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 Inhalation - Rat	5.3 mg/l/4h
<b>Pyrethrins (8003-34-7)</b>	
LD50 oral rat	2370 mg/kg Adult male; 1030 mg/kg Adult female
LD50 dermal rat	2000 mg/kg
LC50 Inhalation - Rat	3.4 mg/l/4h
<b>Piperonyl butoxide (51-03-6)</b>	
LD50 oral rat	4300 mg/kg
LD50 dermal rat	> 2000 mg/kg
LC50 Inhalation - Rat	> 5 mg/l/4h
<b>N-Octyl Bicycloheptene Dicarboximide (113-48-4)</b>	
LD50 oral rat	5000 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
LC50 Inhalation - Rat	1.98 mg/l/4h
<b>Di-n-propyl Isocinchomeronate (136-45-8)</b>	
LD50 oral rat	5230 mg/kg
LD50 dermal rabbit	9400 mg/kg
LC50 Inhalation - Rat	> 6.09 mg/l/4h
<b>Butoxy Polypropylene Glycol (9003-13-8)</b>	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg

# Equicare Flysect Super-7 Repellant Spray

## Safety Data Sheet

<b>Butoxy Polypropylene Glycol (9003-13-8)</b>	
LC50 Inhalation - Rat	> 2.62 mg/l

GHS-US Properties	Classification
Acute toxicity (oral)	Not classified
Acute toxicity (dermal)	Not classified
Acute toxicity (inhalation)	Not classified
Skin corrosion/irritation	Not classified
Serious eye damage/irritation	Causes serious eye irritation.
Respiratory or skin sensitisation	May cause an allergic skin reaction.
Germ cell mutagenicity	Not classified
Carcinogenicity	Not classified
Reproductive toxicity	Not classified
Specific target organ toxicity (single exposure)	May cause drowsiness or dizziness.
Specific target organ toxicity (repeated exposure)	Not classified
Aspiration hazard	Not classified

### Potential health effects

#### Inhalation

Acute : May cause respiratory tract irritation. Causes drowsiness and dizziness.

#### Skin

Acute : May cause mild skin irritation. Contact with permethrin may cause reversible skin sensations (paresthesia) which may include numbing, burning or tingling. May cause an allergic reaction in individuals with a sensitivity to n-octyl bicycloheptene dicarboximide.

#### Eye

Acute : Causes serious eye irritation.

#### Ingestion

Acute : Under normal conditions of use, no health effects are expected.

#### Mutagenicity

: Permethrin was not mutagenic or genotoxic in a battery of in vitro and in vivo tests. Pyrethrins were not found to be genotoxic and did not damage DNA in any study conducted which included: Ames assay, chromosome aberration in Chinese hamster ovaries (CHO) cells and in the unscheduled DNA synthesis (UDS) assay in cultured human liver cells. Piperonyl butoxide was not mutagenic in a battery of tests. N-octyl bicycloheptene dicarboximide was concluded to be negative in the CHO chromosome aberration assay. Di-n-propyl isocinchomeronate is not a mutagen. Butoxy polypropylene glycol is not a mutagen.

#### Carcinogenicity

: Permethrin is not classified as carcinogen by OSHA, IARC or NTP. Pyrethrins are not listed as a carcinogen by OSHA, IARC, or NTP. Piperonyl butoxide is not classified as a carcinogen by IARC, NTP, OSHA. N-octyl bicycloheptene dicarboximide is not listed by OSHA, IARC or NTP as a carcinogen. Di-n-propyl isocinchomeronate is classified by US EPA as a B2-probable human carcinogen, it is not listed by OSHA, IARC or NTP. Butoxy polypropylene glycol is not listed as a carcinogen by OSHA, IARC or NTP.

#### Reproductive Effects

: Permethrin does not cause birth defects or adverse effects on reproduction. Pyrethrins did not produce any birth defects or adverse effects on reproductive parameters in tests with rats and rabbits. Piperonyl butoxide did not produce any birth defects or adverse effects on reproductive parameters in tests with rats and rabbits. N-octyl bicycloheptene dicarboximide has been tested and is not a reproductive toxin. Di-n-propyl isocinchomeronate showed adverse effects on reproduction in laboratory animals. Butoxy polypropylene glycol does not cause birth defects.

## SECTION 12: Ecological information

### 12.1. Toxicity

<b>Permethrin (52645-53-1)</b>	
LC50 Acute fish 1	0.00079 mg/l (Exposure time: 96h - Blue gill)
LC50 Acute fish 2	0.0022 mg/l (Exposure time: 96h - Atlantic silverside)
LC50 Acute crustacea 1	0.000019 mg/l (Exposure time: 96h - Mysid shrimp)
LC50 Acute crustacea 2	0.0001 mg/l (Hexagenia bilineuta)
NOEC Chronic fish 1	0.0003 mg/l
NOEC Chronic fish 2	0.00083 mg/l (Sheepshead minnow)
NOEC Chronic crustacea 1	0.000039 mg/l (Daphnia magna)
NOEC Chronic crustacea 2	0.000011 mg/l (Mysid shrimp)

# Equicare Flysect Super-7 Repellant Spray

## Safety Data Sheet

<b>Pyrethrins (8003-34-7)</b>	
LC50 Acute fish 1	0.0051 mg/l (Exposure time: 96h - Rainbow trout)
LC50 Acute fish 2	0.016 mg/l (Exposure time: 96h - Sheepshead minnow)
LC50 Acute crustacea 1	0.0014 mg/l (Exposure time: 96h - Mysid shrimp)
LC50 Acute crustacea 2	0.0116 mg/l (Exposure time: 48h Daphnia)
NOEC Chronic fish 1	0.0019 mg/l (Fathead minnow)
NOEC Chronic fish 2	0.0059 mg/l (Sheepshead minnow - Estimated)
NOEC Chronic crustacea 1	0.00086 mg/l (Daphnia magna)
NOEC Chronic crustacea 2	0.0001 mg/l (Mysid shrimp - Estimated)
<b>Piperonyl butoxide (51-03-6)</b>	
LC50 Acute fish 1	1.9 mg/l (Rainbow trout)
LC50 Acute fish 2	3.94 mg/l (Sheepshead minnow)
LC50 Acute crustacea 1	0.49 mg/l (Mysid shrimp)
LC50 Acute crustacea 2	0.51 mg/l (Gammarus fasciatus (amphipod))
NOEC Chronic fish 1	0.04 mg/l (Fathead minnow)
NOEC Chronic crustacea 1	0.03 mg/l (Daphnia magna)
<b>N-Octyl Bicycloheptene Dicarboximide (113-48-4)</b>	
LC50 Acute fish 1	1.4 – 2.4 mg/l
EC50 - Crustacea [1]	2.3 mg/l (Exposure time: 48h - Daphnia magna)
<b>Di-n-propyl Isocinchomeronate (136-45-8)</b>	
LC50 Acute fish 1	1 mg/l (Exposure time: na - Rainbow trout)
LC50 Acute fish 2	0.44 mg/l (Exposure time: 96h - Blue gill)
LC50 Acute crustacea 1	18 mg/l (Exposure time: 48h Daphnia)

### 12.2. Persistence and degradability

<b>Permethrin (52645-53-1)</b>	
Persistence and degradability	Permethrin: not rapidly biodegradable.
<b>Pyrethrins (8003-34-7)</b>	
Persistence and degradability	Pyrethrins have low persistence in the environment due to rapid breakdown in presence of UV light.

### 12.3. Bioaccumulative potential

<b>Permethrin (52645-53-1)</b>	
Partition coefficient n-octanol/water (Log Pow)	5.95
Bioaccumulative potential	Permethrin: Bioconcentration factor (BCF) 300; Does not bioaccumulate.
<b>N-Octyl Bicycloheptene Dicarboximide (113-48-4)</b>	
Bioconcentration factor (BCF REACH)	330
Partition coefficient n-octanol/water (Log Kow)	3.62

### 12.4. Mobility in soil

<b>Permethrin (52645-53-1)</b>	
Mobility in soil	Permethrin: Immobile in soil

### 12.5. Other adverse effects

<b>Equicare Flysect Super-7 Repellant Spray</b>	
Ecological Fate	This product is toxic to aquatic organisms, including fish and invertebrates. This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds.

## SECTION 13: Disposal considerations

### 13.1. Disposal methods

Product/Packaging disposal recommendations : Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

# Equicare Flysect Super-7 Repellant Spray

## Safety Data Sheet

Additional information : Flammable vapors may accumulate in the container.

### SECTION 14: Transport information

	UN number	Proper Shipping Name	Transport hazard class(es)	Packing group	Environmental hazards
<b>DOT</b>	UN1219	Isopropanol solution	3	II	RQ = Pyrethrins = 1 lb.
<b>IMDG</b>	UN1219	Isopropanol Solution (Permethrin, pyrethrins)	3	II	Marine pollutant
<b>IATA</b>	UN1219	Isopropanol solution	3	II	Not applicable

### SECTION 15: Regulatory information

#### 15.1. US Federal regulations

<b>Permethrin (52645-53-1)</b>	
Subject to reporting requirements of United States SARA Section 313	
SARA Section 313 - Emission Reporting	1 %
<b>Pyrethrins (8003-34-7)</b>	
CERCLA RQ	1 lb listed under Pyrethrins
<b>Piperonyl butoxide (51-03-6)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313	
SARA Section 313 - Emission Reporting	1 %
<b>Di-n-propyl Isocinchomerate (136-45-8)</b>	
Subject to reporting requirements of United States SARA Section 313	
SARA Section 313 - Emission Reporting	1 %
<b>Butoxy Polypropylene Glycol (9003-13-8)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
EPA TSCA Regulatory Flag	XU - XU - indicates a substance exempt from reporting under the Chemical Data Reporting Rule, (40 CFR 711).
<b>Isopropyl alcohol (67-63-0)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313	
SARA Section 313 - Emission Reporting	1 % (only if manufactured by the strong acid process, no supplier notification)
<b>EPA Labelling</b>	
EPA Registration Number	270-300
This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.	
FIFRA Hazard statements	<b>Caution</b>
FIFRA Precautionary statements	KEEP OUT OF REACH OF CHILDREN.
FIFRA Hazards to Humans and Domestic Animals	Humans: Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Animals: Avoid contact with eyes or mucous membranes.
FIFRA First aid	If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. If on skin or clothing: If you suspect a reaction to this product: Discontinue use. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for further treatment advice.
FIFRA Environmental hazards	This product is toxic to aquatic organisms, including fish and invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the

# Equicare Flysect Super-7 Repellant Spray

## Safety Data Sheet

	treatment area. This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.
FIFRA Physical hazards	Flammable. Keep away from heat or open flame. Contains alcohol. Do not apply to painted or finished wood surfaces

### 15.2. US State regulations

No additional information available

## SECTION 16: Other information

Issue date : 30 August 2016  
Revision date : 15 November 2024  
Supersedes : 28 June 2024

Indication of changes:

Revised Sec. 1: Material number(s).

SDS US (GHS HazCom 2012) - CGP

*The information and statements herein are believed to be reliable but are not to be construed as a warranty or representation for which we assume legal responsibility. Users should undertake sufficient verification and testing to determine the suitability for their own particular purpose of any information or products referred to herein. NO WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE IS MADE.*