



Equicare Flysect Citronella Spray With Lanolin

Safety Data Sheet

Issue date: 07/23/2009

Revision date: 10/09/2024

Supersedes: 09/07/2023

Version: 1.4

SECTION 1: Identification

1.1. Identification

Product form : Mixture
Name : Equicare Flysect Citronella Spray With Lanolin
Synonyms : 11302, 100551177, EPA Reg. No.: 270-302

1.2. Recommended use and restrictions on use

Recommended use : Insecticide.
Restrictions on use : Avoid contact with eyes and clothing. Do NOT take internally. Do not use or store near heat or open flame. Keep out of reach of children. Avoid inhalation of vapors or fumes.

1.3. Supplier

Farnam Companies, Inc.
1501 E. Woodfield Road, Suite 200W
Schaumburg, IL 60173

www.farnam.com

1.4. Emergency telephone number

Emergency number : 1-800-234-2269
1-800-424-9300 - CHEMTREC
1-703-527-3887 - CHEMTREC - Outside North America - Collect Calls Accepted

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Flammable liquids Category 4	Combustible liquid
Skin corrosion/irritation Category 2	Causes skin irritation
Skin sensitization, Category 1	May cause an allergic skin reaction
Specific target organ toxicity – Single exposure, Category 3, Narcosis	May cause drowsiness or dizziness
Aspiration hazard Category 1	May be fatal if swallowed and enters airways

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US) :



GHS07

GHS08

Signal word (GHS US) :

Danger

Hazard statements (GHS US) :

Combustible liquid
May be fatal if swallowed and enters airways
Causes skin irritation
May cause an allergic skin reaction
May cause drowsiness or dizziness

Precautionary statements (GHS US) :

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Avoid breathing dust/fume/gas/mist/vapors/spray.
Wash hands, forearms and face thoroughly after handling.
Use only outdoors or in a well-ventilated area.
Contaminated work clothing must not be allowed out of the workplace.
Wear protective gloves/protective clothing/eye protection/face protection.
If swallowed: Immediately call poison center or doctor.
IF ON SKIN: Wash with plenty of water.
If inhaled: Remove person to fresh air and keep comfortable for breathing.
Call poison center or doctor if you feel unwell.
Do NOT induce vomiting.
If skin irritation or rash occurs: Get medical advice/attention.
Take off contaminated clothing and wash it before reuse.
In case of fire: Use Dry chemical, CO₂, alcohol-resistant foam to extinguish.

Equicare Flysect Citronella Spray With Lanolin

Safety Data Sheet

Keep container tightly closed.
Store locked up.
Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

2.3. Other hazards which do not result in classification

Other hazards which do not result in classification : This pesticide is toxic to aquatic organisms, including fish and invertebrates. This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product is considered hazardous.

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%
Pyrethrins	(CAS-No.) 8003-34-7	0.1
Distillates (petroleum), hydrotreated light	(CAS-No.) 64742-47-8	65 – 85
Citronella oil	(CAS-No.) 8000-29-1	1
Non-hazardous and/or does not meet criteria for classification	(CAS-No.) N/A	Balance
Piperonyl Butoxide	(CAS-No.) 51-03-6	1

Comments : * The concentration shown as a range to protect confidentiality or is due to the product variation

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : IF INHALED: Remove person to fresh air and keep comfortable for breathing. Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

First-aid measures after skin contact : IF ON SKIN: Wash with plenty of soap and water. Wash skin with plenty of water. If skin irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice and attention.

First-aid measures after ingestion : IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Call a poison center/doctor/physician if you feel unwell. Rinse mouth. Do NOT induce vomiting unless directed to do so by medical personnel.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after inhalation : May cause drowsiness or dizziness.

Symptoms/effects after skin contact : May cause an allergic skin reaction. Causes skin irritation.

Symptoms/effects after ingestion : Aspiration Hazard - may be fatal if swallowed and enters airways.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Dry chemical, CO₂, alcohol-resistant foam.

Unsuitable extinguishing media : Avoid heavy hose streams.

5.2. Specific hazards arising from the chemical

Fire hazard : The vapors are denser than air and may travel along the ground. Distance ignition is possible. Vapors may travel to source of ignition and flash back.

Reactivity : The product is non-reactive under normal conditions of use, storage and transport.

5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

Equicare Flysect Citronella Spray With Lanolin

Safety Data Sheet

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid breathing vapors or fumes. Avoid contact with skin, eyes and clothing. No open flames, no sparks, and no smoking.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: Exposure controls/personal protection.

Emergency procedures : As an immediate precautionary measure, isolate spill or leak area for at least 50 meters (150 feet) in all directions. Do NOT wash away into sewer. Avoid release to the environment. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Evacuate unnecessary personnel. Stay upwind. Stop leak if safe to do so. Ventilate area. Wear appropriate personal protective equipment, avoid direct contact.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Absorb spills with an inert material, clay granules or other inert absorbent material and put in container for disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment. Avoid breathing vapor or spray mist. Avoid contact with skin, eyes and clothing. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool. Do not store at temperatures exceeding 130° F. Do not store below 32°F. Do not store near heat or open flame. Do not store near oxidizing agents.

Incompatible materials : Heat, sparks, open flame. Strong oxidizers.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Pyrethrins (8003-34-7)		
ACGIH	ACGIH OEL TWA	5 mg/m ³
ACGIH	Remark (ACGIH)	Liver dam; LRT irr
OSHA	OSHA PEL TWA	5 mg/m ³
IDLH	IDLH	5000 mg/m ³
NIOSH	NIOSH REL TWA	5 mg/m ³
Distillates (petroleum), hydrotreated light (64742-47-8)		
ACGIH	ACGIH OEL TWA	200 mg/m ³ (as total hydrocarbon) 8 hours

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station. Adequate ventilation systems as needed to control concentrations of airborne contaminants below applicable threshold limit values.

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Equicare Flysect Citronella Spray With Lanolin

Safety Data Sheet

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Pale yellow to amber liquid
Color	: Yellow to amber
Odor	: Moderate
Odor threshold	: No data available
pH	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 175.1 °F
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability	: Not applicable
Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available
Relative density	: 0.81 g/ml
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: < 10 cP
Explosion limits	: No data available
Explosive properties	: Not explosive
Oxidizing properties	: Not applicable

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use. Hazardous polymerization will not occur.

10.4. Conditions to avoid

Avoid excessive heat and freezing conditions. Avoid open fire or flames.

10.5. Incompatible materials

Strong oxidizing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Decomposes upon heating to produce toxic vapors/gases which include carbon dioxide.

Equicare Flysect Citronella Spray With Lanolin

Safety Data Sheet

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Pyrethrins (8003-34-7)	
LD50 oral rat	2370 mg/kg Adult male; 1030 mg/kg Adult female
LD50 dermal rat	2000 mg/kg
LC50 Inhalation - Rat	3.4 mg/l/4h
Citronella oil (8000-29-1)	
LD50 oral rat	2420 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
LC50 Inhalation - Rat	> 3.1 mg/l/4h
Piperonyl Butoxide (51-03-6)	
LD50 oral rat	4300 mg/kg
LD50 dermal rat	> 2000 mg/kg
LC50 Inhalation - Rat	> 5 mg/l

GHS-US Properties	Classification
Acute toxicity (oral)	Not classified
Acute toxicity (dermal)	Not classified
Acute toxicity (inhalation)	Not classified
Skin corrosion/irritation	Causes skin irritation.
Serious eye damage/irritation	Not classified
Respiratory or skin sensitization	May cause an allergic skin reaction.
Germ cell mutagenicity	Not classified
Carcinogenicity	Not classified
Reproductive toxicity	Not classified
Specific target organ toxicity (single exposure)	May cause drowsiness or dizziness.
Specific target organ toxicity (repeated exposure)	Not classified
Aspiration hazard	May be fatal if swallowed and enters airways.

Potential health effects

Inhalation

Acute : May cause drowsiness and dizziness.

Skin

Acute : Causes skin irritation. May cause an allergic reaction in individuals with a sensitivity to Citronella oil.

Eye

Acute : May cause mild eye irritation.

Ingestion

Acute : Aspiration Hazard - may be fatal if swallowed and enters airways.

Mutagenicity

: Pyrethrins were not found to be genotoxic and did not damage DNA in any study conducted which included: Ames assay, chromosome aberration in Chinese hamster ovaries (CHO) cells and in the unscheduled DNA synthesis (UDS) assay in cultured human liver cells. Piperonyl butoxide was not mutagenic in a battery of tests. Butoxy polypropylene glycol is not a mutagen.

Carcinogenicity

: Pyrethrins are not listed as a carcinogen by OSHA, IARC, or NTP. Piperonyl butoxide is not classified as a carcinogen by IARC, NTP, OSHA. Butoxy polypropylene glycol is not listed as a carcinogen by OSHA, IARC or NTP.

Reproductive Effects

: Pyrethrins did not produce any birth defects or adverse effects on reproductive parameters in tests with rats and rabbits. Piperonyl butoxide did not produce any birth defects or adverse effects on reproductive parameters in tests with rats and rabbits. Butoxy polypropylene glycol does not cause birth defects.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : This pesticide is toxic to aquatic organisms, including fish and invertebrates. This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds.

Pyrethrins (8003-34-7)	
LC50 Acute fish 1	0.0051 mg/l (Exposure time: 96h - Rainbow trout)

Equicare Flysect Citronella Spray With Lanolin

Safety Data Sheet

Pyrethrins (8003-34-7)	
LC50 Acute fish 2	0.016 mg/l (Exposure time: 96h - Sheepshead minnow)
LC50 Acute crustacea 1	0.0014 mg/l (Exposure time: 96h - Mysid shrimp)
LC50 Acute crustacea 2	0.0116 mg/l (Exposure time: 48h Daphnia)
NOEC Chronic fish 1	0.0019 mg/l (Fathead minnow)
NOEC Chronic fish 2	0.0059 mg/l (Sheepshead minnow - Estimated)
NOEC Chronic crustacea 1	0.00086 mg/l (Daphnia magna)
NOEC Chronic crustacea 2	0.0001 mg/l (Mysid shrimp - Estimated)

Distillates (petroleum), hydrotreated light (64742-47-8)	
LC50 Acute fish 2	2.2 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])

Citronella oil (8000-29-1)	
LC50 Acute fish 1	> 17.3 mg/l (Exposure time: na - Rainbow trout)
EC50 - Crustacea [1]	> 26.4 mg/l (Exposure time: na - Daphnia magna)

Piperonyl Butoxide (51-03-6)	
LC50 Acute fish 1	1.9 mg/l Rainbow trout
LC50 Acute fish 2	3.94 mg/l (Sheepshead minnow)
LC50 Acute crustacea 1	0.49 mg/l (Mysid shrimp)
LC50 Acute crustacea 2	0.51 mg/l Gammarus fasciatus (amphipod)
NOEC Chronic fish 1	0.04 mg/l (Fathead minnow)
NOEC Chronic crustacea 1	0.03 mg/l (Daphnia magna)

12.2. Persistence and degradability

Pyrethrins (8003-34-7)	
Persistence and degradability	Pyrethrins have low persistence in the environment due to rapid breakdown in presence of UV light.

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1. Disposal methods

Product/Packaging disposal recommendations : Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

SECTION 14: Transport information

	UN number	Proper Shipping Name	Transport hazard class(es)	Packing group	Environmental hazards
DOT	NA1993	Bulk Packaging only: Combustible liquid, n.o.s. (Petroleum distillates)	Combustible liquid	III	RQ = Pyrethrins = 1 lb.
IMDG	UN3082	Packaging 5 L or greater: Environmentally hazardous substance, liquid, n.o.s (Pyrethrins, Piperonyl butoxide)	9	III	Marine pollutant
IATA	UN3082	Packaging 5 L or greater: Environmentally hazardous substance, liquid, n.o.s (Pyrethrins, Piperonyl butoxide)	9	III	Acute aquatic toxicity

SECTION 15: Regulatory information

15.1. US Federal regulations

Pyrethrins (8003-34-7)	
CERCLA RQ	1 lb listed under Pyrethrins

Equicare Flysect Citronella Spray With Lanolin

Safety Data Sheet

Distillates (petroleum), hydrotreated light (64742-47-8)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Citronella oil (8000-29-1)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Piperonyl Butoxide (51-03-6)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313	
SARA Section 313 - Emission Reporting	1 %
EPA Labelling	
EPA Registration Number	270-302
This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.	
FIFRA Hazard statements	Caution
FIFRA Precautionary statements	KEEP OUT OF REACH OF CHILDREN.
FIFRA Hazards to Humans and Domestic Animals	Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.
FIFRA First aid	IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. IF SWALLOWED: Immediately call a poison control center or doctor for treatment advice. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice. In case of medical emergencies or health and safety inquiries, or in case of fire, leaking or damaged containers or for product use information, call 800-234-2269. Have the product container or label with you when calling a poison control center or doctor or going for treatment. NOTE TO PHYSICIAN: Contains petroleum distillate – vomiting may cause aspiration pneumonia.
FIFRA Environmental hazards	This product is toxic to aquatic organisms, including fish and invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are foraging the treatment area.

15.2. US State regulations

No additional information available

SECTION 16: Other information

Issue date	: 23 July 2009
Revision date	: 09 October 2024
Supersedes	: 07 September 2023

Indication of changes:

Revised Sec. 1: Revised material number(s). Revised Sec. 3.2: Composition table format. Sec. 14: Revised transportation description.

SDS US (GHS HazCom 2012) - CGP

The information and statements herein are believed to be reliable but are not to be construed as a warranty or representation for which we assume legal responsibility. Users should undertake sufficient verification and testing to determine the suitability for their own particular purpose of any information or products referred to herein. NO WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE IS MADE.