



**Valvoline™**  
**Global**

**SAFETY DATA SHEET**  
ZEREX™ ASIAN VEHICLE BLUE 50/50  
Antifreeze Coolant

Version: 2.1

Revision Date: 03/04/2024

Print Date:  
04/13/2025

---

**SECTION 1. IDENTIFICATION**

Product name : ZEREX™ ASIAN VEHICLE BLUE 50/50  
Antifreeze Coolant

Product code : 861398

**Manufacturer or supplier's details**

Company name of supplier : Valvoline Global Operations

Address : 100 Valvoline Way  
Lexington, KY 40509  
United States of America (USA)

Telephone : 1-800-TEAMVAL (1-800-832-6825)

E-mail address : SDS@valvolineglobal.com

Emergency telephone number : +1-800-VALVOLINE (+1-800-825-8654)

---

**SECTION 2. HAZARDS IDENTIFICATION**

**GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)**

Acute toxicity (Oral) : Category 4

Specific target organ toxicity - repeated exposure (Oral) : Category 2 (Kidney)

**GHS label elements**

Hazard pictograms :



Signal word : Warning

Hazard statements : H302 Harmful if swallowed.  
H373 May cause damage to organs (Kidney) through prolonged or repeated exposure if swallowed.

Precautionary statements : **Prevention:**  
P260 Do not breathe mist or vapours.



**SAFETY DATA SHEET**  
ZEREX™ ASIAN VEHICLE BLUE 50/50  
Antifreeze Coolant

Version: 2.1

Revision Date: 03/04/2024

Print Date:  
04/13/2025

P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.

**Response:**

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.  
P314 Get medical advice/ attention if you feel unwell.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards**

None known.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

**Components**

Chemical name	CAS-No.	Concentration (% w/w)
ethanediol	107-21-1	>= 30 - < 50
sodium benzoate	532-32-1	>= 1 - < 5
dipotassium hydrogenorthophosphate	7758-11-4	>= 0.1 - < 1
sodium nitrate	7631-99-4	>= 0.1 - < 1

Actual concentration is withheld as a trade secret

**SECTION 4. FIRST AID MEASURES**

- General advice : Move out of dangerous area.  
Show this safety data sheet to the doctor in attendance.  
Do not leave the victim unattended.
- If inhaled : If unconscious, place in recovery position and seek medical advice.  
If symptoms persist, call a physician.
- In case of eye contact : Flush eyes with water as a precaution.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.  
Do NOT induce vomiting.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.  
Take victim immediately to hospital.



**SAFETY DATA SHEET**  
ZEREX™ ASIAN VEHICLE BLUE 50/50  
Antifreeze Coolant

Version: 2.1

Revision Date: 03/04/2024

Print Date:  
04/13/2025

---

Most important symptoms and effects, both acute and delayed	:	No symptoms known or expected. Harmful if swallowed. May cause damage to organs through prolonged or repeated exposure if swallowed.
Notes to physician	:	No hazards which require special first aid measures. Treat symptomatically.

---

**SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable extinguishing media	:	High volume water jet
Hazardous combustion products	:	No hazardous combustion products are known
Further information	:	Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if necessary.

---

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures	:	Refer to protective measures listed in sections 7 and 8. Use personal protective equipment.
Environmental precautions	:	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

---

**SECTION 7. HANDLING AND STORAGE**

Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Advice on safe handling	:	Do not breathe vapours/dust. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area.



**Valvoline™**  
**Global**

**SAFETY DATA SHEET**  
ZEREX™ ASIAN VEHICLE BLUE 50/50  
Antifreeze Coolant

Version: 2.1

Revision Date: 03/04/2024

Print Date:  
04/13/2025

Conditions for safe storage : Dispose of rinse water in accordance with local and national regulations.  
: Keep container tightly closed in a dry and well-ventilated place.  
Electrical installations / working materials must comply with the technological safety standards.

Further information on storage stability : No decomposition if stored and applied as directed.

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Components with workplace control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
ethanediol	107-21-1	TWA (Vapour)	25 ppm	ACGIH
		STEL (Vapour)	50 ppm	ACGIH
		STEL (Inhalable fraction, Aerosol only)	10 mg/m3	ACGIH
		C	50 ppm 125 mg/m3	OSHA P0
sodium benzoate	532-32-1	TWA (Inhalable particulate matter)	2.5 mg/m3	ACGIH

**Personal protective equipment**

Respiratory protection : No personal respiratory protective equipment normally required.

Hand protection

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water  
Tightly fitting safety goggles

Skin and body protection : Impervious clothing  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures : When using do not eat or drink.  
When using do not smoke.  
Wash hands before breaks and at the end of workday.



**Valvoline™**  
**Global**

**SAFETY DATA SHEET**  
ZEREX™ ASIAN VEHICLE BLUE 50/50  
Antifreeze Coolant

Version: 2.1

Revision Date: 03/04/2024

Print Date:  
04/13/2025

---

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance	:	liquid
Odour	:	No data available
Odour Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Boiling point/boiling range	:	212 °F / 100 °C (1,013.33 hPa) Calculated Phase Transition Liquid/Gas
Flash point	:	> 250 °F / > 121 °C
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Self-ignition	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	23.33 hPa (68 °F / 20 °C) Calculated Vapor Pressure
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies)		
Water solubility	:	No data available
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Decomposition temperature	:	No data available



**Valvoline™**  
**Global**

**SAFETY DATA SHEET**  
ZEREX™ ASIAN VEHICLE BLUE 50/50  
Antifreeze Coolant

Version: 2.1

Revision Date: 03/04/2024

Print Date:  
04/13/2025

Viscosity  
Viscosity, dynamic : No data available  
Viscosity, kinematic : No data available  
Oxidizing properties : No data available

---

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No decomposition if stored and applied as directed.  
Chemical stability : No decomposition if stored and applied as directed.  
Possibility of hazardous reactions : No decomposition if stored and applied as directed.  
Conditions to avoid : excessive heat  
Exposure to moisture  
Incompatible materials : Aldehydes  
Alkali metals  
Alkaline earth metals  
iron salts  
Strong acids  
strong alkalis  
Strong oxidizing agents  
Sulphur compounds  
Hazardous decomposition products : No hazardous decomposition products are known.

---

**SECTION 11. TOXICOLOGICAL INFORMATION**

**Acute toxicity**

Harmful if swallowed.

**Product:**

Acute oral toxicity : Acute toxicity estimate: 1,014 mg/kg  
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg  
Method: Calculation method

**Components:**

**ethanediol:**

Acute oral toxicity : LD0 (Human): estimated 1.56 g/kg

Assessment: The component/mixture is moderately toxic after single ingestion.

Acute inhalation toxicity : LC50 (Rat): 10.9 mg/l



**Valvoline™**  
**Global**

**SAFETY DATA SHEET**  
ZEREX™ ASIAN VEHICLE BLUE 50/50  
Antifreeze Coolant

Version: 2.1

Revision Date: 03/04/2024

Print Date:  
04/13/2025

Exposure time: 1 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): 9,530 mg/kg

Acute toxicity (other routes of administration) : LD50 (Rat): 5,010 mg/kg  
Application Route: Intraperitoneal

LD50 (Rat): 3,260 mg/kg  
Application Route: Intravenous

**sodium benzoate:**

Acute oral toxicity : LD50 (Rat, male and female): 3,450 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 12.2 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Remarks: The toxicological data has been taken from products of similar composition.

**dipotassium hydrogenorthophosphate:**

Acute oral toxicity : LD50 (Rat): > 500 mg/kg

LD50 (Rat, female): > 2,000 mg/kg  
Method: OECD Test Guideline 420  
Assessment: The substance or mixture has no acute oral toxicity

Acute dermal toxicity : LD50 (Rabbit): > 300 mg/kg

LD50 (Rabbit): > 5,000 mg/kg  
Method: OECD Test Guideline 402

**sodium nitrate:**

Acute oral toxicity : LD50 (Rat): ca. 3,430 mg/kg  
Method: OECD Test Guideline 401

**Skin corrosion/irritation**

Not classified due to lack of data.

**Components:**

**ethanediol:**

Species : Rabbit



**Valvoline™**  
**Global**

**SAFETY DATA SHEET**  
ZEREX™ ASIAN VEHICLE BLUE 50/50  
Antifreeze Coolant

Version: 2.1

Revision Date: 03/04/2024

Print Date:  
04/13/2025

Result : No skin irritation

**sodium benzoate:**

Assessment : Slight, transient irritation

Result : Slight, transient irritation

**dipotassium hydrogenorthophosphate:**

Species : Rabbit

Result : Slight, transient irritation

**sodium nitrate:**

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Remarks : The toxicological data has been taken from products of similar composition.

**Serious eye damage/eye irritation**

Not classified due to lack of data.

**Components:**

**ethanediol:**

Result : Slight, transient irritation

**sodium benzoate:**

Species : Rabbit

Result : Irritating to eyes.

Method : OECD Test Guideline 405

**dipotassium hydrogenorthophosphate:**

Species : Rabbit

Result : Slight, transient irritation

**sodium nitrate:**

Species : Rabbit

Result : Irritating to eyes.

Method : OECD Test Guideline 405

**Respiratory or skin sensitisation**

**Skin sensitisation**

Not classified due to lack of data.



**Valvoline**<sup>™</sup>  
**Global**

**SAFETY DATA SHEET**  
ZEREX<sup>™</sup> ASIAN VEHICLE BLUE 50/50  
Antifreeze Coolant

Version: 2.1

Revision Date: 03/04/2024

Print Date:  
04/13/2025

**Respiratory sensitisation**

Not classified due to lack of data.

**Components:**

**ethanediol:**

Test Type : Maximisation Test  
Species : Guinea pig  
Assessment : Does not cause skin sensitisation.

**dipotassium hydrogenorthophosphate:**

Test Type : Local lymph node assay  
Species : Mouse  
Assessment : Did not cause sensitisation on laboratory animals.  
Method : OECD Test Guideline 429  
Remarks : The toxicological data has been taken from products of similar composition.

**Germ cell mutagenicity**

Not classified due to lack of data.

**Components:**

**ethanediol:**

Genotoxicity in vitro : Test Type: Ames test  
Test system: Salmonella typhimurium  
Metabolic activation: with and without metabolic activation  
Result: negative

**dipotassium hydrogenorthophosphate:**

Genotoxicity in vitro : Test Type: Ames test  
Test system: Salmonella typhimurium  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative  
Remarks: The toxicological data has been taken from products of similar composition.

**Carcinogenicity**

Not classified due to lack of data.

**Components:**

**sodium nitrate:**

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.  
**IARC** Group 2A: Probably carcinogenic to humans



**Valvoline™**  
**Global**

**SAFETY DATA SHEET**  
ZEREX™ ASIAN VEHICLE BLUE 50/50  
Antifreeze Coolant

Version: 2.1

Revision Date: 03/04/2024

Print Date:  
04/13/2025

sodium nitrate 7631-99-4  
(nitrate (ingested) under conditions that result in endogenous nitrosation)

**OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP** No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

**Reproductive toxicity**

Not classified due to lack of data.

**STOT - single exposure**

Not classified due to lack of data.

**STOT - repeated exposure**

May cause damage to organs (Kidney) through prolonged or repeated exposure if swallowed.

**Components:**

**ethanediol:**

Exposure routes : Ingestion  
Target Organs : Kidney  
Assessment : May cause damage to organs through prolonged or repeated exposure.

**Aspiration toxicity**

Not classified due to lack of data.

**Experience with human exposure**

**Components:**

**ethanediol:**

Ingestion : Target Organs: Kidney

**Further information**

**Product:**

Remarks : No data available



**SAFETY DATA SHEET**  
ZEREX™ ASIAN VEHICLE BLUE 50/50  
Antifreeze Coolant

Version: 2.1

Revision Date: 03/04/2024

Print Date:  
04/13/2025

---

**SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity**

**Product:**

**Ecotoxicology Assessment**

Acute aquatic toxicity : Not classified based on available information.

Chronic aquatic toxicity : Not classified based on available information.

**Components:**

**ethanediol:**

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 27,540 mg/l  
Exposure time: 96 h  
Test Type: static test

LC50 (Pimephales promelas (fathead minnow)): 8,050 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : LC50 (Daphnia magna (Water flea)): > 10,000 mg/l  
Exposure time: 48 h  
Test Type: static test

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 6,500 - 13,000 mg/l  
End point: Growth inhibition  
Exposure time: 7 Days

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 32,000 mg/l  
Exposure time: 7 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 24,000 mg/l  
Exposure time: 7 d

**Ecotoxicology Assessment**

Acute aquatic toxicity : Not classified based on available information.

Chronic aquatic toxicity : Not classified based on available information.

**sodium benzoate:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l  
Exposure time: 96 h  
Test Type: static test  
Method: Static



**Valvoline™**  
**Global**

**SAFETY DATA SHEET**  
ZEREX™ ASIAN VEHICLE BLUE 50/50  
Antifreeze Coolant

Version: 2.1

Revision Date: 03/04/2024

Print Date:  
04/13/2025

Remarks: Mortality

Toxicity to daphnia and other aquatic invertebrates : LC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 96 h  
Test Type: static test  
Method: Static  
Remarks: Mortality

**Ecotoxicology Assessment**

Acute aquatic toxicity : Not classified based on available information.

Chronic aquatic toxicity : Not classified based on available information.

**dipotassium hydrogenorthophosphate:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l  
Exposure time: 96 h  
Test Type: semi-static test  
Method: OECD Test Guideline 203  
Remarks: The toxicological data has been taken from products of similar composition.

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202  
Remarks: The toxicological data has been taken from products of similar composition.

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l  
End point: Growth inhibition  
Exposure time: 72 h  
Test Type: static test  
Method: OECD Test Guideline 201  
Remarks: The toxicological data has been taken from products of similar composition.

NOEC (Desmodesmus subspicatus (green algae)): > 100 mg/l  
End point: Growth inhibition  
Exposure time: 72 h  
Test Type: static test  
Method: OECD Test Guideline 201  
Remarks: The toxicological data has been taken from products of similar composition.

**Ecotoxicology Assessment**

Acute aquatic toxicity : Not classified based on available information.



**Valvoline**<sup>TM</sup>  
**Global**

**SAFETY DATA SHEET**  
ZEREX<sup>TM</sup> ASIAN VEHICLE BLUE 50/50  
Antifreeze Coolant

Version: 2.1

Revision Date: 03/04/2024

Print Date:  
04/13/2025

Chronic aquatic toxicity : Not classified based on available information.

**sodium nitrate:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 1,355 - 2,063 mg/l  
Exposure time: 96 h  
Method: Static  
Remarks: Mortality

Toxicity to daphnia and other aquatic invertebrates : LC50 (Daphnia magna (Water flea)): 3,581 mg/l  
Exposure time: 48 h  
Method: Static

LC50 (Daphnia magna (Water flea)): 665 mg/l  
Exposure time: 96 h  
Method: Static

**Ecotoxicology Assessment**

Acute aquatic toxicity : Not classified based on available information.

Chronic aquatic toxicity : Not classified based on available information.

**Persistence and degradability**

**Components:**

**ethanediol:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 90 - 100 %  
Exposure time: 10 d  
Method: OECD Test Guideline 301

**sodium benzoate:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 88 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301

**dipotassium hydrogenorthophosphate:**

Biodegradability : Remarks: The methods for determining biodegradability are not applicable to inorganic substances.



**SAFETY DATA SHEET**  
ZEREX™ ASIAN VEHICLE BLUE 50/50  
Antifreeze Coolant

Version: 2.1

Revision Date: 03/04/2024

Print Date:  
04/13/2025

---

**Bioaccumulative potential**

**Components:**

**ethanediol:**

Bioaccumulation : Species: Crayfish (Procambarus)  
Bioconcentration factor (BCF): 0.27  
Exposure time: 61 d  
Concentration: 1000 mg/l  
Method: Flow through

Partition coefficient: n-octanol/water : log Pow: -1.36

**Mobility in soil**

No data available

**Other adverse effects**

**Product:**

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82  
Protection of Stratospheric Ozone - CAA Section 602 Class I  
Substances  
Remarks: This product neither contains, nor was  
manufactured with a Class I or Class II ODS as defined by the  
U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A +  
B).

Additional ecological information : No data available

---

**SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods**

Waste from residues : Do not dispose of waste into sewer.  
Do not contaminate ponds, waterways or ditches with  
chemical or used container.  
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.

---

**SECTION 14. TRANSPORT INFORMATION**

**International Regulations**

**UNRTDG**

Not regulated as a dangerous good



**Valvoline**<sup>TM</sup>

**Global**

**SAFETY DATA SHEET**  
ZEREX<sup>TM</sup> ASIAN VEHICLE BLUE 50/50  
Antifreeze Coolant

Version: 2.1

Revision Date: 03/04/2024

Print Date:  
04/13/2025

**IATA-DGR**

Not regulated as a dangerous good

**IMDG-Code**

Not regulated as a dangerous good

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**National Regulations**

**49 CFR**

Not regulated as a dangerous good

**Special precautions for user**

Not applicable

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

---

**SECTION 15. REGULATORY INFORMATION**

**CERCLA Reportable Quantity**

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

**SARA 304 Extremely Hazardous Substances Reportable Quantity**

This material does not contain any components with a section 304 EHS RQ.

**SARA 302 Extremely Hazardous Substances Threshold Planning Quantity**

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : Acute toxicity (any route of exposure)  
Specific target organ toxicity (single or repeated exposure)

**SARA 313** : The following components are subject to reporting levels established by SARA Title III, Section 313:

ethanediol                      107-21-1                      >= 30 - < 50 %

**Clean Air Act**

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

The following chemical(s) are listed as HAP under the U.S. Clean Air Act, Section 112 (40 CFR 61):

ethanediol                      107-21-1                      >= 30 - < 50 %

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).



**SAFETY DATA SHEET**  
ZEREX™ ASIAN VEHICLE BLUE 50/50  
Antifreeze Coolant

Version: 2.1

Revision Date: 03/04/2024

Print Date:  
04/13/2025

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCM1 Intermediate or Final VOC's (40 CFR 60.489):

ethanediol	107-21-1	>= 30 - < 50 %
sodium benzoate	532-32-1	>= 1 - < 5 %

**Clean Water Act**

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

**US State Regulations**

**Massachusetts Right To Know**

ethanediol	107-21-1
water	7732-18-5

**Pennsylvania Right To Know**

ethanediol	107-21-1
water	7732-18-5

**Maine Chemicals of High Concern**

water	7732-18-5
PROPRIETARY 1 OF CHROMATECH #408 BLUE DYE	Not Assigned

**Vermont Chemicals of High Concern**

ethanediol	107-21-1
water	7732-18-5
molybdic acid, disodium salt, dihydrate	10102-40-6
PROPRIETARY 1 OF CHROMATECH #408 BLUE DYE	Not Assigned

**Washington Chemicals of High Concern**

ethanediol	107-21-1
water	7732-18-5
PROPRIETARY 1 OF CHROMATECH #408 BLUE DYE	Not Assigned

**California Prop. 65**

WARNING: This product can expose you to chemicals including ethanediol, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

**California List of Hazardous Substances**

ethanediol	107-21-1
------------	----------

**California Permissible Exposure Limits for Chemical Contaminants**

ethanediol	107-21-1
------------	----------

The components of this product are reported in the following inventories:



**Valvoline™**  
**Global**

**SAFETY DATA SHEET**  
ZEREX™ ASIAN VEHICLE BLUE 50/50  
Antifreeze Coolant

Version: 2.1

Revision Date: 03/04/2024

Print Date:  
04/13/2025

---

TCSI	:	On the inventory, or in compliance with the inventory
TSCA	:	All substances listed as active on the TSCA inventory
AIIC	:	On the inventory, or in compliance with the inventory
DSL	:	All components of this product are on the Canadian DSL
ENCS	:	Not in compliance with the inventory
KECI	:	On the inventory, or in compliance with the inventory
PICCS	:	On the inventory, or in compliance with the inventory
IECSC	:	On the inventory, or in compliance with the inventory
NZIoC	:	Not in compliance with the inventory

**TSCA list**

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

**Inventories**

AIIC (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TECI (Thailand), TSCA (USA)

---

**SECTION 16. OTHER INFORMATION**

**Further information**



**Valvoline™**  
**Global**


**SAFETY DATA SHEET**  
ZEREX™ ASIAN VEHICLE BLUE 50/50  
Antifreeze Coolant

Version: 2.1

Revision Date: 03/04/2024

Print Date:  
04/13/2025

**NFPA 704:**



**HMIS® IV:**

<b>HEALTH</b>	*	<b>2</b>
<b>FLAMMABILITY</b>		<b>1</b>
<b>PHYSICAL HAZARD</b>		<b>0</b>

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

**Full text of other abbreviations**

- ACGIH : USA. ACGIH Threshold Limit Values (TLV)
- OSHA P0 : USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)
- ACGIH / TWA : 8-hour, time-weighted average
- ACGIH / STEL : Short-term exposure limit
- OSHA P0 / C : Ceiling limit

AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA -



**Valvoline**<sup>™</sup>  
**Global**

**SAFETY DATA SHEET**  
ZEREX<sup>™</sup> ASIAN VEHICLE BLUE 50/50  
Antifreeze Coolant

Version: 2.1

Revision Date: 03/04/2024

Print Date:  
04/13/2025

National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 03/04/2024

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN

Internal information : 000000257928