



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All Podium Series Hybrid Ceramic Exterior Detailer

Version number: 5.0  
Replaces version of: 2024-10-25 (4)

Revision: 2026-02-11

### SECTION 1: Identification

#### 1.1 Product identifier

Trade name **Armor All Podium Series Hybrid Ceramic Exterior Detailer**  
Alternative number(s) 070612001405, 183450

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses General use

#### 1.3 Details of the supplier of the safety data sheet

Energizer Manufacturing, Inc.  
25225 Detroit Rd.  
Westlake OH 44145  
United States

Telephone: 800-383-7323; 314-985-2000 (USA / CANADA)  
e-mail: Autocare.regulatory@energizer.com  
Website: <https://data.energizer.com>

#### 1.4 Emergency telephone number

Emergency information service FOR EMERGENCY in USA & Canada CALL +1 800 255-3924 / For International CALL +1 813 248 0585  
This number is only available during the following office hours: Mon-Fri 09:00 AM - 05:00 PM

### SECTION 2: Hazard(s) identification

#### 2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Section	Hazard class	Category	Hazard class and category	Hazard statement
B.6	flammable liquid	3	Flam. Liq. 3	H226

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

The product is combustible and can be ignited by potential ignition sources.

#### 2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

- Signal word warning

## Armor All Podium Series Hybrid Ceramic Exterior Detailer

Version number: 5.0  
Replaces version of: 2024-10-25 (4)

Revision: 2026-02-11

### - Pictograms

GHS02



### - Hazard statements

H226 Flammable liquid and vapor.

### - Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
 P233 Keep container tightly closed.  
 P240 Ground and bond container and receiving equipment.  
 P241 Use explosion-proof electrical/ventilating/lighting equipment.  
 P242 Use non-sparking tools.  
 P243 Take action to prevent static discharge.  
 P280 Wear protective gloves/eye protection/face protection.  
 P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.  
 P370+P378 In case of fire: Use sand, carbon dioxide or powder extinguisher to extinguish.  
 P403+P235 Store in a well-ventilated place. Keep cool.  
 P501 Dispose of contents/container in accordance with national regulations.

## 2.3 Other hazards

Hazards not otherwise classified

Contains epoxy constituents. May produce an allergic reaction.

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance at a concentration of  $\geq 0.1\%$ .

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of  $\geq 0.1\%$ .



## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Not relevant (mixture)

### 3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
isopropyl alcohol	CAS No 67-63-0	1 - < 5	Eye Irrit. 2 / H319 STOT SE 3 / H336 Flam. Liq. 2 / H225	 

### Remarks

For full text of abbreviations: see SECTION 16



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All Podium Series Hybrid Ceramic Exterior Detailer

Version number: 5.0  
Replaces version of: 2024-10-25 (4)

Revision: 2026-02-11

### SECTION 4: First-aid measures

#### 4.1 Description of first-aid measures

##### General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

##### Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

##### Following skin contact

Wash with plenty of soap and water.

##### Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

##### Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

#### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

#### 4.3 Indication of any immediate medical attention and special treatment needed

none

### SECTION 5: Fire-fighting measures

#### 5.1 Extinguishing media

##### Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO<sub>2</sub>)

##### Unsuitable extinguishing media

Water jet

#### 5.2 Special hazards arising from the substance or mixture

In case of insufficient ventilation and/or in use, may form flammable/explosive vapor-air mixture. Solvent vapors are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures.

##### Hazardous combustion products

Nitrogen oxides (NO<sub>x</sub>)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

## Armor All Podium Series Hybrid Ceramic Exterior Detailer

Version number: 5.0  
Replaces version of: 2024-10-25 (4)

Revision: 2026-02-11

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

### 6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Avoidance of ignition sources. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge. Use only in well-ventilated areas. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools.

- Specific notes/details

Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapors are heavier than air, spread along floors and form explosive mixtures with air. Vapors may form explosive mixtures with air.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

### 7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- Explosive atmospheres

Keep container tightly closed and in a well-ventilated place. Use local and general ventilation. Keep cool. Protect from sunlight.

- Flammability hazards



## Armor All Podium Series Hybrid Ceramic Exterior Detailer

Version number: 5.0  
Replaces version of: 2024-10-25 (4)

Revision: 2026-02-11

Keep away from sources of ignition - No smoking. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge. Protect from sunlight.

### Control of the effects

Protect against external exposure, such as frost

#### - Ventilation requirements

Use local and general ventilation. Ground/bond container and receiving equipment.

#### - Packaging compatibilities

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

### 7.3 Specific end use(s)

See section 16 for a general overview.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational exposure limit values (Workplace Exposure Limits)

Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m <sup>3</sup> ]	STEL [ppm]	STEL [mg/m <sup>3</sup> ]	Ceiling-C [ppm]	Ceiling-C [mg/m <sup>3</sup> ]	Notation	Source
US	2-propanol	67-63-0	TLV®	200	491	400	984				ACGIH® 2025
US	isopropyl alcohol	67-63-0	PEL (CA)	400	980	500	1,225				Cal/OSHA PEL
US	isopropyl alcohol	67-63-0	REL	400 (10 h)	980 (10 h)	500	1,225				NIOSH REL
US	isopropyl alcohol	67-63-0	PEL	400	980						29 CFR 1910.1000

#### Notation

Ceiling-C	ceiling value is a limit value above which exposure should not occur
STEL	short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)
TWA	time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

#### Biological limit values

Country	Name of agent	Parameter	Notation	Identifier	Value	Source
US	2-propanol	acetone		BEI®	40 mg/l	ACGIH® 2025



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All Podium Series Hybrid Ceramic Exterior Detailer

Version number: 5.0  
Replaces version of: 2024-10-25 (4)

Revision: 2026-02-11

### Relevant DNELs of components

Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
isopropyl alcohol	67-63-0	DNEL	500 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
isopropyl alcohol	67-63-0	DNEL	1,000 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - systemic effects
isopropyl alcohol	67-63-0	DNEL	888 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

### Relevant PNECs of components

Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
isopropyl alcohol	67-63-0	PNEC	160 mg/kg	aquatic organisms	water	short-term (single instance)
isopropyl alcohol	67-63-0	PNEC	140.9 mg/l	aquatic organisms	water	intermittent release
isopropyl alcohol	67-63-0	PNEC	140.9 mg/l	aquatic organisms	freshwater	short-term (single instance)
isopropyl alcohol	67-63-0	PNEC	140.9 mg/l	aquatic organisms	marine water	short-term (single instance)
isopropyl alcohol	67-63-0	PNEC	2,251 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
isopropyl alcohol	67-63-0	PNEC	552 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
isopropyl alcohol	67-63-0	PNEC	552 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
isopropyl alcohol	67-63-0	PNEC	28 mg/kg	terrestrial organisms	soil	short-term (single instance)

## 8.2 Exposure controls

### Appropriate engineering controls

General ventilation.

### Individual protection measures (personal protective equipment)

#### Eye/face protection

Wear eye/face protection.

#### Skin protection

#### - Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves men-



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All Podium Series Hybrid Ceramic Exterior Detailer

Version number: 5.0  
Replaces version of: 2024-10-25 (4)

Revision: 2026-02-11

tioned above together with the supplier of these gloves.

### - Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

### Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state	liquid
Color	not determined
Odor	characteristic
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	100 °C
Flammability	flammable liquid in accordance with GHS criteria
Lower and upper explosion limit	not determined
Flash point	56 °C
Auto-ignition temperature	not determined
Decomposition temperature	not relevant
pH (value)	not determined
Kinematic viscosity	Not available. This property is not relevant for the safety and classification of this product.
Solubility(ies)	not determined

### Partition coefficient

Partition coefficient n-octanol/water (log value)	this information is not available
---	-----------------------------------

Vapor pressure	not determined
----------------	----------------

### Density and/or relative density



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All Podium Series Hybrid Ceramic Exterior Detailer

Version number: 5.0  
Replaces version of: 2024-10-25 (4)

Revision: 2026-02-11

Density	not determined
Relative vapour density	information on this property is not available

Particle characteristics	(liquid)
--------------------------	----------

### 9.2 Other information

Information with regard to physical hazard classes	there is no additional information
Other safety characteristics	there is no additional information

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". The mixture contains reactive substance(s). Risk of ignition.

If heated:

Risk of ignition

### 10.2 Chemical stability

See below "Conditions to avoid".

### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

### 10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints to prevent fire or explosion

Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

### 10.5 Incompatible materials

There is no additional information.

### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

**Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)**



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All Podium Series Hybrid Ceramic Exterior Detailer

Version number: 5.0  
Replaces version of: 2024-10-25 (4)

Revision: 2026-02-11

### Acute toxicity

Based on available data, the classification criteria are not met.

### Skin corrosion/irritation

Based on available data, the classification criteria are not met.

### Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

### Respiratory or skin sensitization

Contains epoxy constituents. May produce an allergic reaction.

### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

### Carcinogenicity

Based on available data, the classification criteria are not met.

### IARC Monographs on the Evaluation of Carcinogenic Risks to Humans

Name of substance	CAS No	Classification	Number
isopropyl alcohol	67-63-0	3	

### Legend

3 Not classifiable as to carcinogenicity in humans

### Reproductive toxicity

Based on available data, the classification criteria are not met.

### Specific target organ toxicity - single exposure

Based on available data, the classification criteria are not met.

### Specific target organ toxicity - repeated exposure

Based on available data, the classification criteria are not met.

### Aspiration hazard

Based on available data, the classification criteria are not met.

## SECTION 12: Ecological information

### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

### 12.2 Persistence and degradability

Data are not available.

### 12.3 Bioaccumulative potential

Data are not available.

### 12.4 Mobility in soil

Data are not available.

### 12.5 Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance at a concentration of  $\geq 0.1\%$ .



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All Podium Series Hybrid Ceramic Exterior Detailer

Version number: 5.0  
Replaces version of: 2024-10-25 (4)

Revision: 2026-02-11

### 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of  $\geq 0.1\%$ .

### 12.7 Other adverse effects

Data are not available.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Waste treatment-relevant information

Solvent reclamation/regeneration.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Only packagings which are approved (e.g. acc. to DOT) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

#### Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

## SECTION 14: Transport information

### 14.1 UN number

DOT	UN 1993
IMDG-Code	UN 1993
ICAO-TI	UN 1993

### 14.2 UN proper shipping name

DOT	Flammable liquid, n.o.s.
IMDG-Code	FLAMMABLE LIQUID, N.O.S.
ICAO-TI	Flammable liquid, n.o.s.
Technical name (hazardous ingredients)	isopropyl alcohol, acetic acid

### 14.3 Transport hazard class(es)

DOT	3
IMDG-Code	3
ICAO-TI	3

### 14.4 Packing group

DOT	III
IMDG-Code	III
ICAO-TI	III

**Armor All Podium Series Hybrid Ceramic Exterior Detailer**

Version number: 5.0  
Replaces version of: 2024-10-25 (4)


Revision: 2026-02-11

- 14.5 Environmental hazards** non-environmentally hazardous acc. to the dangerous goods regulations
- 14.6 Special precautions for user**  
There is no additional information.
- 14.7 Transport in bulk according to IMO instruments**  
The cargo is not intended to be carried in bulk.


**Information for each of the UN Model Regulations**

DOT

**Transport of dangerous goods by road or rail (49 CFR US DOT) - Additional information**

Particulars in the shipper's declaration	UN1993, Flammable liquid, n.o.s., (isopropyl alcohol, acetic acid, solution), 3, III
Reportable quantity (RQ)	111,111,111 lbs (50,444,444 kg) (acetic acid) (formaldehyde ... %)
Danger label(s)	3
	
Special provisions (SP)	B1, B52, IB3, T4, TP1, TP29
ERG No	128

**International Maritime Dangerous Goods Code (IMDG) - Additional information**

Particulars in the shipper's declaration	UN1993, FLAMMABLE LIQUID, N.O.S., (isopropyl alcohol, acetic acid, solution), 3, III, 56°C c.c.
Marine pollutant	-
Danger label(s)	3
	
Special provisions (SP)	223, 274, 955
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
EmS	F-E, <u>S-E</u>
Stowage category	A

**International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information**

Particulars in the shipper's declaration	UN1993, Flammable liquid, n.o.s., (isopropyl alcohol, acetic acid, solution), 3, III
Danger label(s)	3



## Armor All Podium Series Hybrid Ceramic Exterior Detailer

Version number: 5.0  
Replaces version of: 2024-10-25 (4)

Revision: 2026-02-11



Special provisions (SP)	A3
Exempted quantities (EQ)	E1
Limited quantities (LQ)	10 L

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations specific for the product in question

##### National regulations (United States)

##### Toxic Substance Control Act (TSCA)

all ingredients are listed or exempt from listing

##### Superfund Amendment and Reauthorization Act (SARA TITLE III )

- Specific Toxic Chemical Listings (EPCRA Section 313)

Toxics Release Inventory: Specific Toxic Chemical Listings

Name of substance	CAS No	Remarks	Effective date
isopropyl alcohol	67-63-0	only persons who manufacture by the strong acid process are subject, supplier notification not required	1987-01-01

##### Right to Know Hazardous Substance List

- Cleaning Product Right to Know Act Substance List (CA-RTK)

Name of substance	CAS No	Functionality	Authoritative Lists
Water	7732-18-5	solvents	
isopropyl alcohol	67-63-0	solvents	OEHHA RELS
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione	6440-58-0	antimicrobial agent	Nonfunctional constituents
Dihydromyrcenol	18479-58-8	fragrance	
1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	54464-57-2		EU Fragrance Allergens

- Toxic or Hazardous Substance List (MA-TURA)

Name of substance	CAS No	DEP CODE	PBT / HHS / LHS	PBT / HHS Threshold	De Minimis Concentration Threshold
isopropyl alcohol	67-63-0				1.0 %



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All Podium Series Hybrid Ceramic Exterior Detailer

Version number: 5.0  
Replaces version of: 2024-10-25 (4)

Revision: 2026-02-11

### - Hazardous Substances List (MN-ERTK)

Name of substance	CAS No	References	Remarks
isopropyl alcohol	67-63-0	A, N, O	

#### Legend

- A American Conference of Governmental Industrial Hygienists (ACGIH), "Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices for 1992-93", available from ACGIH
- N National Institute for Occupational Safety and Health (NIOSH), "Recommendations for Occupational Safety and Health Standards," August 1988, available from NIOSH, Publications Dissemination Office, Division of Standards Development and Technology Transfer
- O Occupational Safety and Health Administration (OSHA), Safety and Health Standards, Code of Federal Regulations, title 29, part 1910, subpart Z, "Toxic and Hazardous Substances, 1990." General information: Minnesota Department of Labor and Industry, Occupational Safety and Health Division

### - Hazardous Substance List (NJ-RTK)

Name of substance	CAS No	Remarks	Classifications
isopropyl alcohol	67-63-0		F3

#### Legend

- F3 Flammable - Third Degree

### - Hazardous Substance List (Chapter 323) (PA-RTK)

Name acc. to inventory	CAS No	Classification
2-PROPANOL	67-63-0	E

#### Legend

- E Environmental hazard

### - Hazardous Substance List (RI-RTK)

Name of substance	CAS No	References
isopropyl alcohol	67-63-0	T, F

#### Legend

- F Flammability (NFPA®)
- T Toxicity (ACGIH®)

### California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

Proposition 65 List of chemicals			
Name acc. to inventory	CAS No	Remarks	Type of the toxicity
1,4-dioxane	123-91-1		cancer



**Safety Data Sheet**  
acc. to 29 CFR 1910.1200 App D

**Armor All Podium Series Hybrid Ceramic Exterior Detailer**

Version number: 5.0  
Replaces version of: 2024-10-25 (4)

Revision: 2026-02-11

Proposition 65 List of chemicals			
Name acc. to inventory	CAS No	Remarks	Type of the toxicity
ethylene oxide	75-21-8		cancer
ethylene oxide	75-21-8		female
ethylene oxide	75-21-8		developmental, male
formaldehyde	50-00-0	gas	cancer
methanol	67-56-1		developmental

**Drug precursors, Chemicals designated within the Controlled Substances Act, 21 U.S.C. § 802, paragraphs 34 (list I) and 35 (list II)**

none of the ingredients are listed

**Industry or sector specific available guidance(s)**

**NPCA-HMIS® III**

Hazardous Materials Identification System. American Coatings Association.

Category	Rating	Description
Chronic	/	none
Health	0	no significant risk to health
Flammability	2	material that must be moderately heated or exposed to relatively high ambient temperatures before ignition can occur
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive
Personal protection	-	

**NFPA® 704**

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Category	Degree of hazard	Description
Flammability	2	material that must be moderately heated or exposed to relatively high ambient temperatures before ignition can occur
Health	0	material that, under emergency conditions, would offer no hazard beyond that of ordinary combustible material
Instability	0	material that is normally stable, even under fire conditions
Special hazard		



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All Podium Series Hybrid Ceramic Exterior Detailer

Version number: 5.0  
Replaces version of: 2024-10-25 (4)

Revision: 2026-02-11

### National inventories

Country	Inventory	Status
AU	AIIC	not all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	not all ingredients are listed
EU	ECSI	not all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	not all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	not all ingredients are listed
PH	PICCS	not all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	not all ingredients are listed
US	TSCA	all ingredients are listed (ACTIVE)

#### Legend

AIIC	Australian Inventory of Industrial Chemicals
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
ISHA-ENCS	Inventory of Existing and New Chemical Substances (ISHA-ENCS)
KECI	Korea Existing Chemicals Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

### 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All Podium Series Hybrid Ceramic Exterior Detailer

Version number: 5.0  
Replaces version of: 2024-10-25 (4)

Revision: 2026-02-11

### SECTION 16: Other information, including date of preparation or last revision

#### Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
2.2		- Precautionary statements: change in the listing (table)	yes
8.1		Occupational exposure limit values (Workplace Exposure Limits): change in the listing (table)	yes
8.1		Biological limit values: change in the listing (table)	yes
8.2	Respiratory protection: In case of inadequate ventilation wear respiratory protection.		yes
9.1	Appearance		yes
9.1	Other safety parameters		yes
9.1	Flammability (solid, gas): not relevant, (fluid)	Flammability: flammable liquid in accordance with GHS criteria	yes
9.1		Lower and upper explosion limit: not determined	yes
9.1	Flash point: 133 °F	Flash point: 56 °C	yes
9.1	Evaporation rate: Not determined		yes
9.1		Decomposition temperature: not relevant	yes
9.1		Kinematic viscosity: Not available. This property is not relevant for the safety and classification of this product.	yes
9.1		Density and/or relative density	yes
9.1	Vapor density: this information is not available		yes
9.1	Viscosity: not determined		yes
9.1	Explosive properties: none		yes
9.1	Oxidizing properties: none		yes
9.1	Particle: not relevant (liquid)	Particle characteristics: (liquid)	yes
9.2	other information:	Other information	yes



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All Podium Series Hybrid Ceramic Exterior Detailer

Version number: 5.0  
Replaces version of: 2024-10-25 (4)

Revision: 2026-02-11

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
	there is no additional information		
9.2		Information with regard to physical hazard classes: there is no additional information	yes
9.2		Other safety characteristics: there is no additional information	yes
11.1	Acute toxicity: Shall not be classified as acutely toxic.	Acute toxicity: Based on available data, the classification criteria are not met.	yes
11.1	Skin corrosion/irritation: Shall not be classified as corrosive/irritant to skin.	Skin corrosion/irritation: Based on available data, the classification criteria are not met.	yes
11.1	Serious eye damage/eye irritation: Shall not be classified as seriously damaging to the eye or eye irritant.	Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.	yes
11.1	Germ cell mutagenicity: Shall not be classified as germ cell mutagenic.	Germ cell mutagenicity: Based on available data, the classification criteria are not met.	yes
11.1	Carcinogenicity: Shall not be classified as carcinogenic.	Carcinogenicity: Based on available data, the classification criteria are not met.	yes
11.1	Reproductive toxicity: Shall not be classified as a reproductive toxicant.	Reproductive toxicity: Based on available data, the classification criteria are not met.	yes
11.1	Specific target organ toxicity - single exposure: Shall not be classified as a specific target organ toxicant (single exposure).	Specific target organ toxicity - single exposure: Based on available data, the classification criteria are not met.	yes
11.1	Specific target organ toxicity - repeated exposure: Shall not be classified as a specific target organ toxicant (repeated exposure).	Specific target organ toxicity - repeated exposure: Based on available data, the classification criteria are not met.	yes
11.1	Aspiration hazard: Shall not be classified as presenting an aspiration hazard.	Aspiration hazard: Based on available data, the classification criteria are not met.	yes
14.7	Reportable quantity (RQ): 111,123,458 lbs (50,450,050 kg) (acetic acid) (formaldehyde ... %)	Reportable quantity (RQ): 111,111,111 lbs (50,444,444 kg) (acetic acid) (formaldehyde ... %)	yes
14.7	Particulars in the shipper's declaration: UN1993, FLAMMABLE LIQUID, N.O.S., (isopropyl alcohol, acetic acid, solution), 3, III, 56.11°C c.c.	Particulars in the shipper's declaration: UN1993, FLAMMABLE LIQUID, N.O.S., (isopropyl alcohol, acetic acid, solution), 3, III, 56°C c.c.	yes
15.1		NPCA-HMIS® III: change in the listing (table)	yes
15.1		National inventories: change in the listing (table)	yes

### Key literature references and sources for data



## Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

### Armor All Podium Series Hybrid Ceramic Exterior Detailer

Version number: 5.0  
Replaces version of: 2024-10-25 (4)

Revision: 2026-02-11

---

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.  
Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG).  
Dangerous Goods Regulations (DGR) for the air transport (IATA).

#### Classification procedure

Physical and chemical properties: The classification is based on tested mixture.  
Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.