

California Scents 3oz Fogger Ice

Version number: 10.0
Replaces version of: 2024-12-18 (9)

Revision: 2025-10-02

SECTION 1: Identification

1.1 Product identifier

Trade name **California Scents 3oz Fogger Ice**
Alternative number(s) 091400041397, 091400039509

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Consumer uses: Air Freshener

1.3 Details of the supplier of the safety data sheet

Energizer Manufacturing, Inc.
25225 Detroit Rd.
Westlake OH 44145
United States

Telephone: 800-383-7323; 314-985-2000 (USA / CANADA)
e-mail: Autocare.regulatory@energizer.com
Website: <https://data.energizer.com>

1.4 Emergency telephone number

Emergency information service FOR EMERGENCY in USA & Canada CALL +1 800 255-3924 / For International CALL +1 813 248 0585
This number is only available during the following office hours: Mon-Fri 09:00 AM - 05:00 PM

SECTION 2: Hazard(s) identification

2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Section	Hazard class	Category	Hazard class and category	Hazard statement
A.3	serious eye damage/eye irritation	2	Eye Irrit. 2	H319
A.8D	specific target organ toxicity - single exposure (narcotic effects, drowsiness)	3	STOT SE 3	H336
B.3	flammable aerosol	1	Flam. Aerosol 1	H222
B.5	gases under pressure	C	Press. Gas C	H280

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects
Contains gas under pressure; may explode if heated.

2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

California Scents 3oz Fogger Ice

Version number: 10.0
Replaces version of: 2024-12-18 (9)

Revision: 2025-10-02

- Signal word danger

- Pictograms

GHS02, GHS04, GHS07



- Hazard statements

H222 Extremely flammable aerosol.
H280 Contains gas under pressure; may explode if heated.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.

- Precautionary statements

P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P103 Read label before use.
P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P211 Do not spray on an open flame or other ignition source.
P251 Pressurized container: Do not pierce or burn, even after use.
P261 Avoid breathing dust/fume/gas/mist/vapors/spray.
P271 Use only outdoors or in a well-ventilated area.
P280 Wear eye protection/face protection.
P304+P340 If inhaled: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312 Call a poison center/doctor if you feel unwell.
P403+P233 Store in a well-ventilated place. Keep container tightly closed.
P405 Store locked up.
P410+P403 Protect from sunlight. Store in a well-ventilated place.
P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
P501 Dispose of contents/container in accordance with national regulations.

- Hazardous ingredients for labelling acetone

2.3 Other hazards

Hazards not otherwise classified

Repeated exposure may cause skin dryness or cracking.
Contains (ethoxymethoxy)cyclododecane, 3,7-dimethylnona-1,6-dien-3-ol. May produce an allergic reaction.
May be harmful if swallowed (GHS category 5: acutely toxic - oral).
May be harmful in contact with skin (GHS category 5: acutely toxic - dermal).
Harmful to aquatic life (GHS category 3: aquatic toxicity - acute).
Causes mild skin irritation (GHS category 3: irritant to skin).

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance at a concentration of $\geq 0.1\%$.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of $\geq 0.1\%$.

California Scents 3oz Fogger Ice

Version number: 10.0
Replaces version of: 2024-12-18 (9)

Revision: 2025-10-02









SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
Fluorinated alkane	CAS No 75-37-6	25 - < 50	Flam. Gas 1 / H220 Press. Gas C / H280	
acetone	CAS No 67-64-1	25 - < 50	Eye Irrit. 2 / H319 STOT SE 3 / H336 Flam. Liq. 2 / H225	
butane (containing ≥ 0,1 % butadiene (203-450-8))	CAS No 106-97-8	10 - < 25	Flam. Gas 1 / H220 Press. Gas C / H280	
propane	CAS No 74-98-6	5 - < 10	sA / OSHA002 Flam. Gas 1 / H220 Press. Gas C / H280	
isobutane	CAS No 75-28-5	5 - < 10	Flam. Gas 1 / H220 Press. Gas C / H280	
Dioctyl Adipate	CAS No 123-79-5	1 - < 5	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319	
(ethoxymethoxy)cyclodo- decane	CAS No 58567-11-6	< 1	Skin Irrit. 2 / H315 Skin Sens. 1B / H317	
3,7-dimethylnona-1,6-dien- 3-ol	CAS No 10339-55-6	< 1	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1B / H317 Flam. Liq. 4 / H227	

Remarks

For full text of abbreviations: see SECTION 16

Legend: Press. Gas

Press. Gas C: Gas under pressure: compressed gas

Press. Gas L: Gas under pressure: liquefied gas

Press. Gas R: Gas under pressure: refrigerated liquefied gas

Press. Gas D: Gas under pressure: dissolved gas.

SECTION 4: First-aid measures

4.1 Description of first-aid measures

General notes



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

California Scents 3oz Fogger Ice

Version number: 10.0
Replaces version of: 2024-12-18 (9)

Revision: 2025-10-02

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact

Thaw frosted parts with lukewarm water. Do not rub affected area.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Narcotic effects.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

In case of insufficient ventilation and/or in use, may form flammable/explosive vapor-air mixture. Contact with the product can cause burns and/or frostbite. Contains gas under pressure; may explode if heated.

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance



California Scents 3oz Fogger Ice

Version number: 10.0
Replaces version of: 2024-12-18 (9)

Revision: 2025-10-02

has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Take precautionary measures against static discharge. Use only in well-ventilated areas. Ground/bond container and receiving equipment.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Level 2 Aerosol.

Managing of associated risks

- Flammability hazards

Do not spray on an open flame or other ignition source. Protect from sunlight.

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)

Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m ³]	STEL [ppm]	STEL [mg/m ³]	Ceiling-C [ppm]	Ceiling-C [mg/m ³]	Notation	Source
US	butane	106-97-8	PEL (CA)	800	1,900						Cal/OSHA



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

California Scents 3oz Fogger Ice

Version number: 10.0
Replaces version of: 2024-12-18 (9)

Revision: 2025-10-02

Occupational exposure limit values (Workplace Exposure Limits)

Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m ³]	STEL [ppm]	STEL [mg/m ³]	Ceiling-C [ppm]	Ceiling-C [mg/m ³]	Notation	Source
											PEL
US	butane	106-97-8	TLV®			1,000	2,370			E	AC-GIH® 2025
US	n-butane	106-97-8	REL	800 (10 h)	1,900 (10 h)						NIOSH REL
US	acetone	67-64-1	PEL (CA)	500	1,200	750	1,780	3,000			Cal/OSHA PEL
US	acetone	67-64-1	REL	250 (10 h)	590 (10 h)						NIOSH REL
US	acetone	67-64-1	TLV®	250	594	500	1,187				AC-GIH® 2025
US	acetone	67-64-1	PEL	1,000	2,400						29 CFR 1910.1000
US	propane	74-98-6	REL	1,000 (10 h)	1,800 (10 h)						NIOSH REL
US	propane	74-98-6	PEL	1,000	1,800						29 CFR 1910.1000
US	propane	74-98-6	PEL (CA)	1,000	1,800					asphyx(+expl)	Cal/OSHA PEL
US	propane	74-98-6	TLV®							oxygen, asphyx, E	AC-GIH® 2025
US	isobutane	75-28-5	REL	800 (10 h)	1,900 (10 h)						NIOSH REL
US	isobutane	75-28-5	TLV®			1,000	2,370			E	AC-GIH® 2025

Notation

asphyx simple asphyxiants

asphyx(+expl) A number of gases and vapors, when present in high concentrations, act primarily as asphyxiants without other adverse effects. A concentration limit is not included for each material because the limiting factor is the available oxygen. (Several of these materials present fire or explosion hazards.)

Ceiling-C ceiling value is a limit value above which exposure should not occur



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

California Scents 3oz Fogger Ice

Version number: 10.0
Replaces version of: 2024-12-18 (9)

Revision: 2025-10-02

Notation

E	explosive
oxygen	Adequate oxygen delivery to the tissues is necessary for sustaining life
STEL	short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)
TWA	time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Biological limit values						
Country	Name of agent	Parameter	Notation	Identifier	Value	Source
US	acetone	acetone		BEI®	25 mg/l	ACGIH® 2025

Relevant DNELs of components						
Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Fluorinated alkane	75-37-6	DNEL	2,713 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
acetone	67-64-1	DNEL	1,210 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
acetone	67-64-1	DNEL	2,420 mg/m ³	human, inhalatory	worker (industry)	acute - local effects
acetone	67-64-1	DNEL	186 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
(ethoxymethoxy)cyclododecane	58567-11-6	DNEL	23.5 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
(ethoxymethoxy)cyclododecane	58567-11-6	DNEL	3.3 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	DNEL	3 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	DNEL	18 mg/m ³	human, inhalatory	worker (industry)	acute - systemic effects
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	DNEL	2.7 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	DNEL	5.5 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic effects



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

California Scents 3oz Fogger Ice

Version number: 10.0
Replaces version of: 2024-12-18 (9)

Revision: 2025-10-02

Relevant PNECs of components						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Fluorinated alkane	75-37-6	PNEC	0.48 mg/l	aquatic organisms	water	intermittent release
Fluorinated alkane	75-37-6	PNEC	0.1 mg/l	aquatic organisms	freshwater	short-term (single instance)
Fluorinated alkane	75-37-6	PNEC	0.01 mg/l	aquatic organisms	marine water	short-term (single instance)
Fluorinated alkane	75-37-6	PNEC	2.525 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Fluorinated alkane	75-37-6	PNEC	2,318 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Fluorinated alkane	75-37-6	PNEC	231.8 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Fluorinated alkane	75-37-6	PNEC	462.1 mg/kg	terrestrial organisms	soil	short-term (single instance)
acetone	67-64-1	PNEC	10.6 mg/l	aquatic organisms	freshwater	short-term (single instance)
acetone	67-64-1	PNEC	1.06 mg/l	aquatic organisms	marine water	short-term (single instance)
acetone	67-64-1	PNEC	100 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
acetone	67-64-1	PNEC	30.4 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
acetone	67-64-1	PNEC	3.04 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
acetone	67-64-1	PNEC	29.5 mg/kg	terrestrial organisms	soil	short-term (single instance)
(ethoxymethoxy)cyclododecane	58567-11-6	PNEC	0.002 mg/l	aquatic organisms	freshwater	short-term (single instance)
(ethoxymethoxy)cyclododecane	58567-11-6	PNEC	0 mg/l	aquatic organisms	marine water	short-term (single instance)
(ethoxymethoxy)cyclododecane	58567-11-6	PNEC	100 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
(ethoxymethoxy)cyclododecane	58567-11-6	PNEC	2.35 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
(ethoxymethoxy)cyclododecane	58567-11-6	PNEC	0.235 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
(ethoxymethoxy)cyclododecane	58567-11-6	PNEC	0.468 mg/kg	terrestrial organisms	soil	short-term (single instance)
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	PNEC	8.53 mg/kg	aquatic organisms	water	short-term (single instance)



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

California Scents 3oz Fogger Ice

Version number: 10.0
Replaces version of: 2024-12-18 (9)

Revision: 2025-10-02

Relevant PNECs of components						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	PNEC	0.23 mg/l	aquatic organisms	water	intermittent release
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	PNEC	0.023 mg/l	aquatic organisms	freshwater	short-term (single instance)
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	PNEC	0.002 mg/l	aquatic organisms	marine water	short-term (single instance)
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	PNEC	10 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	PNEC	0.223 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	PNEC	0.022 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	PNEC	0.031 mg/kg	terrestrial organisms	soil	short-term (single instance)

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear protective gloves.

- Type of material

PVA: polyvinyl alcohol, Nitrile

- Material thickness

>0.5 mm

- Breakthrough times of the glove material

>120 minutes (permeation: level 4)

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

During spraying wear suitable respiratory equipment.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.



California Scents 3oz Fogger Ice

Version number: 10.0
Replaces version of: 2024-12-18 (9)

Revision: 2025-10-02

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	liquid, solid, gaseous (spray aerosol)
Color	not determined
Particle	not relevant (aerosol)
Odor	characteristic

Other safety parameters

pH (value)	not determined
Melting point/freezing point	not determined
Initial boiling point and boiling range	-161.5 °C at 1,013 hPa
Flash point	28.3 °C
Evaporation rate	Not determined
Flammability (solid, gas)	flammable aerosol in accordance with GHS criteria

Explosive limits 3.7 vol% - 18 vol%

- Lower explosion limit (LEL)	3.7 vol%
- Upper explosion limit (UEL)	18 vol%
Vapor pressure	240 hPa at 20 °C
Density	Not available. This property is not relevant for the safety and classification of this product.
Vapor density	this information is not available
Relative density	information on this property is not available
Solubility(ies)	insoluble in water

Partition coefficient

- n-octanol/water (log KOW)	Not available. This property is not relevant for the safety and classification of this product.
-----------------------------	---

California Scents 3oz Fogger Ice

Version number: 10.0
Replaces version of: 2024-12-18 (9)

Revision: 2025-10-02

Auto-ignition temperature	440 °C (auto-ignition temperature (liquids and gases))
Decomposition temperature	not relevant
Viscosity	not relevant (aerosol)
- Kinematic viscosity	not relevant
Explosive properties	none
Oxidizing properties	none

9.2 Other information

Propellant content	25 %
Temperature class (USA, acc. to NEC 500)	T2 (maximum permissible surface temperature on the equipment: 300°C)

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". The mixture contains reactive substance(s). Gas under pressure. Risk of ignition.

If heated:

Danger of explosion, Gas under pressure, Danger of bursting container

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

Do not spray on an open flame or other ignition source. Keep away from heat.

Hints to prevent fire or explosion

Protect from sunlight.

10.5 Incompatible materials

Oxidizers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.



California Scents 3oz Fogger Ice

Version number: 10.0
Replaces version of: 2024-12-18 (9)

Revision: 2025-10-02

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Acute toxicity

Based on available data, the classification criteria are not met.

GHS of the United Nations, annex 4: May be harmful if swallowed or in contact with skin.

Acute toxicity estimate (ATE) of components

Name of substance	CAS No	Exposure route	ATE
Fluorinated alkane	75-37-6	oral	>2,000 mg/kg
Fluorinated alkane	75-37-6	dermal	>2,000 mg/kg

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitization

Contains (ethoxymethoxy)cyclododecane, 3,7-dimethylnona-1,6-dien-3-ol. May produce an allergic reaction.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

Specific target organ toxicity - single exposure

May cause drowsiness or dizziness.

Specific target organ toxicity - repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Other information

Repeated exposure may cause skin dryness or cracking.

SECTION 12: Ecological information

12.1 Toxicity

Harmful to aquatic life.

California Scents 3oz Fogger Ice

Version number: 10.0
Replaces version of: 2024-12-18 (9)

Revision: 2025-10-02

Aquatic toxicity (acute) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Fluorinated alkane	75-37-6	LC50	295.8 mg/l	fish	96 h
Fluorinated alkane	75-37-6	EC50	146.7 mg/l	aquatic invertebrates	48 h
Fluorinated alkane	75-37-6	LL50	>100 mg/l	fish	96 h
Fluorinated alkane	75-37-6	EL50	>100 mg/l	aquatic invertebrates	48 h
Fluorinated alkane	75-37-6	NOELR	100 mg/l	fish	96 h
acetone	67-64-1	LC50	8,120 mg/l	fish	96 h
butane (containing ≥ 0,1 % butadiene (203-450-8))	106-97-8	LC50	49.9 mg/l	fish	96 h
butane (containing ≥ 0,1 % butadiene (203-450-8))	106-97-8	EC50	19.37 mg/l	algae	96 h
propane	74-98-6	LC50	49.9 mg/l	fish	96 h
propane	74-98-6	EC50	19.37 mg/l	algae	96 h
isobutane	75-28-5	LC50	49.9 mg/l	fish	96 h
isobutane	75-28-5	EC50	19.37 mg/l	algae	96 h
(ethoxymethoxy)cyclododecane	58567-11-6	LC50	1.9 mg/l	fish	96 h
(ethoxymethoxy)cyclododecane	58567-11-6	EC50	1.6 mg/l	aquatic invertebrates	48 h
(ethoxymethoxy)cyclododecane	58567-11-6	ErC50	>2 mg/l	algae	72 h
(ethoxymethoxy)cyclododecane	58567-11-6	NOEC	1.3 mg/l	fish	96 h
(ethoxymethoxy)cyclododecane	58567-11-6	LOEC	2.8 mg/l	fish	96 h
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	LC50	24 mg/l	fish	24 h
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	EC50	23 mg/l	aquatic invertebrates	48 h
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	ErC50	25.1 mg/l	algae	72 h
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	NOEC	5 mg/l	fish	96 h
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	LOEC	16 mg/l	fish	96 h

12.2 Persistence and degradability



California Scents 3oz Fogger Ice

Version number: 10.0
Replaces version of: 2024-12-18 (9)

Revision: 2025-10-02

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance at a concentration of $\geq 0.1\%$.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of $\geq 0.1\%$.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Only packagings which are approved (e.g. acc. to DOT) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1 UN number

DOT	UN 1950
IMDG-Code	UN 1950
ICAO-TI	UN 1950

14.2 UN proper shipping name

DOT	Aerosols
IMDG-Code	AEROSOLS
ICAO-TI	Aerosols, flammable

14.3 Transport hazard class(es)

DOT	2.1
IMDG-Code	2.1
ICAO-TI	2.1

California Scents 3oz Fogger Ice

Version number: 10.0
Replaces version of: 2024-12-18 (9)

Revision: 2025-10-02

- | | |
|--|---|
| 14.4 Packing group | not assigned |
| 14.5 Environmental hazards | non-environmentally hazardous acc. to the dangerous goods regulations |
| 14.6 Special precautions for user | There is no additional information. |
| 14.7 Transport in bulk according to IMO instruments | The cargo is not intended to be carried in bulk. |

Information for each of the UN Model Regulations

DOT

Transport of dangerous goods by road or rail (49 CFR US DOT) - Additional information

Particulars in the shipper's declaration	UN1950, Aerosols, 2.1
Reportable quantity (RQ)	16,949 lbs (7,695 kg) (acetone)
Danger label(s)	2.1



Special provisions (SP)	N82
ERG No	126

International Maritime Dangerous Goods Code (IMDG) - Additional information

Particulars in the shipper's declaration	UN1950, AEROSOLS, 2.1, 28.3°C c.c.
Marine pollutant	-
Danger label(s)	2.1



Special provisions (SP)	63, 190, 277, 327, 344, 381, 959
Excepted quantities (EQ)	E0
Limited quantities (LQ)	1 L
EmS	F-D, S-U
Stowage category	-

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Particulars in the shipper's declaration	UN1950, Aerosols, flammable, 2.1
Danger label(s)	2.1

California Scents 3oz Fogger Ice

Version number: 10.0
Replaces version of: 2024-12-18 (9)

Revision: 2025-10-02



Special provisions (SP)	A145, A167
Exempted quantities (EQ)	E0
Limited quantities (LQ)	30 kg

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

National regulations (United States)

Toxic Substance Control Act (TSCA)

all ingredients are listed or exempt from listing

Superfund Amendment and Reauthorization Act (SARA TITLE III)

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

none of the ingredients are listed

Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

- List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4)

Name of substance	CAS No	Remarks	Statutory code	Final RQ pounds (Kg)
acetone	67-64-1		4	5000 (2270)

Legend

4 "4" indicates that the source is section 3001 of the Resource Conservation and Recovery Act (RCRA)

Clean Air Act

Name of substance	CAS No	Type of registration	Basis for listing	Threshold quantity (lbs)
Fluorinated alkane	75-37-6	Flammable substance	f	10000
isobutane	75-28-5	Flammable substance	f	10000
propane	74-98-6	Flammable substance	f	10000
butane (containing $\geq 0,1$ % butadiene (203-450-8))	106-97-8	Flammable substance	f	10000

Legend

f Flammable gas.

Right to Know Hazardous Substance List



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

California Scents 3oz Fogger Ice

Version number: 10.0
Replaces version of: 2024-12-18 (9)

Revision: 2025-10-02

- Cleaning Product Right to Know Act Substance List (CA-RTK)

Name of substance	CAS No	Functionality	Authoritative Lists
Fluorinated alkane	75-37-6	fragrance	
acetone	67-64-1	diluent	ATSDR Neurotoxicants
butane (containing ≥ 0,1 % butadiene (203-450-8))	106-97-8		EC Annex VI CMRs - Cat. 1A EC Annex VI CMRs - Cat. 1B
propane	68476-86-8		EC Annex VI CMRs - Cat. 1A EC Annex VI CMRs - Cat. 1B
isobutane	75-28-5	propellant	EC Annex VI CMRs - Cat. 1A EC Annex VI CMRs - Cat. 1B
Propylene Glycol	57-55-6	diluent	
Diocetyl Adipate	123-79-5	fragrance	
Isononyl acetate	40379-24-6	fragrance	
Dihydromyrcenol	18479-58-8	fragrance	
(ethoxymethoxy)cyclododecane	58567-11-6	fragrance	
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	fragrance	
benzyl benzoate	120-51-4	fragrance	EU Fragrance Allergens
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethyl-indeno[5,6-c]pyran	1222-05-5		EU Fragrance Allergens
Tetramethyl Acetyloctahydronaphthalenes	54464-57-2		EU Fragrance Allergens
Linalyl acetate	115-95-7		EU Fragrance Allergens
Linalool	78-70-6	fragrance	EU Fragrance Allergens

- Toxic or Hazardous Substance List (MA-TURA)

Name of substance	CAS No	DEP CODE	PBT / HHS / LHS	PBT / HHS Threshold	De Minimis Concentration Threshold
acetone	67-64-1				1.0 %

- Hazardous Substances List (MN-ERTK)

Name of substance	CAS No	References	Remarks
acetone	67-64-1	A, N, O	
isobutane		N	
propane	74-98-6	A, O	
propane		N	
propane		A	gases



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

California Scents 3oz Fogger Ice

Version number: 10.0
Replaces version of: 2024-12-18 (9)

Revision: 2025-10-02

Name of substance	CAS No	References	Remarks
butane (containing $\geq 0,1$ % butadiene (203-450-8))		N	

Legend

- A American Conference of Governmental Industrial Hygienists (ACGIH), "Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices for 1992-93", available from ACGIH
- gases Refers to displacement of air asphyxiation hazard.
- N National Institute for Occupational Safety and Health (NIOSH), "Recommendations for Occupational Safety and Health Standards," August 1988, available from NIOSH, Publications Dissemination Office, Division of Standards Development and Technology Transfer
- O Occupational Safety and Health Administration (OSHA), Safety and Health Standards, Code of Federal Regulations, title 29, part 1910, subpart Z, "Toxic and Hazardous Substances, 1990." General information: Minnesota Department of Labor and Industry, Occupational Safety and Health Division

- Hazardous Substance List (NJ-RTK)

Name of substance	CAS No	Remarks	Classifications
acetone	67-64-1		F3
Fluorinated alkane	75-37-6		F4
isobutane	75-28-5		F4
propane	74-98-6		F4
butane (containing $\geq 0,1$ % butadiene (203-450-8))	106-97-8		F4

Legend

- F3 Flammable - Third Degree
- F4 Flammable - Fourth Degree

- Hazardous Substance List (Chapter 323) (PA-RTK)

Name acc. to inventory	CAS No	Classification
2-PROPANONE	67-64-1	E
PROPANE, 2-METHYL-	75-28-5	
PROPANE	74-98-6	
BUTANE	106-97-8	

Legend

- E Environmental hazard



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

California Scents 3oz Fogger Ice

Version number: 10.0
Replaces version of: 2024-12-18 (9)

Revision: 2025-10-02

- Hazardous Substance List (RI-RTK)

Name of substance	CAS No	References
acetone	67-64-1	T, F
isobutane	106-97-8	T, F
propane	74-98-6	T
propane	74-98-6	T, F
butane (containing $\geq 0,1$ % butadiene (203-450-8))	106-97-8	T, F

Legend

F Flammability (NFPA®)
T Toxicity (ACGIH®)

California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

none of the ingredients are listed

Drug precursors, Chemicals designated within the Controlled Substances Act, 21 U.S.C. § 802, paragraphs 34 (list I) and 35 (list II)

Name of substance	CAS No	Listed in	Special conditions	Excluded transactions	DEA - code	Concentration limit
acetone	67-64-1	List II chemicals	SC-6532	excl-trans-12	6532	35% by Weight or Volume

Legend

excl-trans-12 Excluded transactions: Domestic and import transactions in chemical mixtures that contain acetone, ethyl ether, 2-butanone, and/or toluene, unless regulated because of being formulated with other List I or List II chemical(s) above the concentration limit.
List II The term "list II chemical" means a chemical (other than a list I chemical) specified by regulation of the Attorney General as a chemical that is used in manufacturing a controlled substance in violation of this subchapter.
SC-6532 Exports only; Limit applies to acetone or any combination of acetone, ethyl ether, 2-butanone, methyl isobutyl ketone, and toluene if present in the mixture by summing the concentrations for each chemical.

Industry or sector specific available guidance(s)

NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.

Category	Rating	Description
Chronic	/	none
Health	2	temporary or minor injury may occur
Flammability	4	material that rapidly or completely vaporizes at atmospheric pressure and normal am-



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

California Scents 3oz Fogger Ice

Version number: 10.0
Replaces version of: 2024-12-18 (9)

Revision: 2025-10-02

Category	Rating	Description
		bient temperature or that is readily dispersed in air and burn readily
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive
Personal protection	-	

NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Category	Degree of hazard	Description
Flammability	4	material that rapidly or completely vaporizes at atmospheric pressure and normal ambient temperature or that is readily dispersed in air and burn readily
Health	0	material that, under emergency conditions, would offer no hazard beyond that of ordinary combustible material
Instability	0	material that is normally stable, even under fire conditions
Special hazard		

National inventories

Country	Inventory	Status
AU	AIIC	all ingredients are listed
CA	DSL	not all ingredients are listed
CA	NDSL	not all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed (ACTIVE)



California Scents 3oz Fogger Ice

Version number: 10.0
Replaces version of: 2024-12-18 (9)

Revision: 2025-10-02

Legend

AIIC	Australian Inventory of Industrial Chemicals
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
ISHA-ENCS	Inventory of Existing and New Chemical Substances (ISHA-ENCS)
KECI	Korea Existing Chemicals Inventory
NDSL	Non-domestic Substances List (NDSL)
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information, including date of preparation or last revision

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
2.2		- Precautionary statements: change in the listing (table)	yes
5.2	Special hazards arising from the substance or mixture: Contact with the product can cause burns and/or frostbite. Contains gas under pressure; may explode if heated.	Special hazards arising from the substance or mixture: In case of insufficient ventilation and/or in use, may form flammable/explosive vapor-air mixture. Contact with the product can cause burns and/or frostbite. Contains gas under pressure; may explode if heated.	yes
7.1	- Measures to prevent fire as well as aerosol and dust generation: Use local and general ventilation. Use only in well-ventilated areas.	- Measures to prevent fire as well as aerosol and dust generation: Use local and general ventilation. Take precautionary measures against static discharge. Use only in well-ventilated areas. Ground/bond container and receiving equipment.	yes
8.1		Occupational exposure limit values (Workplace Exposure Limits): change in the listing (table)	yes
8.1		Biological limit values: change in the listing (table)	yes
9.1	Physical state: aerosol (spray aerosol)	Physical state: liquid, solid, gaseous (spray aerosol)	yes



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

California Scents 3oz Fogger Ice

Version number: 10.0
Replaces version of: 2024-12-18 (9)

Revision: 2025-10-02

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
9.1	Explosive limits	Explosive limits: 3.7 vol% - 18 vol%	yes
9.1	Density: not determined	Density: Not available. This property is not relevant for the safety and classification of this product.	yes
9.1	Solubility(ies): not determined	Solubility(ies): insoluble in water	yes
9.1	- n-octanol/water (log KOW): this information is not available	- n-octanol/water (log KOW): Not available. This property is not relevant for the safety and classification of this product.	yes
9.1		Decomposition temperature: not relevant	yes
9.1		Kinematic viscosity: not relevant	yes
11.1	Acute toxicity: Shall not be classified as acutely toxic.GHS of the United Nations, annex 4: May be harmful if swallowed or in contact with skin.	Acute toxicity: Based on available data, the classification criteria are not met.GHS of the United Nations, annex 4: May be harmful if swallowed or in contact with skin.	yes
11.1	Skin corrosion/irritation: Shall not be classified as corrosive/irritant to skin.	Skin corrosion/irritation: Based on available data, the classification criteria are not met.	yes
11.1	Germ cell mutagenicity: Shall not be classified as germ cell mutagenic.	Germ cell mutagenicity: Based on available data, the classification criteria are not met.	yes
11.1	Carcinogenicity: Shall not be classified as carcinogenic.	Carcinogenicity: Based on available data, the classification criteria are not met.	yes
11.1	Reproductive toxicity: Shall not be classified as a reproductive toxicant.	Reproductive toxicity: Based on available data, the classification criteria are not met.	yes
11.1	Specific target organ toxicity - repeated exposure: Shall not be classified as a specific target organ toxicant (repeated exposure).	Specific target organ toxicity - repeated exposure: Based on available data, the classification criteria are not met.	yes
11.1	Aspiration hazard: Shall not be classified as presenting an aspiration hazard.	Aspiration hazard: Based on available data, the classification criteria are not met.	yes
12.5	Results of PBT and vPvB assessment: According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance at a concentration of $\geq 0.1\%$.	Results of PBT and vPvB assessment: Does not contain a PBT-/vPvB-substance at a concentration of $\geq 0.1\%$.	yes
15.1	Specific Toxic Chemical Listings (EPCRA Section 313): none of the ingredients are listed		yes



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

California Scents 3oz Fogger Ice

Version number: 10.0
Replaces version of: 2024-12-18 (9)

Revision: 2025-10-02

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
15.1		Cleaning Product Right to Know Act Substance List (CA-RTK): change in the listing (table)	yes
15.1		National inventories: change in the listing (table)	yes

Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG).

Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.