



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

California Scents Car Scents Concord Cranberry

Version number: 11.0
Replaces version of: 2024-02-08 (10)

Revision: 2025-04-16

SECTION 1: Identification

1.1 Product identifier

Trade name **California Scents Car Scents Concord Cranberry**
Alternative number(s) 091400019228, 091400000486, 7638900435139,
7638900850505, 091400039875, 0914000411076

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Consumer uses: Air Freshener

1.3 Details of the supplier of the safety data sheet

Energizer Manufacturing, Inc.
25225 Detroit Rd.
Westlake OH 44145
United States

Telephone: 800-383-7323; 314-985-2000 (USA / CANADA)
e-mail: Autocare.regulatory@energizer.com
Website: <https://data.energizer.com>

1.4 Emergency telephone number

Emergency information service FOR EMERGENCY in USA & Canada CALL +1 800
255-3924 / For International CALL +1 813 248 0585
This number is only available during the following
office hours: Mon-Fri 09:00 AM - 05:00 PM

SECTION 2: Hazard(s) identification

2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Section	Hazard class	Category	Hazard class and category	Hazard statement
A.3	serious eye damage/eye irritation	2	Eye Irrit. 2	H319
A.4S	skin sensitization	1	Skin Sens. 1	H317

For full text of abbreviations: see SECTION 16.

2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

- Signal word warning

California Scents Car Scents Concord Cranberry

Version number: 11.0
Replaces version of: 2024-02-08 (10)

Revision: 2025-04-16

- Pictograms

GHS07



- Hazard statements

H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.

- Precautionary statements

P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P103 Read label before use.
P261 Avoid breathing dust/fume/gas/mist/vapors/spray.
P272 Contaminated work clothing must not be allowed out of the workplace.
P280 Wear eye protection/face protection.
P302+P352 If on skin: Wash with plenty of water.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P321 Specific treatment (see on this label).
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.
P363 Wash contaminated clothing before reuse.
P501 Dispose of contents/container in accordance with national regulations.

- Hazardous ingredients for labelling

2,4-dimethylcyclohex-3-ene-1-carbaldehyde, Benzyl salicylate, Geraniol, Geranyl acetate, Aldehyde C-16, Neryl acetate, citral, Linalool

2.3 Other hazards

Hazards not otherwise classified

May be harmful if swallowed (GHS category 5: acutely toxic - oral).
May be harmful in contact with skin (GHS category 5: acutely toxic - dermal).
Toxic to aquatic life with long lasting effects (GHS category 2: aquatic toxicity - acute and/or chronic).
Causes mild skin irritation (GHS category 3: irritant to skin).

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance at a concentration of $\geq 0.1\%$.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of $\geq 0.1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)














California Scents Car Scents Concord Cranberry

Version number: 11.0
Replaces version of: 2024-02-08 (10)

Revision: 2025-04-16

3.2 Mixtures


Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
Benzyl salicylate	CAS No 118-58-1	5 - < 10	Eye Irrit. 2 / H319 Skin Sens. 1B / H317	
Aldehyde C-16	CAS No 77-83-8	5 - < 10	Skin Sens. 1B / H317	
Linalool	CAS No 78-70-6	5 - < 10	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1B / H317 Flam. Liq. 4 / H227	
benzyl benzoate	CAS No 120-51-4	5 - < 10	Acute Tox. 4 / H302	
Styryllyl Acetate	CAS No 93-92-5	1 - < 5	Flam. Liq. 4 / H227	
Ethyl 2-methylbutyrate	CAS No 7452-79-1	1 - < 5	Flam. Liq. 3 / H226	
Phenethyl alcohol	CAS No 60-12-8	1 - < 5	Acute Tox. 4 / H302 Acute Tox. 4 / H332 Eye Irrit. 2 / H319	
Hexyl Acetate	CAS No 142-92-7	1 - < 5	Flam. Liq. 3 / H226	
ethyl butyrate	CAS No 105-54-4	1 - < 5	Eye Irrit. 2 / H319 Flam. Liq. 3 / H226	
2,4-dimethylcyclohex-3-ene-1-carbaldehyde	CAS No 68039-49-6	1 - < 5	Skin Irrit. 2 / H315 Skin Sens. 1 / H317 Flam. Liq. 4 / H227	
Geranyl acetate	CAS No 105-87-3	< 1	Skin Irrit. 2 / H315 Skin Sens. 1 / H317	
Geraniol	CAS No 106-24-1	< 1	Skin Irrit. 2 / H315 Eye Dam. 1 / H318 Skin Sens. 1 / H317	
Allyl Caproate	CAS No 123-68-2	< 1	Acute Tox. 3 / H301 Acute Tox. 3 / H311 Acute Tox. 3 / H331 Flam. Liq. 4 / H227	
citral	CAS No 5392-40-5	< 1	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1 / H317	

California Scents Car Scents Concord Cranberry

Version number: 11.0
Replaces version of: 2024-02-08 (10)

Revision: 2025-04-16

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
Neryl acetate	CAS No 141-12-8	< 1	Skin Sens. 1B / H317	

Remarks

For full text of abbreviations: see SECTION 16

SECTION 4: First-aid measures

4.1 Description of first-aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO₂)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO₂)



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

California Scents Car Scents Concord Cranberry

Version number: 11.0
Replaces version of: 2024-02-08 (10)

Revision: 2025-04-16

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.



California Scents Car Scents Concord Cranberry

Version number: 11.0
Replaces version of: 2024-02-08 (10)

Revision: 2025-04-16

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)											
Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m ³]	STEL [ppm]	STEL [mg/m ³]	Ceiling-C [ppm]	Ceiling-C [mg/m ³]	Notation	Source
US	benzyl acetate	140-11-4	PEL (CA)	10	61						Cal/OSHA PEL
US	benzyl acetate	140-11-4	TLV®	10							ACGIH® 2024
US	citral	5392-40-5	TLV®	5						iv, H	ACGIH® 2024
US	phenylethyl alcohol	60-12-8	TLV®	0.5						H	ACGIH® 2024
US	cellulose	9004-34-6	REL		10 (10 h)						NIOSH REL
US	cellulose	9004-34-6	TLV®		10						ACGIH® 2024
US	cellulose	9004-34-6	PEL		15					dust	29 CFR 1910.1000
US	cellulose	9004-34-6	REL		5 (10 h)					r	NIOSH REL
US	cellulose	9004-34-6	PEL		5					r	29 CFR 1910.1000

Notation

Ceiling-C	ceiling value is a limit value above which exposure should not occur
dust	as dust
H	absorbed through the skin
iv	inhalable fraction and vapor
r	respirable fraction
STEL	short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)
TWA	time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

California Scents Car Scents Concord Cranberry

Version number: 11.0
Replaces version of: 2024-02-08 (10)

Revision: 2025-04-16

Relevant DNELs of components						
Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Benzyl salicylate	118-58-1	DNEL	7.8 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Benzyl salicylate	118-58-1	DNEL	2.21 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Aldehyde C-16	77-83-8	DNEL	17.63 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Aldehyde C-16	77-83-8	DNEL	35.26 mg/m ³	human, inhalatory	worker (industry)	acute - systemic effects
Aldehyde C-16	77-83-8	DNEL	44.08 mg/m ³	human, inhalatory	worker (industry)	chronic - local effects
Aldehyde C-16	77-83-8	DNEL	88.16 mg/m ³	human, inhalatory	worker (industry)	acute - local effects
Aldehyde C-16	77-83-8	DNEL	5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Aldehyde C-16	77-83-8	DNEL	10 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic effects
Linalool	78-70-6	DNEL	16.5 mg/m ³	human, inhalatory	worker (industry)	acute - systemic effects
Linalool	78-70-6	DNEL	5 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic effects
Linalool	78-70-6	DNEL	24.58 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Linalool	78-70-6	DNEL	3.5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
benzyl benzoate	120-51-4	DNEL	14.1 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
benzyl benzoate	120-51-4	DNEL	70.5 mg/m ³	human, inhalatory	worker (industry)	acute - systemic effects
benzyl benzoate	120-51-4	DNEL	4 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Ethyl 2-methylbutyrate	7452-79-1	DNEL	52.08 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Ethyl 2-methylbutyrate	7452-79-1	DNEL	6.67 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Styrallyl Acetate	93-92-5	DNEL	5.29 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Styrallyl Acetate	93-92-5	DNEL	10.58 mg/m ³	human, inhalatory	worker (industry)	acute - systemic effects
Styrallyl Acetate	93-92-5	DNEL	13.22	human, inhalat-	worker (industry)	chronic - local ef-



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

California Scents Car Scents Concord Cranberry

Version number: 11.0
Replaces version of: 2024-02-08 (10)

Revision: 2025-04-16

Relevant DNELs of components						
Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
			mg/m ³	ory		fects
Styrallyl Acetate	93-92-5	DNEL	26.45 mg/m ³	human, inhalatory	worker (industry)	acute - local effects
Styrallyl Acetate	93-92-5	DNEL	1.5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Styrallyl Acetate	93-92-5	DNEL	3 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic effects
Phenethyl alcohol	60-12-8	DNEL	59.9 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Phenethyl alcohol	60-12-8	DNEL	21.2 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Hexyl Acetate	142-92-7	DNEL	48 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Hexyl Acetate	142-92-7	DNEL	48 mg/m ³	human, inhalatory	worker (industry)	chronic - local effects
Hexyl Acetate	142-92-7	DNEL	14 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
ethyl butyrate	105-54-4	DNEL	49.3 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
ethyl butyrate	105-54-4	DNEL	2.33 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Geraniol	106-24-1	DNEL	11.8 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Geraniol	106-24-1	DNEL	4.2 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Geraniol	106-24-1	DNEL	11,800 µg/cm ²	human, dermal	worker (industry)	chronic - local effects
Geranyl acetate	105-87-3	DNEL	62.59 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Geranyl acetate	105-87-3	DNEL	35.5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Allyl Caproate	123-68-2	DNEL	15 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Allyl Caproate	123-68-2	DNEL	4.3 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
citral	5392-40-5	DNEL	9 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
citral	5392-40-5	DNEL	1.7 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

California Scents Car Scents Concord Cranberry

Version number: 11.0
Replaces version of: 2024-02-08 (10)

Revision: 2025-04-16

Relevant DNELs of components

Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
citral	5392-40-5	DNEL	140 µg/cm ²	human, dermal	worker (industry)	chronic - local effects

Relevant PNECs of components

Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Benzyl salicylate	118-58-1	PNEC	0.0103 mg/l	aquatic organisms	water	intermittent release
Benzyl salicylate	118-58-1	PNEC	80 mg/kg	aquatic organisms	water	short-term (single instance)
Benzyl salicylate	118-58-1	PNEC	0.001 mg/l	aquatic organisms	freshwater	short-term (single instance)
Benzyl salicylate	118-58-1	PNEC	0 mg/l	aquatic organisms	marine water	short-term (single instance)
Benzyl salicylate	118-58-1	PNEC	10 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Benzyl salicylate	118-58-1	PNEC	0.583 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Benzyl salicylate	118-58-1	PNEC	0.058 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Benzyl salicylate	118-58-1	PNEC	1.41 mg/kg	terrestrial organisms	soil	short-term (single instance)
Aldehyde C-16	77-83-8	PNEC	23.3 mg/kg	aquatic organisms	water	short-term (single instance)
Aldehyde C-16	77-83-8	PNEC	0.084 mg/l	aquatic organisms	water	intermittent release
Aldehyde C-16	77-83-8	PNEC	0.008 mg/l	aquatic organisms	freshwater	short-term (single instance)
Aldehyde C-16	77-83-8	PNEC	8.4 µg/l	aquatic organisms	marine water	short-term (single instance)
Aldehyde C-16	77-83-8	PNEC	10 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Aldehyde C-16	77-83-8	PNEC	0.214 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Aldehyde C-16	77-83-8	PNEC	0.021 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Aldehyde C-16	77-83-8	PNEC	0.038 mg/kg	terrestrial organisms	soil	short-term (single instance)



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

California Scents Car Scents Concord Cranberry

Version number: 11.0
Replaces version of: 2024-02-08 (10)

Revision: 2025-04-16

Relevant PNECs of components

Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Linalool	78-70-6	PNEC	7.8 mg/kg	aquatic organisms	water	short-term (single instance)
Linalool	78-70-6	PNEC	2 mg/l	aquatic organisms	water	intermittent release
Linalool	78-70-6	PNEC	0.2 mg/l	aquatic organisms	freshwater	short-term (single instance)
Linalool	78-70-6	PNEC	0.02 mg/l	aquatic organisms	marine water	short-term (single instance)
Linalool	78-70-6	PNEC	10 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Linalool	78-70-6	PNEC	2.22 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Linalool	78-70-6	PNEC	0.222 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Linalool	78-70-6	PNEC	0.327 mg/kg	terrestrial organisms	soil	short-term (single instance)
benzyl benzoate	120-51-4	PNEC	0.003 mg/l	aquatic organisms	freshwater	short-term (single instance)
benzyl benzoate	120-51-4	PNEC	0.322 µg/l	aquatic organisms	marine water	short-term (single instance)
benzyl benzoate	120-51-4	PNEC	100 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
benzyl benzoate	120-51-4	PNEC	2.043 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
benzyl benzoate	120-51-4	PNEC	0.204 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
benzyl benzoate	120-51-4	PNEC	0.406 mg/kg	terrestrial organisms	soil	short-term (single instance)
Ethyl 2-methylbutyrate	7452-79-1	PNEC	0.026 mg/l	aquatic organisms	freshwater	short-term (single instance)
Ethyl 2-methylbutyrate	7452-79-1	PNEC	0.003 mg/l	aquatic organisms	marine water	short-term (single instance)
Ethyl 2-methylbutyrate	7452-79-1	PNEC	0.3 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Ethyl 2-methylbutyrate	7452-79-1	PNEC	0.392 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Ethyl 2-methylbutyrate	7452-79-1	PNEC	0.039 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Ethyl 2-methylbutyrate	7452-79-1	PNEC	0.063 mg/kg	terrestrial organisms	soil	short-term (single instance)



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

California Scents Car Scents Concord Cranberry

Version number: 11.0
Replaces version of: 2024-02-08 (10)

Revision: 2025-04-16

Relevant PNECs of components						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Styrallyl Acetate	93-92-5	PNEC	16.67 mg/kg	aquatic organisms	water	short-term (single instance)
Styrallyl Acetate	93-92-5	PNEC	0.183 mg/l	aquatic organisms	water	intermittent release
Styrallyl Acetate	93-92-5	PNEC	0.018 mg/l	aquatic organisms	freshwater	short-term (single instance)
Styrallyl Acetate	93-92-5	PNEC	0.002 mg/l	aquatic organisms	marine water	short-term (single instance)
Styrallyl Acetate	93-92-5	PNEC	10 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Styrallyl Acetate	93-92-5	PNEC	0.536 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Styrallyl Acetate	93-92-5	PNEC	0.054 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Styrallyl Acetate	93-92-5	PNEC	0.097 mg/kg	terrestrial organisms	soil	short-term (single instance)
Phenethyl alcohol	60-12-8	PNEC	2.15 mg/l	aquatic organisms	water	intermittent release
Phenethyl alcohol	60-12-8	PNEC	0.215 mg/l	aquatic organisms	freshwater	short-term (single instance)
Phenethyl alcohol	60-12-8	PNEC	0.021 mg/l	aquatic organisms	marine water	short-term (single instance)
Phenethyl alcohol	60-12-8	PNEC	10 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Phenethyl alcohol	60-12-8	PNEC	1.454 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Phenethyl alcohol	60-12-8	PNEC	0.145 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Phenethyl alcohol	60-12-8	PNEC	0.164 mg/kg	terrestrial organisms	soil	short-term (single instance)
Hexyl Acetate	142-92-7	PNEC	0.044 mg/l	aquatic organisms	water	intermittent release
Hexyl Acetate	142-92-7	PNEC	0.004 mg/l	aquatic organisms	freshwater	short-term (single instance)
Hexyl Acetate	142-92-7	PNEC	0 mg/l	aquatic organisms	marine water	short-term (single instance)
Hexyl Acetate	142-92-7	PNEC	1 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Hexyl Acetate	142-92-7	PNEC	0.144 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

California Scents Car Scents Concord Cranberry

Version number: 11.0
Replaces version of: 2024-02-08 (10)

Revision: 2025-04-16

Relevant PNECs of components

Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Hexyl Acetate	142-92-7	PNEC	0.014 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Hexyl Acetate	142-92-7	PNEC	0.026 mg/kg	terrestrial organisms	soil	short-term (single instance)
ethyl butyrate	105-54-4	PNEC	29.7 µg/l	aquatic organisms	freshwater	short-term (single instance)
ethyl butyrate	105-54-4	PNEC	2.97 µg/l	aquatic organisms	marine water	short-term (single instance)
ethyl butyrate	105-54-4	PNEC	23.6 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
ethyl butyrate	105-54-4	PNEC	0.173 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
ethyl butyrate	105-54-4	PNEC	17.3 µg/kg	aquatic organisms	marine sediment	short-term (single instance)
ethyl butyrate	105-54-4	PNEC	17.1 µg/kg	terrestrial organisms	soil	short-term (single instance)
Geraniol	106-24-1	PNEC	0.108 mg/l	aquatic organisms	water	intermittent release
Geraniol	106-24-1	PNEC	0.011 mg/l	aquatic organisms	freshwater	short-term (single instance)
Geraniol	106-24-1	PNEC	0.001 mg/l	aquatic organisms	marine water	short-term (single instance)
Geraniol	106-24-1	PNEC	0.7 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Geraniol	106-24-1	PNEC	0.115 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Geraniol	106-24-1	PNEC	0.011 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Geraniol	106-24-1	PNEC	0.017 mg/kg	terrestrial organisms	soil	short-term (single instance)
Geranyl acetate	105-87-3	PNEC	37.2 µg/l	aquatic organisms	water	intermittent release
Geranyl acetate	105-87-3	PNEC	3.72 µg/l	aquatic organisms	freshwater	short-term (single instance)
Geranyl acetate	105-87-3	PNEC	0.372 µg/l	aquatic organisms	marine water	short-term (single instance)
Geranyl acetate	105-87-3	PNEC	8 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Geranyl acetate	105-87-3	PNEC	0.442 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

California Scents Car Scents Concord Cranberry

Version number: 11.0
Replaces version of: 2024-02-08 (10)

Revision: 2025-04-16

Relevant PNECs of components						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Geranyl acetate	105-87-3	PNEC	0.044 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Geranyl acetate	105-87-3	PNEC	0.086 mg/kg	terrestrial organisms	soil	short-term (single instance)
Allyl Caproate	123-68-2	PNEC	47.56 mg/kg	aquatic organisms	water	short-term (single instance)
Allyl Caproate	123-68-2	PNEC	1.17 µg/l	aquatic organisms	water	intermittent release
Allyl Caproate	123-68-2	PNEC	0.117 µg/l	aquatic organisms	freshwater	short-term (single instance)
Allyl Caproate	123-68-2	PNEC	0.012 µg/l	aquatic organisms	marine water	short-term (single instance)
Allyl Caproate	123-68-2	PNEC	10 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Allyl Caproate	123-68-2	PNEC	4.46 µg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Allyl Caproate	123-68-2	PNEC	0.446 µg/kg	aquatic organisms	marine sediment	short-term (single instance)
Allyl Caproate	123-68-2	PNEC	0.825 µg/kg	terrestrial organisms	soil	short-term (single instance)
citral	5392-40-5	PNEC	0.007 mg/l	aquatic organisms	freshwater	short-term (single instance)
citral	5392-40-5	PNEC	0.001 mg/l	aquatic organisms	marine water	short-term (single instance)
citral	5392-40-5	PNEC	1.6 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
citral	5392-40-5	PNEC	0.125 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
citral	5392-40-5	PNEC	0.013 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
citral	5392-40-5	PNEC	0.021 mg/kg	terrestrial organisms	soil	short-term (single instance)

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

California Scents Car Scents Concord Cranberry

Version number: 11.0
Replaces version of: 2024-02-08 (10)

Revision: 2025-04-16

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Type of material

PVA: polyvinyl alcohol, Nitrile

- Material thickness

>0.5 mm

- Breakthrough times of the glove material

>120 minutes (permeation: level 4)

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	liquid (liquid-impregnated solid)
Color	brown
Particle	not relevant (liquid)
Odor	fruity

Other safety parameters

pH (value)	not determined
Melting point/freezing point	not determined
Initial boiling point and boiling range	121 °C at 972.4 hPa
Flash point	102 °C
Evaporation rate	Not determined

California Scents Car Scents Concord Cranberry

Version number: 11.0
Replaces version of: 2024-02-08 (10)

Revision: 2025-04-16

Flammability (solid, gas)	not relevant, (fluid)
Vapor pressure	10 kPa at 143.6 °C
Density	not determined
Vapor density	this information is not available
Relative density	Information on this property is not available
Solubility(ies)	not determined

Partition coefficient

- n-octanol/water (log KOW)	this information is not available
Auto-ignition temperature	384 °C (auto-ignition temperature (liquids and gases))
Viscosity	not determined
Explosive properties	none
Oxidizing properties	none

9.2 Other information

Temperature class (USA, acc. to NEC 500)	T2 (maximum permissible surface temperature on the equipment: 300°C)
--	--

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

Oxidizers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

California Scents Car Scents Concord Cranberry

Version number: 11.0
Replaces version of: 2024-02-08 (10)

Revision: 2025-04-16

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Acute toxicity

Shall not be classified as acutely toxic.

GHS of the United Nations, annex 4: May be harmful if swallowed or in contact with skin.

Acute toxicity estimate (ATE) of components			
Name of substance	CAS No	Exposure route	ATE
Benzyl salicylate	118-58-1	oral	3,339 mg/kg
Benzyl salicylate	118-58-1	dermal	>2,000 mg/kg
Aldehyde C-16	77-83-8	dermal	>2,000 mg/kg
Linalool	78-70-6	oral	2,790 mg/kg
benzyl benzoate	120-51-4	oral	>2,000 mg/kg
Ethyl 2-methylbutyrate	7452-79-1	oral	>2,000 mg/kg
Ethyl 2-methylbutyrate	7452-79-1	dermal	>2,000 mg/kg
Ethyl 2-methylbutyrate	7452-79-1	inhalation: dust/mist	>5.967 mg/l/4h
Phenethyl alcohol	60-12-8	oral	1,603 mg/kg
Phenethyl alcohol	60-12-8	dermal	2,535 mg/kg
Phenethyl alcohol	60-12-8	inhalation: vapor	11 mg/l/4h
Phenethyl alcohol	60-12-8	inhalation: dust/mist	>4.63 mg/l/4h
ethyl butyrate	105-54-4	oral	>2,000 mg/kg
ethyl butyrate	105-54-4	dermal	>2,000 mg/kg
Geraniol	106-24-1	oral	3,600 mg/kg
Allyl Caproate	123-68-2	oral	100 mg/kg
Allyl Caproate	123-68-2	dermal	820 mg/kg
Allyl Caproate	123-68-2	inhalation: vapor	3 mg/l/4h
citral	5392-40-5	dermal	>2,000 mg/kg
Neryl acetate	141-12-8	oral	>2,000 mg/kg

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.



California Scents Car Scents Concord Cranberry

Version number: 11.0
Replaces version of: 2024-02-08 (10)

Revision: 2025-04-16

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitization

May cause an allergic skin reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

SECTION 12: Ecological information

12.1 Toxicity

Toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Benzyl salicylate	118-58-1	LC50	1.03 mg/l	fish	96 h
Benzyl salicylate	118-58-1	EC50	1.21 mg/l	aquatic invertebrates	24 h
Benzyl salicylate	118-58-1	ErC50	1.29 mg/l	algae	72 h
Benzyl salicylate	118-58-1	NOEC	0.894 mg/l	aquatic invertebrates	48 h
Aldehyde C-16	77-83-8	LC50	4.2 mg/l	fish	96 h
Aldehyde C-16	77-83-8	EC50	52 mg/l	aquatic invertebrates	48 h
Aldehyde C-16	77-83-8	ErC50	36 mg/l	algae	72 h
Aldehyde C-16	77-83-8	NOEC	3.2 mg/l	fish	96 h
Aldehyde C-16	77-83-8	LOEC	20 mg/l	algae	72 h
Linalool	78-70-6	LC50	27.8 mg/l	fish	96 h
Linalool	78-70-6	EC50	59 mg/l	aquatic invertebrates	48 h
Linalool	78-70-6	ErC50	156.7 mg/l	algae	96 h
Linalool	78-70-6	NOEC	<3.5 mg/l	fish	96 h



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

California Scents Car Scents Concord Cranberry

Version number: 11.0
Replaces version of: 2024-02-08 (10)

Revision: 2025-04-16

Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
benzyl benzoate	120-51-4	LC50	2.32 mg/l	fish	96 h
benzyl benzoate	120-51-4	EC50	4.26 mg/l	aquatic invertebrates	24 h
benzyl benzoate	120-51-4	ErC50	0.475 mg/l	algae	72 h
benzyl benzoate	120-51-4	NOEC	1.73 mg/l	aquatic invertebrates	48 h
Ethyl 2-methylbutyrate	7452-79-1	LC50	>100 mg/l	fish	96 h
Ethyl 2-methylbutyrate	7452-79-1	ErC50	>100 mg/l	algae	72 h
Ethyl 2-methylbutyrate	7452-79-1	NOEC	>100 mg/l	algae	72 h
Styrallyl Acetate	93-92-5	LC50	21 mg/l	fish	96 h
Styrallyl Acetate	93-92-5	EC50	37 mg/l	aquatic invertebrates	48 h
Styrallyl Acetate	93-92-5	ErC50	110 mg/l	algae	72 h
Styrallyl Acetate	93-92-5	NOEC	52 mg/l	algae	72 h
Phenethyl alcohol	60-12-8	LC50	<464 mg/l	fish	96 h
Phenethyl alcohol	60-12-8	EC50	287.2 mg/l	aquatic invertebrates	48 h
Phenethyl alcohol	60-12-8	ErC50	1.3 g/l	algae	72 h
Phenethyl alcohol	60-12-8	NOEC	100 mg/l	fish	96 h
Hexyl Acetate	142-92-7	EC50	9.1 mg/l	aquatic invertebrates	48 h
Hexyl Acetate	142-92-7	ErC50	12 mg/l	algae	72 h
Hexyl Acetate	142-92-7	NOEC	0.84 mg/l	aquatic invertebrates	48 h
Hexyl Acetate	142-92-7	LOEC	1.6 mg/l	aquatic invertebrates	48 h
ethyl butyrate	105-54-4	LC50	≥100 mg/l	fish	96 h
ethyl butyrate	105-54-4	EC50	116.6 mg/l	aquatic invertebrates	48 h
ethyl butyrate	105-54-4	LOEC	236 mg/l	microorganisms	72 h
Geraniol	106-24-1	LC50	22 mg/l	fish	96 h
Geraniol	106-24-1	EC50	10.8 mg/l	aquatic invertebrates	48 h
Geraniol	106-24-1	ErC50	13.1 mg/l	algae	72 h
Geraniol	106-24-1	NOEC	10 mg/l	fish	96 h
Geranyl acetate	105-87-3	LC50	68.12 mg/l	fish	96 h
Geranyl acetate	105-87-3	EC50	14.1 mg/l	aquatic invertebrates	48 h
Geranyl acetate	105-87-3	ErC50	3.72 mg/l	algae	72 h
Geranyl acetate	105-87-3	NOEC	10 mg/l	fish	96 h
Allyl Caproate	123-68-2	LC50	0.201 mg/l	fish	24 h



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

California Scents Car Scents Concord Cranberry

Version number: 11.0
Replaces version of: 2024-02-08 (10)

Revision: 2025-04-16

Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Allyl Caproate	123-68-2	EC50	2 mg/l	aquatic invertebrates	48 h
Allyl Caproate	123-68-2	ErC50	>4.6 mg/l	algae	72 h
Allyl Caproate	123-68-2	NOEC	0.158 mg/l	algae	72 h
Allyl Caproate	123-68-2	LOEC	0.505 mg/l	algae	72 h
citral	5392-40-5	LC50	6.78 mg/l	fish	96 h
citral	5392-40-5	EC50	6.8 mg/l	aquatic invertebrates	48 h
citral	5392-40-5	ErC50	103.8 mg/l	algae	72 h
citral	5392-40-5	NOEC	4.6 mg/l	fish	96 h
Neryl acetate	141-12-8	LC50	6 mg/l	fish	96 h
Neryl acetate	141-12-8	EC50	10.68 mg/l	aquatic invertebrates	24 h
Neryl acetate	141-12-8	ErC50	4.9 mg/l	algae	72 h

Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Benzyl salicylate	118-58-1	EC50	1.21 mg/l	aquatic invertebrates	24 h
Benzyl salicylate	118-58-1	LC50	4.34 mg/l	aquatic invertebrates	24 h
Linalool	78-70-6	LC50	27.8 mg/l	fish	24 h
Linalool	78-70-6	EC50	>100 mg/l	microorganisms	30 min
benzyl benzoate	120-51-4	LC50	11 mg/l	aquatic invertebrates	24 h
benzyl benzoate	120-51-4	EC50	>10,000 mg/l	microorganisms	3 h
benzyl benzoate	120-51-4	NOEC	0.023 mg/l	fish	35 d
benzyl benzoate	120-51-4	LOEC	0.049 mg/l	fish	35 d
Ethyl 2-methylbutyrate	7452-79-1	EC50	22.53 mg/l	aquatic invertebrates	21 d
Ethyl 2-methylbutyrate	7452-79-1	NOEC	1.3 mg/l	aquatic invertebrates	21 d
Ethyl 2-methylbutyrate	7452-79-1	LOEC	3.6 mg/l	aquatic invertebrates	21 d
Styrallyl Acetate	93-92-5	EC50	>100 mg/l	microorganisms	3 h
Styrallyl Acetate	93-92-5	NOEC	100 mg/l	microorganisms	3 h
Phenethyl alcohol	60-12-8	EC50	>100 mg/l	microorganisms	3 h
Phenethyl alcohol	60-12-8	NOEC	100 mg/l	microorganisms	3 h
Hexyl Acetate	142-92-7	EC50	1,000 mg/l	microorganisms	30 min

California Scents Car Scents Concord Cranberry

Version number: 11.0
Replaces version of: 2024-02-08 (10)

Revision: 2025-04-16

Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Hexyl Acetate	142-92-7	NOEC	100 mg/l	microorganisms	30 min
ethyl butyrate	105-54-4	NOEC	1.483 mg/l	fish	28 d
Geraniol	106-24-1	EC50	70 mg/l	microorganisms	30 min
citral	5392-40-5	EC50	160 mg/l	microorganisms	30 min
Neryl acetate	141-12-8	EC50	≥1,000 mg/l	microorganisms	3 h
Neryl acetate	141-12-8	NOEC	≥1,000 mg/l	microorganisms	3 h

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance at a concentration of ≥ 0.1%.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of ≥ 0.1%.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Only packagings which are approved (e.g. acc. to DOT) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1 UN number

DOT

UN 3082



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

California Scents Car Scents Concord Cranberry

Version number: 11.0
Replaces version of: 2024-02-08 (10)

Revision: 2025-04-16

IMDG-Code	UN 3082
ICAO-TI	UN 3082
14.2 UN proper shipping name	
DOT	Environmentally hazardous substance, liquid, n.o.s.
IMDG-Code	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
ICAO-TI	Environmentally hazardous substance, liquid, n.o.s.
Technical name (hazardous ingredients)	diethyl 1,4-cyclohexanedicarboxylate, 2-t-Butylcyclohexyl Acetate
14.3 Transport hazard class(es)	
DOT	9
IMDG-Code	9
ICAO-TI	9
14.4 Packing group	
DOT	III
IMDG-Code	III
ICAO-TI	III
14.5 Environmental hazards	hazardous to the aquatic environment
Environmentally hazardous substance (aquatic environment)	diethyl 1,4-cyclohexanedicarboxylate, 2-t-Butylcyclohexyl Acetate
14.6 Special precautions for user	
There is no additional information.	
14.7 Transport in bulk according to IMO instruments	
The cargo is not intended to be carried in bulk.	

Information for each of the UN Model Regulations

Not regulated when carried in single or combination packaging containing a net quantity of 5L or less or 5 kg or less per the following:

DOT: 171.4(2)

ADR: SP 375

IMDG: 2.10.2.7

IATA: special provision A197, DOT

Transport of dangerous goods by road or rail (49 CFR US DOT) - Additional information

Particulars in the shipper's declaration	UN3082, Environmentally hazardous substance, liquid, n.o.s., (contains: diethyl 1,4-cyclohexanedicarboxylate, 2-t-Butylcyclohexyl Acetate), 9, III
Danger label(s)	9, fish and tree

California Scents Car Scents Concord Cranberry

Version number: 11.0
Replaces version of: 2024-02-08 (10)

Revision: 2025-04-16



Environmental hazards	YES (hazardous to the aquatic environment)
Special provisions (SP)	8, 146, 173, 335, 441, IB3, T4, TP1, TP29
ERG No	171

International Maritime Dangerous Goods Code (IMDG) - Additional information

Particulars in the shipper's declaration	UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., (contains: diethyl 1,4-cyclohexanedicarboxylate, 2-t-Butylcyclohexyl Acetate), 9, III
Marine pollutant	YES (hazardous to the aquatic environment) (diethyl 1,4-cyclohexanedicarboxylate)
Danger label(s)	9, fish and tree



Special provisions (SP)	274, 335, 969
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
EmS	F-A, S-F
Stowage category	A

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Particulars in the shipper's declaration	UN3082, Environmentally hazardous substance, liquid, n.o.s., (contains: diethyl 1,4-cyclohexanedicarboxylate, 2-t-Butylcyclohexyl Acetate), 9, III
Environmental hazards	YES (hazardous to the aquatic environment)
Danger label(s)	9, fish and tree



Special provisions (SP)	A97, A158, A197, A215
Excepted quantities (EQ)	E1
Limited quantities (LQ)	30 kg



California Scents Car Scents Concord Cranberry

Version number: 11.0
Replaces version of: 2024-02-08 (10)

Revision: 2025-04-16

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

National regulations (United States)

Toxic Substance Control Act (TSCA)

all ingredients are listed or exempt from listing

Superfund Amendment and Reauthorization Act (SARA TITLE III)

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

none of the ingredients are listed

- Specific Toxic Chemical Listings (EPCRA Section 313)

none of the ingredients are listed

Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

- List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4)

none of the ingredients are listed

Clean Air Act

none of the ingredients are listed

Right to Know Hazardous Substance List

- Cleaning Product Right to Know Act Substance List (CA-RTK)

Name of substance	CAS No	Functionality	Authoritative Lists
Cellulose	9004-34-6	substrate	
diethyl 1,4-cyclohexanedicarboxylate	72903-27-6	fragrance	
2-t-Butylcyclohexyl Acetate	88-41-5	fragrance	
Benzyl salicylate	118-58-1	fragrance	EU Fragrance Allergens
Aldehyde C-16	77-83-8	fragrance	
Linalool	78-70-6	fragrance	EU Fragrance Allergens
benzyl benzoate	120-51-4	fragrance	EU Fragrance Allergens
Ethyl 2-methylbutyrate	7452-79-1	fragrance	
Phenethyl alcohol	60-12-8	fragrance	
Benzyl acetate	140-11-4	fragrance	
Aldehyde C-14	104-67-6	fragrance	
Raspberry Ketone	5471-51-2	fragrance	
Hexyl Acetate	142-92-7	preservative	
ethyl butyrate	105-54-4	fragrance	
2,4-dimethylcyclohex-3-ene-1-carbaldehyde	68039-49-6	fragrance	
Geranyl acetate	105-87-3		EU Fragrance Allergens



Safety Data Sheet
acc. to 29 CFR 1910.1200 App D

California Scents Car Scents Concord Cranberry

Version number: 11.0
Replaces version of: 2024-02-08 (10)

Revision: 2025-04-16

Name of substance	CAS No	Functionality	Authoritative Lists
Geraniol	106-24-1	fragrance	EU Fragrance Allergens
Ethyl Maltol	4940-11-8	fragrance	
Allyl Caproate	123-68-2	fragrance	
citral	5392-40-5	fragrance	EU Fragrance Allergens
Citronellyl acetate	150-84-5	fragrance	
Neryl acetate	141-12-8	fragrance	
Ionone Beta	14901-07-6	fragrance	

- Toxic or Hazardous Substance List (MA-TURA)
none of the ingredients are listed
- Hazardous Substance List (NJ-RTK)

Name of substance	CAS No	Remarks	Classifications
ethyl butyrate	105-54-4		CO F3

Legend

- CO Corrosive
- F3 Flammable - Third Degree

- Hazardous Substance List (Chapter 323) (PA-RTK)

Name acc. to inventory	CAS No	Classification
BUTANOIC ACID, ETHYL ESTER	105-54-4	

California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

none of the ingredients are listed

Drug precursors, Chemicals designated within the Controlled Substances Act, 21 U.S.C. § 802, paragraphs 34 (list I) and 35 (list II)

none of the ingredients are listed

Industry or sector specific available guidance(s)

NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.

Category	Rating	Description
Chronic	/	none
Health	2	temporary or minor injury may occur



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

California Scents Car Scents Concord Cranberry

Version number: 11.0
Replaces version of: 2024-02-08 (10)

Revision: 2025-04-16

Category	Rating	Description
Flammability	0	material that will not burn under typical fire conditions
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive
Personal protection	-	

NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Category	Degree of hazard	Description
Flammability	0	material that will not burn under typical fire conditions
Health	2	material that, under emergency conditions, can cause temporary incapacitation or residual injury
Instability	0	material that is normally stable, even under fire conditions
Special hazard		

National inventories

Country	Inventory	Status
AU	AIIC	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	not all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed (ACTIVE)

Legend

AIIC Australian Inventory of Industrial Chemicals
CICR Chemical Inventory and Control Regulation



California Scents Car Scents Concord Cranberry

Version number: 11.0
Replaces version of: 2024-02-08 (10)

Revision: 2025-04-16

Legend

CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
ISHA-ENCS	Inventory of Existing and New Chemical Substances (ISHA-ENCS)
KECI	Korea Existing Chemicals Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information, including date of preparation or last revision

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
2.2		- Precautionary statements: change in the listing (table)	yes
2.3	Results of PBT and vPvB assessment: Does not contain a PBT-/vPvB-substance in a concentration of $\geq 0.1\%$.	Results of PBT and vPvB assessment: Does not contain a PBT-/vPvB-substance at a concentration of $\geq 0.1\%$.	yes
3.2		Description of the mixture: change in the listing (table)	yes
3.2		Remarks: For full text of abbreviations: see SECTION 16	yes
8.1		Occupational exposure limit values (Workplace Exposure Limits): change in the listing (table)	yes
9.1	Physical state: liquid	Physical state: liquid (liquid-impregnated solid)	yes
9.1	Color: dark red	Color: brown	yes
11.1		Acute toxicity estimate (ATE) of components: change in the listing (table)	yes
12.5	Results of PBT and vPvB assessment: According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance in a concentration of $\geq 0.1\%$.	Results of PBT and vPvB assessment: Does not contain a PBT-/vPvB-substance at a concentration of $\geq 0.1\%$.	yes



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

California Scents Car Scents Concord Cranberry

Version number: 11.0
Replaces version of: 2024-02-08 (10)

Revision: 2025-04-16

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
15.1	Toxic Substance Control Act (TSCA); all ingredients are listed (ACTIVE) or exempt from listing	Toxic Substance Control Act (TSCA); all ingredients are listed or exempt from listing	yes
15.1		National inventories: change in the listing (table)	yes

Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG).

Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.