



Meguiar's USA  
17991 Mitchell South  
Irvine, CA 92614  
Tel: 949-752-8000  
Fax: 949-752-5784

In case of **emergency or spill**, contact CHEMTREC at 800-424-9300

## MATERIAL SAFETY DATA SHEET

### 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

**Product Name:** G135 - Hot Rims Mag & Aluminum Polish

**Print date:** 06/22/2006

**Reference Number:** 13-99A

**Prepared Date:** 06/15/2006

#### Use of the Substance/Preparation

**Recommended use:** Polishing agent/Burnishing compound.

#### Company/Undertaking Identification

**Meguiar's Holland**  
Laan der Verenigde Naties 40  
33174 DA Dordrecht  
Holland  
Tel: 31-78-6210268

**Meguiar's Hong Kong**  
Suite 6-7, 20/F Marina House  
68 Hing Man Street  
Shaukeiwan  
Hong Kong  
Tel: 852-2967-0202

**Meguiar's France**  
79 avenue Edouard Vaillant  
92100 BOULOGNE  
France  
Tel: 33-1-46-10-47-81

**Meguiar's UK Ltd.**  
3 Lamport Court  
Heartlands  
Daventry NN11 8UF  
Tel: 0870 241 6696  
Fax: 01327 300 116

### 2. COMPOSITION/INFORMATION ON INGREDIENTS

#### Chemical nature of the preparation

Components	CAS #	% Weight	OSHA PEL TWA	EINECS No.	Classification
Light Distillate	64742-14-9	10-20	None	---	---
Kaolin	1332-58-7	2-5	10mg/m <sup>3</sup>	310-194-1	R42
Hydrotreated Distillate	64742-46-7	1-5	None	---	R65
Calcined Kaolin Clay	66402-68-4	5-10	10mg/m <sup>3</sup>	266-340-9	Xi; R38
Aluminum Oxide	1344-28-1	10-15	10mg/m <sup>3</sup>	215-691-6	F;R-15, R-10

### 3. HAZARDS IDENTIFICATION

**Most important hazards:** This product contains chemicals listed on Canada WHMIS. See Section 15.

### 4. FIRST AID MEASURES

**General Advice:** In the case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

**Inhalation:** Prolonged or intentional exposure to high concentrations may cause respiratory track irritation. Move to fresh air. If symptoms persist, call a physician.

**Skin contact:** If skin irritation persists, call a physician.

**Eye contact:** Flush eyes with water as a precaution. If eye irritation persists, consult a specialist. If symptoms persist, call a physician

**Ingestion:** Rinse mouth. Drink 1 or 2 glasses of water. Consult a physician if necessary.

## 5. FIRE-FIGHTING MEASURES

**NFPA:**

**Health:** 1

**Flammability:** 1

**Reactivity:** 0

**Suitable extinguishing media:**

Use dry chemical, CO<sub>2</sub>, water spray or alcohol-resistant foam.

**Specific hazards:**

Not applicable

**Special protective equipment for firefighters:**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**Extinguishing media which must not be used for safety reasons:**

Not applicable

**Specific methods:**

Not applicable

## 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions:** Not applicable

**Environmental precautions:** Do not allow material to contaminate ground water system.

**Methods for cleaning up:** Wipe up with absorbent material (e.g. cloth, fleece).

## 7. HANDLING AND STORAGE

**Handling:**

**Technical measures/precautions:**

Use only in area well ventilated area

**Safe handling advice:**

None under normal processing.

**Storage:**

Store at room temperature in the original container. Keep away from direct sunlight. Do not freeze.

**Incompatible products:**

No materials to be specially mentioned

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

<b>Engineering measures to reduce exposure:</b>	Ensure adequate ventilation..
<b>Respiratory protection:</b>	No personal respiratory protective equipment normally required.
<b>Skin and body protection:</b>	No special precautions required..
<b>Eye protection:</b>	Avoid contact with eyes. If splashes are likely to occur, wear:. Goggles.
<b>Hand protection:</b>	Preventive skin protection:. Rubber gloves.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### General Information

<b>Appearance:</b>	Liquid	<b>Physical state:</b>	Liquid
<b>Color:</b>	Off-white	<b>Odor:</b>	Sweet

### Important Health Safety and Environmental Information

<b>pH @70° F:</b>	N/A
<b>Flash point:</b>	200 (°F), 93 (°C )
<b>Boiling point/range:</b>	380 (°F), 193 (°C)
<b>Water Solubility:</b>	Slightly soluble
<b>Vapor density:</b>	>1
<b>Evaporation rate:</b>	<1
<b>VOC content:</b>	15%
<b>Specific gravity:</b>	1.04

## 10. STABILITY AND REACTIVITY

<b>Stability:</b>	Stable under recommended storage conditions.
<b>Polymerization:</b>	None under normal processing.
<b>Conditions to avoid:</b>	Extremes of temperature and direct sunlight
<b>Materials to avoid:</b>	None.
<b>Hazardous decomposition products:</b>	None reasonably foreseeable

## 11. TOXICOLOGICAL INFORMATION

### Component Information

<b>Additional Information:</b>	The product is not subject to classification according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version. When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.
--------------------------------	---

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

## Product Information

**Aquatic toxicity:** No information available

## Component Information

**Ecotoxicity effects:** This product has no known eco-toxicological effects.

Components	Ecotoxicity - Freshwater Algae	Exotoxicity - Microtox
Calcined Kaolin Clay 66402-68-4	= 30 ug/L 96 Hr EC50 freshwater algae (Selenastrum capricornutum)	

## **13. DISPOSAL CONSIDERATIONS**

### **Waste from residues / unused products:**

Waste disposal must be in accordance with appropriate Federal, State, and local regulations. This product, if unaltered by use, may be disposed of by treatment at a permitted facility or as advised by your local hazardous waste regulatory authority.

### **Contaminated packaging:**

Disposal must be made according to local and federal regulations.

### **Ewc waste disposal no:**

Not applicable

### **Further information**

According to the European Waste Catalogue, Waste Codes are not product specific, but application specific

## **14. TRANSPORT INFORMATION**

### **General Transportation Statement**

This product does not require classification by DOT, IATA, ICAO or IMDG.

### **Other information:**

The description shown may not apply to all shipping situations. Consult 49CFR, or appropriate Dangerous Goods Regulations, for additional description requirements and mode-specific or quantity-specific shipping requirements.

## **15. REGULATORY INFORMATION**

Components	TSCA	DSL/NDSL	Canada - WHMIS Classification
Kaolin 1332-58-7	Present	Present	D2B
Hydrotreated Distillate 64742-46-7	Present	Present	
Calcined Kaolin Clay 66402-68-4	Present	Present	B4;D2B
Aluminum Oxide 1344-28-1	XU		F;B6

### **CERCLA/SARA 313 Emission reporting**

None

## **16. OTHER INFORMATION**

**Prepared by:** Health & Safety

**Literary reference:** None

**Disclaimer:**

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist

**End of Safety Data Sheet**