



Meguiar's USA
 17991 Mitchell South
 Irvine, CA 92614
 Tel: 949-752-8000
 Fax: 949-752-5784

In case of **emergency or spill**, contact CHEMTREC at 800-424-9300

MATERIAL SAFETY DATA SHEET

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

Product Name: G12711 - NXT Generation Tech Wax Paste 2.0

Print date: 10/30/2007

Reference Number: 19-171E

Prepared Date: 04/09/2007

Use of the Substance/Preparation

Recommended use: Paste Wax.

Company/Undertaking Identification

Meguiar's Holland
 Laan der Verenigde Naties 40
 33174 DA Dordrecht
 Holland
 Tel: 31-78-6210268

Meguiar's Hong Kong
 Suite 6-7, 20/F Marina House
 68 Hing Man Street
 Shaukeiwan
 Hong Kong
 Tel: 852-2967-0202

Meguiar's France
 3 rue de Verdun - Bât. D
 78590 Noisy Le Roi
 France
 Tel: 33-1-30-80-02-16

Meguiar's UK Ltd.
 3 Lamport Court
 Heartlands
 Daventry NN11 8UF
 Tel: 0870 241 6696
 Fax: 01327 300 116

2. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Ingredients

Components	CAS #	% Weight	OSHA PEL TWA	EINECS No.	Classification
Isoparaffinic Hydrocarbon	64742-48-9	30-45	None	265-150-3	Xn; R-65
Isoparaffinic Hydrocarbon	64742-47-8	5-20	None	265-149-8	Xn; R65
Calcined Kaolin Clay	66402-68-4	2-10	10mg/m ³	266-340-9	Xi; R38
Kaolin	1332-58-7	1-5	= 15 mg/m ³ TWA (total dust) = 5 mg/m ³ TWA (respirable fraction)	1332-58-7	R42

3. HAZARDS IDENTIFICATION

Most important hazards:

Combustible material This product contains chemicals listed on Canada WHMIS. See Section 15.

4. FIRST AID MEASURES

General Advice:	In the case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).
Inhalation:	Prolonged or intentional exposure to high concentrations may cause respiratory track irritation. Move to fresh air. Consult a physician.
Skin contact:	Wash off immediately with soap and plenty of water. If skin irritation persists, call a physician.
Eye contact:	Flush eyes with water as a precaution. If symptoms persist, call a physician
Ingestion:	Rinse mouth. Drink 1 or 2 glasses of water. Consult a physician if necessary. Do not induce vomiting without medical advice. If a person vomits when lying on his back, place him in the recovery position.

5. FIRE-FIGHTING MEASURES

NFPA:

Health: 1

Flammability: 2

Reactivity: 0

Suitable extinguishing media:

Use dry chemical, CO₂, water spray or alcohol-resistant foam.

Specific hazards:

Not applicable

Special protective equipment for firefighters:

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Extinguishing media which must not be used for safety reasons:

Not applicable

Specific methods:

Not applicable

6. ACCIDENTAL RELEASE MEASURES

Personal precautions:	Ensure adequate ventilation. Avoid contact with skin and eyes
Environmental precautions:	Local authorities should be advised if significant spillages cannot be contained. Do not contaminate surface water. Prevent further leakage or spillage.
Methods for cleaning up:	Package all material in plastic, cardboard or metal containers for disposal in compliance with the environment protection (duty of care) regulations 1991.

7. HANDLING AND STORAGE

Handling:

Technical measures/precautions:

Use only in area well ventilated area

Safe handling advice:

None under normal processing

Storage:

Store at room temperature in the original container. Keep product and empty container away from heat and sources of ignition. Keep away from direct sunlight. Do not freeze.

Incompatible products:

Do not store together with acids or oxidizers.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering measures to reduce exposure: Ensure adequate ventilation..

Respiratory protection: No personal respiratory protective equipment normally required.

Skin and body protection: No special precautions required..

Eye protection: Avoid contact with eyes. If splashes are likely to occur, wear:. Goggles.

Hand protection: Preventative skin protection:. Neoprene Gloves..

9. PHYSICAL AND CHEMICAL PROPERTIES

General Information

Appearance: Paste

Physical state: Paste

Color: Gold

Odor: Pleasant

Important Health Safety and Environmental Information

pH @70° F:	N/A
Flash point:	150 (°F), 66 (°C)
Boiling point/range:	365 (°F), 185 (°C)
Water Solubility:	Insoluble
Vapor density:	>1
Evaporation rate:	<1
VOC content:	45% max.
Specific gravity:	0.86

10. STABILITY AND REACTIVITY

Stability:	Stable under recommended storage conditions.
Polymerization:	None under normal processing.
Conditions to avoid:	Extremes of temperature and direct sunlight
Materials to avoid:	Strong acids and oxidizing agents
Hazardous decomposition products:	Not determined, None reasonably foreseeable

11. TOXICOLOGICAL INFORMATION

Component Information

Additional Information:	The product is not subject to classification according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version. When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.
--------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

12. ECOLOGICAL INFORMATION

Ecotoxicity

Product Information

Aquatic toxicity:	No information available
--------------------------	--------------------------

Component Information

Ecotoxicity effects:	Not determined
-----------------------------	----------------

Components	Ecotoxicity - Freshwater Algae	Exotoxicity - Microtox
Calcined Kaolin Clay 66402-68-4	= 30 ug/L 96 Hr EC50 freshwater algae (Selenastrum capricornutum)	

13. DISPOSAL CONSIDERATIONS

Waste from residues / unused products:

Waste disposal must be in accordance with appropriate Federal, State, and local regulations. This product, if unaltered by use, may be disposed of by treatment at a permitted facility or as advised by your local hazardous waste regulatory authority.

Contaminated packaging:

Disposal must be made according to local and federal regulations.

Ewc waste disposal no:

Not applicable

Further information

According to the European Waste Catalogue, Waste Codes are not product specific, but application specific

14. TRANSPORT INFORMATION

General Transportation Statement

This product does not require classification by DOT, IATA, ICAO or IMDG.

Other information:

The description shown may not apply to all shipping situations. Consult 49CFR, or appropriate Dangerous Goods Regulations, for additional description requirements and mode-specific or quantity-specific shipping requirements.

15. REGULATORY INFORMATION

Components	TSCA	DSL/NDSL	Canada - WHMIS Classification
Isoparaffinic Hydrocarbon 64742-48-9	Present	Present	
Isoparaffinic Hydrocarbon 64742-47-8	Present	Present	
Calcined Kaolin Clay 66402-68-4	Present	Present	B4;D2B
Kaolin 1332-58-7	XU	Present	D2B

CERCLA/SARA 313 Emission reporting

None

16. OTHER INFORMATION

Prepared by:

Health & Safety

Literary reference:

None

Disclaimer:

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist

End of Safety Data Sheet