


1. Product and Company Identification

Product Name Clearasil Ultra Acne Clearing Scrub
UPC CODES Refer to section 16
CAS # Mixture
Product use Exfoliating scrub
Manufacturer Reckitt Benckiser
 Morris Corporate Center IV
 399 Interpace Parkway
 P.O. Box 225
 Parsippany, NJ 07054-0225
 In Case of Emergency: 1-800-228-4722
 Transportation Emergencies: 24 Hour Number:

North America: CHEMTREC: 1-800-424-9300
 Outside North America: 1-703-527-3887

LEGEND HMIS/NFPA	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

Health	* 1
Flammability	0
Physical Hazard	0
Personal Protection	



2. Hazards Identification

Emergency overview

This product is regulated by the US FDA as a personal care cosmetic or over-the-counter drug. Extensive testing has been completed to show that it is safe and effective when used as directed.

WARNING
 CAUSES EYE IRRITATION. MAY CAUSE SKIN IRRITATION.

Potential short term health effects

Routes of exposure Eye, Skin contact, Inhalation, Ingestion.

Eyes Causes irritation.

Skin May cause irritation.

Inhalation May cause respiratory tract irritation.

Ingestion May cause stomach distress, nausea or vomiting.

Target organs Eyes. Respiratory system.

Chronic effects Prolonged or repeated exposure can cause drying, defatting and dermatitis.

Signs and symptoms Symptoms may include redness, edema, drying, defatting and cracking of the skin.

3. Composition / Information on Ingredients

Ingredient(s)	CAS #	Percent
1-Octadecanol	112-92-5	2.5 - 10
1-Hexadecanaminium, N-(carboxymethyl)-N,N-dimethyl-, inner salt	693-33-4	1 - 2.5
1-Octadecanaminium, N,N-dimethyl-N-octadecyl-, chloride	107-64-2	1 - 2.5
Salicylic acid	69-72-7	1 - 2.5
Sulfuric acid monododecyl ester sodium salt	151-21-3	1 - 2.5
Ethanol	64-17-5	0.1 - 1

4. First Aid Measures

First aid procedures

Eye contact	Flush with cool water. Remove contact lenses, if applicable, and continue flushing. Obtain medical attention if irritation persists.
Skin contact	In case of skin irritation, discontinue use of product.
Inhalation	If symptoms develop move victim to fresh air. If symptoms persist, obtain medical attention.
Ingestion	Do not induce vomiting. Rinse mouth with water, then drink one or two glasses of water. Obtain medical attention. Never give anything by mouth if victim is unconscious, or is convulsing.

Notes to physician

Symptoms may be delayed.

General advice

If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with eyes. Keep out of reach of children.

5. Fire Fighting Measures

Flammable properties	No flashpoint observed up to 92°C (197.6°F)(PMCC)
Extinguishing media	
Suitable extinguishing media	Dry chemical. Alcohol foam. Carbon dioxide.
Unsuitable extinguishing media	Not available
Protection of firefighters	
Specific hazards arising from the chemical	Not available
Protective equipment for firefighters	Firefighters should wear full protective clothing including self contained breathing apparatus.
Hazardous combustion products	May include and are not limited to: Oxides of carbon. Oxides of sulphur.
Explosion data	
Sensitivity to mechanical impact	Not available
Sensitivity to static discharge	Not available

6. Accidental Release Measures

Personal precautions	Do not touch or walk through spilled material. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.
Methods for containment	Stop leak if you can do so without risk. Prevent entry into waterways, sewers, basements or confined areas.
Methods for cleaning up	Before attempting clean up, refer to hazard data given above. Small spills may be absorbed with non-reactive absorbent and placed in suitable, covered, labelled containers. Prevent large spills from entering sewers or waterways. Contact emergency services and supplier for advice. Never return spills in original containers for re-use.

7. Handling and Storage

Handling	Use good industrial hygiene practices in handling this material.
Storage	Keep out of reach of children. Store in a closed container away from incompatible materials.

8. Exposure Controls / Personal Protection

Exposure limits

Ingredient(s)	Exposure Limits
1-Hexadecanaminium, N-(carboxymethyl)-N,N-dimethyl-, inner salt	ACGIH-TLV Not established OSHA-PEL Not established
1-Octadecanaminium, N,N-dimethyl-N-octadecyl-, chloride	ACGIH-TLV Not established OSHA-PEL Not established
1-Octadecanol	ACGIH-TLV Not established OSHA-PEL Not established
Ethanol	ACGIH-TLV TWA: 1000 ppm OSHA-PEL TWA: 1000 ppm
Salicylic acid	ACGIH-TLV Not established OSHA-PEL Not established
Sulfuric acid monododecyl ester sodium salt	ACGIH-TLV Not established OSHA-PEL Not established

Engineering controls	Not normally required if good ventilation is maintained.
Personal protective equipment	
Eye / face protection	Not normally required.
Hand protection	Not required.
Skin and body protection	As required by employer code.
Respiratory protection	Not normally required.
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink.

9. Physical & Chemical Properties

Appearance	Smooth cream with exfoliating particles
Color	Light blue cream with dark blue particles
Form	cream
Odor	woody, Ambery, Fresh., Jasmine, Vanilla
Odor threshold	Not available
Physical state	Liquid
pH	2.6 - 3.6
Melting point	Not available
Freezing point	Not available
Boiling point	Not available
Flash point	No flashpoint observed up to 92°C (197.6°F)(PMCC)
Evaporation rate	Not available

Flammability limits in air, lower, % by volume	Not available
Flammability limits in air, upper, % by volume	Not available
Vapor pressure	Not available
Vapor density	Not available
Specific gravity	Not available
Octanol/water coefficient	Not available
Solubility (H2O)	Not available
Auto-ignition temperature	Not available
Viscosity	50,000-150,000 cps (Spindle TC with helipath, 5 rpm, 60 seconds, 23°C)

10. Chemical Stability & Reactivity Information

Chemical stability	Stable under recommended storage conditions.
Conditions to avoid	Do not mix with other chemicals.
Incompatible materials	Caustics. Acids. Oxidizers.
Hazardous decomposition products	May include and are not limited to: Oxides of carbon. Oxides of sulphur.
Possibility of hazardous reactions	Hazardous polymerization does not occur.

11. Toxicological Information

Component analysis - LC50

Ingredient(s)	LC50
1-Hexadecanaminium, N-(carboxymethyl)-N,N-dimethyl-, inner salt	Not available
1-Octadecanaminium, N,N-dimethyl-N-octadecyl-, chloride	Not available
1-Octadecanol	Not available
Ethanol	31623 ppm rat
Salicylic acid	0.225 mg/l/4h rat
Sulfuric acid monododecyl ester sodium salt	Not available

Component analysis - Oral LD50

Ingredient(s)	LD50
1-Hexadecanaminium, N-(carboxymethyl)-N,N-dimethyl-, inner salt	1620 mg/kg rat
1-Octadecanaminium, N,N-dimethyl-N-octadecyl-, chloride	11300 mg/kg rat
1-Octadecanol	2510 mg/kg rat
Ethanol	3450 mg/kg mouse; 7060 mg/kg rat
Salicylic acid	891 mg/kg rat; 400 mg/kg cat; 480 mg/kg mouse
Sulfuric acid monododecyl ester sodium salt	1288 mg/kg rat

Effects of acute exposure

Eye	Causes irritation.
Skin	May cause irritation.
Inhalation	May cause respiratory tract irritation.
Ingestion	May cause stomach distress, nausea or vomiting.
Sensitization	The finished product is not expected to have chronic health effects.
Chronic effects	The finished product is not expected to have chronic health effects.

Carcinogenicity The finished product is not expected to have chronic health effects.

ACGIH - Threshold Limit Values - Carcinogens

Ethanol 64-17-5 A4 - Not Classifiable as a Human Carcinogen

IARC - Group 1 (Carcinogenic to Humans)

Ethanol 64-17-5 Monograph 96 [2007] (in alcoholic beverages)

Mutagenicity The finished product is not expected to have chronic health effects.

Reproductive effects The finished product is not expected to have chronic health effects.

Teratogenicity The finished product is not expected to have chronic health effects.

12. Ecological Information

Ecotoxicity Components of this product have been identified as having potential environmental concerns.

Ecotoxicity - Freshwater Algae Data

1-Octadecanaminium, N,N-dimethyl-N-octadecyl-, chloride 107-64-2 72 Hr EC50 Selenastrum capricornutum: 0.46 µg/L; 96 Hr EC50 Selenastrum capricornutum: 0.026 mg/L

1-Octadecanol 112-92-5 96 Hr EC50 Scenedesmus subspicatus: 235 mg/L

Sulfuric acid monododecyl ester sodium salt 151-21-3 72 Hr EC50 Scenedesmus subspicatus: 53 mg/L; 96 Hr EC50 Scenedesmus subspicatus: 30-100 mg/L; 96 Hr EC50 Selenastrum capricornutum: 117 mg/L

Ecotoxicity - Freshwater Fish Species Data

1-Octadecanaminium, N,N-dimethyl-N-octadecyl-, chloride 107-64-2 96 Hr LC50 Brachydanio rerio: 0.1-1 mg/L [static]; 96 Hr LC50 Lepomis macrochirus: 0.17-17 mg/L [static]; 96 Hr LC50 Oryzias latipes: 5.2 mg/L [static]; 96 Hr LC50 Pimephales promelas: 0.29-0.558 mg/L [static]

1-Octadecanol 112-92-5 96 Hr LC50 Pimephales promelas: 0.0016 mg/L

Ethanol 64-17-5 96 Hr LC50 Oncorhynchus mykiss: 12900 mg/L [flow-through] (30 days old); 96 Hr LC50 Pimephales promelas: 14.2 mg/L

Salicylic acid 69-72-7 48 Hr LC50 Leuciscus idus: 90 mg/L

Sulfuric acid monododecyl ester sodium salt 151-21-3 96 Hr LC50 Pimephales promelas: 10.2 mg/L (fry); 96 Hr LC50 Pimephales promelas: 17 mg/L (juvenile); 96 Hr LC50 Pimephales promelas: 22.5 mg/L (adult); 96 Hr LC50 Oncorhynchus mykiss: 4.6 mg/L [static]; 96 Hr LC50 Brachydanio rerio: 7.97 mg/L [flow-through]; 96 Hr LC50 Lepomis macrochirus: 4.06-5.75 mg/L [static]; 96 Hr LC50 Pimephales promelas: 6.6-8.5 mg/L; 96 Hr LC50 Poecilia reticulata: 13.5-18.3 mg/L [semi-static]

Ecotoxicity - Microtox Data

1-Octadecanaminium, N,N-dimethyl-N-octadecyl-, chloride 107-64-2 18 Hr EC50 Pseudomonas putida: 48 mg/L

Ethanol 64-17-5 5 Min EC50 Photobacterium phosphoreum: 35470 mg/L; 30 min EC50 Photobacterium phosphoreum: 34634 mg/L

Salicylic acid 69-72-7 5 Min EC50 Photobacterium phosphoreum: 214 mg/L; 1 Hr EC50 Bacillus subtilis: 138 mg/L; 1 Hr EC50 Escherichia coli: 552 mg/L; 210 min EC50 Saccharomyces cerevisiae: 78 mg/L

Sulfuric acid monododecyl ester sodium salt 151-21-3 5 Min EC50 Photobacterium phosphoreum: 1.19 mg/L; 15 min EC50 Photobacterium phosphoreum: 0.72 mg/L; 30 min EC50 Photobacterium phosphoreum: 0.46 mg/L

Ecotoxicity - Water Flea Data

1-Octadecanaminium, N,N-dimethyl-N-octadecyl-, chloride 107-64-2 48 Hr EC50 Daphnia magna: 0.45 mg/L

1-Octadecanol 112-92-5 48 Hr EC50 Daphnia magna: 1666 mg/L

Ethanol 64-17-5 48 Hr EC50 Daphnia magna: 9268 mg/L; 24 Hr EC50 Daphnia magna: 10800 mg/L

Salicylic acid 69-72-7 24 Hr EC50 Daphnia magna: 105 mg/L

Sulfuric acid monododecyl ester sodium salt 151-21-3 48 Hr EC50 Daphnia magna: 1.8 mg/L

Environmental effects Not available

Aquatic toxicity Not available

Persistence / degradability Not available

Bioaccumulation / accumulation Not available

Partition coefficient Not available

Mobility in environmental media Not available

Chemical fate information Not available

13. Disposal Considerations

Waste codes Not available

Disposal instructions Review federal, provincial, and local government requirements prior to disposal.

Waste from residues / unused products Not available

Contaminated packaging Not available

14. Transport Information

UN/ID N.o. Not applicable

U.S. Department of Transportation (DOT): Classification: Not regulated

Proper shipping name Not applicable

U.S. DOT Hazard Class Not applicable

Subsidiary Risk Not applicable

Packing group Not applicable

DOT RQ (lbs) Not applicable

ERG NO Not applicable

Transportation of Dangerous Goods (TDG - Canada): Classification: Not regulated

Proper shipping name Not applicable

Status Not applicable

Packing group Not applicable

IMDG (Marine Transport): Classification: Not regulated

Proper shipping name Not applicable

Class Not applicable

Subsidiary Risk Not applicable

Packing group Not applicable

IMDG Page Not applicable

Marine pollutant Not applicable

EMS Not applicable

MFAG Not applicable

Maximum Quantity Not applicable

IATA/ICAO (Air): Classification: Not regulated

Proper shipping name Not applicable

Class Not applicable

Subsidiary Risk: Not applicable

Packing group Not applicable

Maximum Quantity Not applicable

15. Regulatory Information

US Federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Occupational Safety and Health Administration (OSHA)

29 CFR 1910.1200 hazardous chemical Yes

CERCLA (Superfund) reportable quantity

None

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes
Delayed Hazard - Yes
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

Section 302 extremely hazardous substance No

Section 311 hazardous chemical Yes

Clean Air Act (CAA) Not available

Clean Water Act (CWA) Not available

Safe Drinking Water Act (SDWA) Not available

Drug Enforcement Agency (DEA) Not available

Food and Drug Administration (FDA) Not available

State regulations WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

U.S. - California - 8 CCR Section 339 - Director's List of Hazardous Substances

Ethanol 64-17-5 Present (refers to solutions greater than or equal to 25% which are not beverage alcohols)

U.S. - California - Proposition 65 - Developmental Toxicity

Ethanol 64-17-5 developmental toxicity, initial date 10/1/87 (when in alcoholic beverages)

U.S. - Massachusetts - Right To Know List

Ethanol 64-17-5 Teratogen

U.S. - Minnesota - Hazardous Substance List

Ethanol 64-17-5 Present

U.S. - New Jersey - Right to Know Hazardous Substance List

Ethanol 64-17-5 sn 0844

U.S. - Pennsylvania - RTK (Right to Know) List

Ethanol 64-17-5 Present

U.S. - Rhode Island - Hazardous Substance List

Ethanol 64-17-5 Toxic; Flammable

Inventory status

Country(s) or region	Inventory name	On inventory (yes/no)*
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other Information

Disclaimer	This product should only be used as directed on the label and for the purpose intended. To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.
Recommended use	For external use only. Use with other topical acne medications, at the same time or immediately following use of this product, may increase dryness or irritation of the skin may occur. If this occurs, only one acne medication should be used unless directed by your doctor. If excessive skin irritation develops or increases, discontinue use.
Further information	FORMULA NUMBER: HSBC1 UPC CODES: 39977-00923 ITEM CODE: 0137092
Issue date	16-Dec-2008
Effective date	01-May-2008
Prepared by	Reckitt Benckiser Regulatory Department 800-333-3899