


### 1. Product and Company Identification

**Product Name** Clearasil Stayclear Daily Pore Cleansing Pads  
**UPC CODES** Refer to Section 16  
**Product use** Cleanser  
**Manufacturer** Reckitt Benckiser  
 Morris Corporate Center IV  
 399 Interpace Parkway  
 P.O. Box 225  
 Parsippany, NJ 07054-0225  
 In Case of Emergency: 1-800-228-4722  
 Transportation Emergencies: 24 Hour Number: North America: CHEMTREC: 1-800-424-9300  
 Outside North America: 1-703-527-3887

LEGEND HMIS/NFPA	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

Health	/ 2
Flammability	3
Physical Hazard	0
Personal Protection	



### 2. Hazards Identification

**Emergency overview** This product is regulated by the US FDA as a personal care cosmetic or over-the-counter drug. Extensive testing has been completed to show that it is safe and effective when used as directed.  
 WARNING  
 FLAMMABLE LIQUID.  
 CAUSES EYE IRRITATION. MAY CAUSE SKIN IRRITATION.

**Potential short term health effects**

**Routes of exposure** Eye, Skin contact, Inhalation, Ingestion.  
**Eyes** Causes irritation.  
**Skin** May cause irritation.  
**Inhalation** May cause respiratory tract irritation.  
**Ingestion** May cause stomach distress, nausea or vomiting.

**Target organs** Eyes. Respiratory system.  
**Chronic effects** Prolonged or repeated exposure can cause drying, defatting and dermatitis.  
**Signs and symptoms** Symptoms may include redness, edema, drying, defatting and cracking of the skin.

### 3. Composition / Information on Ingredients

Ingredient(s)	CAS #	Percent
Ethyl hydroxide	64-17-5	20 - 40
Poly(oxy-1,2-ethanediyl), .alpha.-isohexadecyl-.omega.-hydroxy	69364-63-2	1 - 2.5
Salicylic acid	69-72-7	1 - 2.5

### 4. First Aid Measures

**First aid procedures**

**Eye contact** Flush with cool water. Remove contact lenses, if applicable, and continue flushing. Obtain medical attention if irritation persists.

**Skin contact** In case of skin irritation, discontinue use of product.

<b>Inhalation</b>	If symptoms develop move victim to fresh air. If symptoms persist, obtain medical attention.
<b>Ingestion</b>	Do not induce vomiting. Rinse mouth with water, then drink one or two glasses of water. Obtain medical attention. Never give anything by mouth if victim is unconscious, or is convulsing.
<b>Notes to physician</b>	Symptoms may be delayed.
<b>General advice</b>	If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with eyes. Keep out of reach of children.

## 5. Fire Fighting Measures

<b>Flammable properties</b>	Flammable by OSHA criteria.
<b>Extinguishing media</b>	
<b>Suitable extinguishing media</b>	Dry chemical. Foam. Carbon dioxide.
<b>Unsuitable extinguishing media</b>	Not available
<b>Protection of firefighters</b>	
<b>Specific hazards arising from the chemical</b>	Not available
<b>Protective equipment for firefighters</b>	Firefighters should wear full protective clothing including self contained breathing apparatus.
<b>Hazardous combustion products</b>	May include and are not limited to: Oxides of carbon.
<b>Explosion data</b>	
<b>Sensitivity to mechanical impact</b>	Not available
<b>Sensitivity to static discharge</b>	Not available

## 6. Accidental Release Measures

<b>Personal precautions</b>	Do not touch or walk through spilled material. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.
<b>Methods for containment</b>	Prevent entry into waterways, sewers, basements or confined areas.
<b>Methods for cleaning up</b>	Pick up and discard towel.

## 7. Handling and Storage

<b>Handling</b>	Use good industrial hygiene practices in handling this material.
<b>Storage</b>	Keep out of reach of children. Store in a closed container away from incompatible materials. Keep away from heat, open flames or other sources of ignition.

## 8. Exposure Controls / Personal Protection

Exposure limits	Exposure Limits
Ingredient(s)	Exposure Limits
Ethyl hydroxide	<b>ACGIH-TLV</b> TWA: 1000 ppm <b>OSHA-PEL</b> TWA: 1000 ppm
Poly(oxy-1,2-ethanediyl), .alpha.-isohexadecyl-.omega.-hydroxy	<b>ACGIH-TLV</b> Not established <b>OSHA-PEL</b> Not established
Salicylic acid	<b>ACGIH-TLV</b> Not established <b>OSHA-PEL</b> Not established

<b>Engineering controls</b>	Not normally required if good ventilation is maintained.
<b>Personal protective equipment</b>	
<b>Eye / face protection</b>	Not normally required.
<b>Hand protection</b>	Not required.
<b>Skin and body protection</b>	As required by employer code.
<b>Respiratory protection</b>	Not normally required.
<b>General hygiene considerations</b>	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink.

---

## 9. Physical & Chemical Properties

---

<b>Appearance</b>	Liquid on pad
<b>Color</b>	Clear, colorless liquid on pad
<b>Form</b>	Liquid saturated on pad
<b>Odor</b>	clean Fresh.
<b>Odor threshold</b>	Not available
<b>Physical state</b>	Solid
<b>pH</b>	4 - 5
<b>Melting point</b>	Not available
<b>Freezing point</b>	Not available
<b>Boiling point</b>	Not available
<b>Flash point</b>	31 °C (87.80 °F) (Liquid)
<b>Evaporation rate</b>	Not available
<b>Flammability limits in air, lower, % by volume</b>	Not available
<b>Flammability limits in air, upper, % by volume</b>	Not available
<b>Vapor pressure</b>	Not available
<b>Vapor density</b>	Not available
<b>Specific gravity</b>	0.95 - 0.98 g/mL
<b>Octanol/water coefficient</b>	Not available
<b>Solubility (H2O)</b>	Not available
<b>Auto-ignition temperature</b>	Not available
<b>VOC (Weight %)</b>	Not available
<b>Viscosity</b>	Not available
<b>Percent volatile</b>	Not available

---

## 10. Chemical Stability & Reactivity Information

---

<b>Chemical stability</b>	Stable under recommended storage conditions.
<b>Conditions to avoid</b>	Do not mix with other chemicals.
<b>Incompatible materials</b>	Caustics. Acids. Oxidizers.
<b>Hazardous decomposition products</b>	May include and are not limited to: Oxides of carbon.
<b>Possibility of hazardous reactions</b>	Hazardous polymerization does not occur.

---

## 11. Toxicological Information

---

### Component analysis - LC50

Ingredient(s)	LC50
Ethyl hydroxide	31623 ppm rat
Poly(oxy-1,2-ethanediyl), .alpha.-isohexadecyl-.omega.-hydroxy	Not available
Salicylic acid	0.225 mg/l/4h rat

## Component analysis - Oral LD50

Ingredient(s)	LD50
Ethyl hydroxide	3450 mg/kg mouse; 1501 mg/kg rat
Poly(oxy-1,2-ethanediyl), .alpha.-isohexadecyl-.omega.-hydroxy	Not available
Salicylic acid	891 mg/kg rat; 400 mg/kg cat; 480 mg/kg mouse

### Effects of acute exposure

<b>Eye</b>	Causes irritation.
<b>Skin</b>	May cause irritation.
<b>Inhalation</b>	May cause respiratory tract irritation.
<b>Ingestion</b>	May cause stomach distress, nausea or vomiting.
<b>Sensitization</b>	The finished product is not expected to have chronic health effects.
<b>Chronic effects</b>	The finished product is not expected to have chronic health effects.
<b>Carcinogenicity</b>	The finished product is not expected to have chronic health effects.
<b>ACGIH - Threshold Limit Values - Carcinogens</b>	
Ethyl hydroxide	64-17-5 A4 - Not Classifiable as a Human Carcinogen
<b>Mutagenicity</b>	The finished product is not expected to have chronic health effects.
<b>Reproductive effects</b>	The finished product is not expected to have chronic health effects.
<b>Teratogenicity</b>	The finished product is not expected to have chronic health effects.

## 12. Ecological Information

**Ecotoxicity** Components of this product have been identified as having potential environmental concerns.

### Ecotoxicity - Freshwater Fish Species Data

Ethyl hydroxide	64-17-5	96 Hr LC50 <i>Oncorhynchus mykiss</i> : 12900 mg/L [flow-through] (30 days old); 96 Hr LC50 <i>Pimephales promelas</i> : 14.2 mg/L
Salicylic acid	69-72-7	48 Hr LC50 <i>Leuciscus idus</i> : 90 mg/L

### Ecotoxicity - Microtox Data

Ethyl hydroxide	64-17-5	5 Min EC50 <i>Photobacterium phosphoreum</i> : 35470 mg/L; 30 min EC50 <i>Photobacterium phosphoreum</i> : 34634 mg/L
Salicylic acid	69-72-7	5 Min EC50 <i>Photobacterium phosphoreum</i> : 214 mg/L; 1 Hr EC50 <i>Bacillus subtilis</i> : 138 mg/L; 1 Hr EC50 <i>Escherichia coli</i> : 552 mg/L; 210 min EC50 <i>Saccharomyces cerevisiae</i> : 78 mg/L

### Ecotoxicity - Water Flea Data

Ethyl hydroxide	64-17-5	48 Hr EC50 <i>Daphnia magna</i> : 9268 mg/L; 24 Hr EC50 <i>Daphnia magna</i> : 10800 mg/L
Salicylic acid	69-72-7	24 Hr EC50 <i>Daphnia magna</i> : 105 mg/L

<b>Environmental effects</b>	Not available
<b>Aquatic toxicity</b>	Not available
<b>Persistence / degradability</b>	Not available
<b>Bioaccumulation / accumulation</b>	Not available
<b>Partition coefficient</b>	Not available
<b>Mobility in environmental media</b>	Not available
<b>Chemical fate information</b>	Not available

## 13. Disposal Considerations

<b>Waste codes</b>	Not available
<b>Disposal instructions</b>	Review federal, state/provincial, and local government requirements prior to disposal. Discard with solid waste.
<b>Waste from residues / unused products</b>	Not available
<b>Contaminated packaging</b>	Not available

---

## 14. Transport Information

---

### U.S. Department of Transportation (DOT)

UN 1993, Flammable liquid N.O.S. (Ethyl hydroxide) Class 3, PG III Re-classed as Consumer Commodity ORM-D

### Transportation of Dangerous Goods (TDG - Canada)

UN 1993, Flammable liquid N.O.S. (Ethyl hydroxide) Class 3, PG III Re-classed as Consumer Commodity/Limited Quantity

### IMDG (Marine Transport)

UN 1993, Flammable liquid N.O.S. (Ethyl hydroxide) Class 3, PG III, Limited Quantity,  
F/P 26.3°C

### IATA/ICAO (Air)

UN 1993, Flammable liquid N.O.S. (Ethyl hydroxide) Class 3, PG III, Limited Quantity or  
Consumer Commodity, ID 8000 if acceptable to airline

---

## 15. Regulatory Information

---

<b>US Federal regulations</b>	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.	
<b>Occupational Safety and Health Administration (OSHA)</b>		
<b>29 CFR 1910.1200 hazardous chemical</b>	Yes	
<b>CERCLA (Superfund) reportable quantity</b>	Sodium hydroxide: 1000.0000	
<b>Superfund Amendments and Reauthorization Act of 1986 (SARA)</b>		
<b>Hazard categories</b>	Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No	
<b>Section 302 extremely hazardous substance</b>	No	
<b>Section 311 hazardous chemical</b>	Yes	
<b>Clean Air Act (CAA)</b>	Not available	
<b>Clean Water Act (CWA)</b>	Not available	
<b>Safe Drinking Water Act (SDWA)</b>	Not available	
<b>Drug Enforcement Agency (DEA)</b>	Not available	
<b>Food and Drug Administration (FDA)</b>	Not available	
<b>State regulations</b>	WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.	
<b>U.S. - California - 8 CCR Section 339 - Director's List of Hazardous Substances</b>		
Ethyl hydroxide	64-17-5	Present (refers to solutions greater than or equal to 25% which are not beverage alcohols)
<b>U.S. - California - Proposition 65 - Developmental Toxicity</b>		
Ethyl hydroxide	64-17-5	developmental toxicity, initial date 10/1/87 (when in alcoholic beverages)
<b>U.S. - Massachusetts - Right To Know List</b>		
Ethyl hydroxide	64-17-5	Teratogen
<b>U.S. - Minnesota - Hazardous Substance List</b>		
Ethyl hydroxide	64-17-5	Present
<b>U.S. - New Jersey - Right to Know Hazardous Substance List</b>		
Ethyl hydroxide	64-17-5	sn 0844
<b>U.S. - Pennsylvania - RTK (Right to Know) List</b>		
Ethyl hydroxide	64-17-5	Present
<b>U.S. - Rhode Island - Hazardous Substance List</b>		
Ethyl hydroxide	64-17-5	Toxic; Flammable
<b>Inventory status</b>		
<b>Country(s) or region</b>	<b>Inventory name</b>	<b>On inventory (yes/no)*</b>
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No
A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)		

---

## 16. Other Information

---

<b>Disclaimer</b>	This product should only be used as directed on the label and for the purpose intended. To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.
<b>Recommended use</b>	For external use only. Do not use with other acne medications except on the advice of a doctor. If excessive skin irritation develops or increases, discontinue use.
<b>Further information</b>	UPC CODES: 39977-00904, 39977-00903 ITEM CODE: 0134136    FORMULA NUMBER: 1376/91
<b>Issue date</b>	06-Jun-2008
<b>Effective date</b>	01-May-2008

