


1. Product and Company Identification

Product Name Clearasil Ultra Deep Pore Cleansing Pads
UPC CODES Refer to section 16
Product use Cleanser
Manufacturer Reckitt Benckiser
 Morris Corporate Center IV
 399 Interpace Parkway
 P.O. Box 225
 Parsippany, NJ 07054-0225
 In Case of Emergency: 1-800-228-4722
 Transportation Emergencies: 24 Hour Number: North America: CHEMTREC: 1-800-424-9300
 Outside North America: 1-703-527-3887

LEGEND HMIS/NFPA	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

Health	/ 2
Flammability	3
Physical Hazard	0
Personal Protection	



2. Hazards Identification

Emergency overview This product is regulated by the US FDA as a personal care cosmetic or over-the-counter drug. Extensive testing has been completed to show that it is safe and effective when used as directed.
WARNING
 FLAMMABLE LIQUID.
 CAUSES EYE IRRITATION. MAY CAUSE SKIN IRRITATION.

Potential short term health effects

Routes of exposure Eye, Skin contact, Inhalation, Ingestion.

Eyes Causes irritation.

Skin May cause irritation.

Inhalation May cause respiratory tract irritation.

Ingestion May cause stomach distress, nausea or vomiting.

Target organs Eyes. Respiratory system.

Chronic effects Prolonged or repeated exposure can cause drying, defatting and dermatitis.

Signs and symptoms Symptoms may include redness, edema, drying, defatting and cracking of the skin.

3. Composition / Information on Ingredients

Ingredient(s)	CAS #	Percent
Ethyl hydroxide	64-17-5	20 - 40
Hydrogen peroxide	7722-84-1	1 - 2.5
Poly(oxy-1,2-ethanediyl), .alpha.-isohexadecyl-.omega.-hydroxy	69364-63-2	1 - 2.5
Salicylic acid	69-72-7	1 - 2.5

4. First Aid Measures

First aid procedures

Eye contact Flush with cool water. Remove contact lenses, if applicable, and continue flushing. Obtain medical attention if irritation persists.

Skin contact	In case of skin irritation, discontinue use of product.
Inhalation	If symptoms develop move victim to fresh air. If symptoms persist, obtain medical attention.
Ingestion	Do not induce vomiting. Rinse mouth with water, then drink one or two glasses of water. Obtain medical attention. Never give anything by mouth if victim is unconscious, or is convulsing.
Notes to physician	Symptoms may be delayed.
General advice	If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with eyes. Keep out of reach of children.

5. Fire Fighting Measures

Flammable properties	Flammable by OSHA criteria.
Extinguishing media	
Suitable extinguishing media	Dry chemical. Foam. Carbon dioxide.
Unsuitable extinguishing media	Not available
Protection of firefighters	
Specific hazards arising from the chemical	Not available
Protective equipment for firefighters	Firefighters should wear full protective clothing including self contained breathing apparatus.
Hazardous combustion products	May include and are not limited to: Oxides of carbon.
Explosion data	
Sensitivity to mechanical impact	Not available
Sensitivity to static discharge	Not available

6. Accidental Release Measures

Personal precautions	Do not touch or walk through spilled material. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.
Methods for containment	Prevent entry into waterways, sewers, basements or confined areas.
Methods for cleaning up	Pick up and discard towel.

7. Handling and Storage

Handling	Use good industrial hygiene practices in handling this material.
Storage	Keep out of reach of children. Store in a closed container away from incompatible materials. Keep away from heat, open flames or other sources of ignition.

8. Exposure Controls / Personal Protection

Exposure limits

Ingredient(s)	Exposure Limits
Ethyl hydroxide	ACGIH-TLV TWA: 1000 ppm OSHA-PEL TWA: 1000 ppm
Hydrogen peroxide	ACGIH-TLV TWA: 1 ppm OSHA-PEL TWA: 1 ppm
Poly(oxy-1,2-ethanediyl), .alpha.-isohexadecyl-.omega.-hydroxy	ACGIH-TLV Not established OSHA-PEL Not established
Salicylic acid	ACGIH-TLV Not established OSHA-PEL Not established

Engineering controls	Not normally required if good ventilation is maintained.
Personal protective equipment	
Eye / face protection	Not normally required.
Hand protection	Not required.
Skin and body protection	As required by employer code.
Respiratory protection	Not normally required.
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink.

9. Physical & Chemical Properties

Appearance	Liquid saturated on pad
Color	Clear to hazy liquid on white pad
Form	Liquid saturated on pad
Odor	clean Blue
Odor threshold	Not available
Physical state	Wet pad
pH	2.6 - 3.6
Freezing point	Not available
Boiling point	Not available
Flash point	26.3 °C (79.34 °F) (liquid)
Evaporation rate	Not available
Flammability limits in air, lower, % by volume	Not available
Flammability limits in air, upper, % by volume	Not available
Vapor pressure	Not available
Vapor density	Not available
Specific gravity	0.93 - 0.98 g/mL
Octanol/water coefficient	Not available
Solubility (H2O)	Pad is not soluble
Auto-ignition temperature	Not available

VOC (Weight %)	Not available
Viscosity	Not available
Percent volatile	Not available

10. Chemical Stability & Reactivity Information

Chemical stability	Stable under recommended storage conditions.
Conditions to avoid	Do not mix with other chemicals.
Incompatible materials	Caustics. Acids. Oxidizers.
Hazardous decomposition products	May include and are not limited to: Oxides of carbon.
Possibility of hazardous reactions	Hazardous polymerization does not occur.

11. Toxicological Information

Component analysis - LC50

Ingredient(s)	LC50
Ethyl hydroxide	31623 ppm rat
Hydrogen peroxide	2 mg/l/4h rat
Poly(oxy-1,2-ethanediyl), .alpha.-isohexadecyl-.omega.-hydroxy	Not available
Salicylic acid	0.225 mg/l/4h rat

Component analysis - Oral LD50

Ingredient(s)	LD50
Ethyl hydroxide	3450 mg/kg mouse; 1501 mg/kg rat
Hydrogen peroxide	75 mg/kg rat; 2000 mg/kg mouse
Poly(oxy-1,2-ethanediyl), .alpha.-isohexadecyl-.omega.-hydroxy	Not available
Salicylic acid	891 mg/kg rat; 400 mg/kg cat; 480 mg/kg mouse

Effects of acute exposure

Eye	Causes irritation.
Skin	May cause irritation.
Inhalation	May cause respiratory tract irritation.
Ingestion	May cause stomach distress, nausea or vomiting.
Sensitization	The finished product is not expected to have chronic health effects.
Chronic effects	The finished product is not expected to have chronic health effects.
Carcinogenicity	The finished product is not expected to have chronic health effects.

ACGIH - Threshold Limit Values - Carcinogens

Ethyl hydroxide	64-17-5	A4 - Not Classifiable as a Human Carcinogen
Hydrogen peroxide	7722-84-1	A3 - Confirmed animal carcinogen with unknown relevance to humans

IARC - Group 3 (Not Classifiable)

Hydrogen peroxide	7722-84-1	Monograph 71 [1999], Supplement 7 [1987], Monograph 36 [1985]
-------------------	-----------	---

Mutagenicity	The finished product is not expected to have chronic health effects.
Reproductive effects	The finished product is not expected to have chronic health effects.
Teratogenicity	The finished product is not expected to have chronic health effects.

12. Ecological Information

Ecotoxicity Components of this product have been identified as having potential environmental concerns.

Ecotoxicity - Freshwater Algae Data

Hydrogen peroxide 7722-84-1 72 Hr EC50 Chlorella vulgaris: 2.5 mg/L

Ecotoxicity - Freshwater Fish Species Data

Ethyl hydroxide 64-17-5 96 Hr LC50 Oncorhynchus mykiss: 12900 mg/L [flow-through] (30 days old); 96 Hr LC50 Pimephales promelas: 14.2 mg/L
Hydrogen peroxide 7722-84-1 48 Hr LC50 Cyprinus carpio: 42 mg/L; 96 Hr LC50 Pimephales promelas: 16.4 mg/L
Salicylic acid 69-72-7 48 Hr LC50 Leuciscus idus: 90 mg/L

Ecotoxicity - Microtox Data

Ethyl hydroxide 64-17-5 5 Min EC50 Photobacterium phosphoreum: 35470 mg/L; 30 min EC50 Photobacterium phosphoreum: 34634 mg/L
Salicylic acid 69-72-7 5 Min EC50 Photobacterium phosphoreum: 214 mg/L; 1 Hr EC50 Bacillus subtilis: 138 mg/L; 1 Hr EC50 Escherichia coli: 552 mg/L; 210 min EC50 Saccharomyces cerevisiae: 78 mg/L

Ecotoxicity - Water Flea Data

Ethyl hydroxide 64-17-5 48 Hr EC50 Daphnia magna: 9268 mg/L; 24 Hr EC50 Daphnia magna: 10800 mg/L
Hydrogen peroxide 7722-84-1 24 Hr EC50 Daphnia magna: 7.7 mg/L
Salicylic acid 69-72-7 24 Hr EC50 Daphnia magna: 105 mg/L

Environmental effects Not available
Aquatic toxicity Not available
Persistence / degradability Not available
Bioaccumulation / accumulation Not available
Partition coefficient Not available
Mobility in environmental media Not available
Chemical fate information Not available

13. Disposal Considerations

Waste codes Not available
Disposal instructions Review federal, state/provincial, and local government requirements prior to disposal. Discard with solid waste.
Waste from residues / unused products Not available
Contaminated packaging Not available

14. Transport Information

U.S. Department of Transportation (DOT)

UN 1993, Flammable liquid N.O.S. (Ethyl hydroxide) Class 3, PG III Re-classed as
Consumer Commodity ORM-D

Transportation of Dangerous Goods (TDG - Canada)

UN 1993, Flammable liquid N.O.S. (Ethyl hydroxide) Class 3, PG III Re-classed as
Consumer Commodity / Limited Quantity

IMDG (Marine Transport)

UN 1993, Flammable liquid N.O.S. (Ethyl hydroxide) Class 3, PG III, Limited Quantity,
F/P 26.3°C

IATA/ICAO (Air)

UN 1993, Flammable liquid N.O.S. (Ethyl hydroxide) Class 3, PG III, Limited Quantity or
Consumer Commodity, ID 8000 if acceptable to airline

15. Regulatory Information

US Federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard
Communication Standard, 29 CFR 1910.1200.

U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances EPCRA RQs

Hydrogen peroxide 7722-84-1 1000 Lb EPCRA RQ (concentration >52%)

U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances TPQs

Hydrogen peroxide 7722-84-1 1000 Lb TPQ (concentration >52%)

Occupational Safety and Health Administration (OSHA)

29 CFR 1910.1200 hazardous chemical Yes

CERCLA (Superfund) reportable quantity

Sodium hydroxide: 1000.0000

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories	Immediate Hazard - Yes Delayed Hazard - Yes Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No
Section 302 extremely hazardous substance	No
Section 311 hazardous chemical	Yes
Clean Air Act (CAA)	Not available
Clean Water Act (CWA)	Not available
Safe Drinking Water Act (SDWA)	Not available
Drug Enforcement Agency (DEA)	Not available
Food and Drug Administration (FDA)	Not available

State regulations WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

U.S. - California - 8 CCR Section 339 - Director's List of Hazardous Substances

Ethyl hydroxide	64-17-5	Present (refers to solutions greater than or equal to 25% which are not beverage alcohols)
Hydrogen peroxide	7722-84-1	Present

U.S. - California - Proposition 65 - Developmental Toxicity

Ethyl hydroxide	64-17-5	developmental toxicity, initial date 10/1/87 (when in alcoholic beverages)
-----------------	---------	--

U.S. - Massachusetts - Right To Know List

Ethyl hydroxide	64-17-5	Teratogen
Hydrogen peroxide	7722-84-1	Extraordinarily hazardous

U.S. - Minnesota - Hazardous Substance List

Ethyl hydroxide	64-17-5	Present
Hydrogen peroxide	7722-84-1	Present (includes Hydrogen Peroxide [90%])

U.S. - New Jersey - Right to Know Hazardous Substance List

Ethyl hydroxide	64-17-5	sn 0844
Hydrogen peroxide	7722-84-1	sn 1015

U.S. - New York - Reporting of Releases Part 597 - List of Hazardous Substances

Hydrogen peroxide	7722-84-1	1 Lb RQ (air); 1 lb RQ (land/water)
-------------------	-----------	-------------------------------------

U.S. - Ohio - Extremely Hazardous Substances - Threshold Quantities

Hydrogen peroxide	7722-84-1	500 Lb TQ (concentration >52%)
-------------------	-----------	--------------------------------

U.S. - Pennsylvania - RTK (Right to Know) List

Ethyl hydroxide	64-17-5	Present
Hydrogen peroxide	7722-84-1	Environmental hazard (concentration >52%)

U.S. - Rhode Island - Hazardous Substance List

Ethyl hydroxide	64-17-5	Toxic; Flammable
Hydrogen peroxide	7722-84-1	Toxic; Flammable

U.S. - Texas - Tier II Chemical Reporting - Extremely Hazardous Substances - Reportable Quantities

Hydrogen peroxide	7722-84-1	1000 Lb RQ (concentration >52%)
-------------------	-----------	---------------------------------

U.S. - Texas - Tier II Chemical Reporting - Extremely Hazardous Substances - Threshold Planning Quantities

Hydrogen peroxide	7722-84-1	1000 Lb TPQ (concentration >52%)
-------------------	-----------	----------------------------------

Inventory status

Country(s) or region	Inventory name	On inventory (yes/no)*
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other Information

Disclaimer

This product should only be used as directed on the label and for the purpose intended. To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Recommended use

For external use only. Do not use with other acne medications except on the advice of a doctor. If excessive skin irritation develops or increases, discontinue use.

Further information

UPC CODES: 39977-00920
ITEM CODE: 0134132 FORMULA NUMBER: 1376/90

Issue date 06-Jun-2008
Effective date 01-May-2008
Prepared by Reckitt Benckiser Regulatory Department 800-333-3899