

MATERIAL SAFETY DATA SHEET

EPI-OTIC® Advanced Ear Cleanser Product Codes: 003104 and 003108

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATIONS AND OF THE COMPANY UNDERTAKING

Product Name EPI-OTIC® Advanced Ear Cleanser

Product Description Ear cleanser for dogs, cats, puppies, and kittens

Manufacturer/Supplier Virbac AH, Inc.

Address P.O. Box 162059

Fort Worth, Texas 76161

Phone Number (800) 338-3659 for Technical Support

Chemtrec Number (24 hour) (800) 424-9300

Emergency Number: (800) 338-3659 for Human and Animal Medical Emergencies

MSDS Revision Date: March 2, 2011 Supersedes MSDS Dated: March 20, 2009

Material Safety Data Sheet in compliance with OSHA's Hazcom Standard (29 CFR 1910.1200)

2. HAZARDS IDENTIFICATION

Emergency Overview CAUTION!

Avoid contact with eyes.

Harmful if swallowed.

Keep out of reach of children.

Read entire label before each use.

Routes of Entry

Eye contact - Skin contact - Ingestion

Carcinogenic Status

Not considered carcinogenic by NTP, IARC, and OSHA.

Target Organs

Eyes - Skin - Kidneys - Liver - Blood - Central Nervous system

Health Effects - Eves

Contact with eyes can cause moderate irritation.

Health Effects - Skin

Contact with skin may cause slight irritation.

Health Effects - Ingestion

Harmful if swallowed. Ingestion of this material may cause gastrointestinal effects such as nausea, vomiting and diarrhea. Prolonged, repeated ingestion can cause adverse effects to the central nervous system, kidneys, liver and blood.

Health Effects - Inhalation

No adverse effects are expected during normal conditions of use.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Component Name Salicylic Acid	CAS Number 69-72-7	Concentration 0.2%
Diethylene glycol monoethyl ether	111-90-0	1 - 5%
Triethanolamine	102-71-6	1 - 5 %

Revision Date: March 2, 2011 Page 1 of 6



4. FIRST AID MEASURES

Eyes

Immediately flood the eye with plenty of water for at least 15-20 minutes, holding the eye open. Obtain medical attention if soreness or redness persists.

Skin

If irritation develops wash skin thoroughly with soap and water. Obtain medical attention if redness or soreness persists.

Ingestion

Call a poison control center or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Inhalation

Remove person to fresh air. Seek medical attention if symptoms persist.

Advice to Physicians

Treat symptomatically.

5. FIRE - FIGHTING MEASURES

Extinguishing Media

Use extinguishing media appropriate for surrounding materials.

Unusual Fire and Explosion Hazards

Can release hazardous vapors during a fire.

Protective Equipment for Fire-Fighting

Wear full protective clothing and self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Wear appropriate protective clothing. Wipe up and transfer into suitable containers for recovery or disposal. Prevent the material from entering drains or watercourses.

7. HANDLING AND STORAGE

Store in original container in a cool, dry place. Store away from children and pets. Do not store near foodstuffs. Do not contaminate water, food or feed by storage. Wear appropriate protective clothing. Avoid contact with eyes. Wash hands thoroughly after handling and before eating, drinking or smoking.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Standards

Exposure limits are listed below, if they exist.

Salicylic Acid

None established

Diethylene glycol monoethyl ether

Supplier recommended limit: 25 ppm TWA

Triethanolamine

ACGIH: TLV 5 mg/m³ 8h TWA

Engineering Control Measures

No specific measures necessary. Good general room ventilation is expected to be adequate to control airborne levels.

Revision Date: March 2, 2011 Page 2 of 6



8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Respiratory Protection

Not required under normal conditions of use.

Hand Protection

Chemical resistant gloves.

Eye Protection

Safety glasses or goggles.

Body Protection

Waterproof apron.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical StateLiquidColorBlueOdorCitrus

pH No data available

Specific Gravity ~1

Boiling Range/Point (°C/F)

Melting Point (°C/F)

Flash Point (PMCC) (°C/F)

Explosion Limits (%)

Vapor Pressure

No data available

No data available

No data available

No data available

Solubility in Water Soluble

Vapor Density (Air = 1) No data available

10. STABILITY AND REACTIVITY

Stability

Stable under normal conditions.

Conditions to Avoid

Heat - high temperatures

Materials to Avoid

Strong oxidizers - strong acids - bases

Hazardous Polymerization

Will not occur.

Hazardous Decomposition Products

Oxides of carbon – organic compounds

11. TOXICOLOGICAL INFORMATION

See product packaging for additional information.

Acute Toxicity

Salicylic acid: Oral LD50 (rat) 891 mg/kg, Dermal LD50 (rabbit) >10,000 mg/kg,

Inhalation LC50 >900 mg/m³ (rat)

Triethanolamine: Oral LD50 (rat) >5000 mg/kg, Dermal LD50 (rabbit) >2000 mg/kg,

Diethylene glycol monoethyl ether: Oral LD50 (rat) 1920 - 9050 mg/kg, Dermal LD50 (rabbit) >8400 mg/kg

Revision Date: March 2, 2011 Page 3 of 6





11. TOXICOLOGICAL INFORMATION

Specific Target Organ Systemic Toxicity (single and repeat)

Salicylic acid: Chronic exposure may cause adverse effects to the central nervous system, lungs,

kidneys and liver. Skin absorption of salicylic acid may enhance the symptoms of ingestion.

Diethylene glycol monoethyl ether: Effects of repeated exposure in animals have been reported on the following: blood. May cause central nervous system effects.

Triethanolamine: In animal feeding studies effects were reported on the liver and kidneys.

Serious Eye damage/Eye Irritation

Salicylic acid: Severe eye irritant (rabbit)

Diethylene glycol monoethyl ether: May cause moderate eye irritation.

Triethanolamine: non-irritating Skin Corrosion/Irritation

Salicylic acid: Slightly irritating (rabbit)

Triethanolamine: non-irritating Respiratory or Skin Sensitization

Salicylic acid: May cause allergic reactions in people with aspirin sensitivities and asthma.

Carcinogenicity

Not considered carcinogenic by NTP, IARC, and OSHA.

Germ Cell Mutagenicity

Salicylic acid: Not mutagenic in laboratory studies.

Diethylene glycol monoethyl ether: In vitro genetic toxicity studies were predominantly negative. Animal genetic toxicity studies were negative.

Toxicity to Reproduction

Salicylic acid: Based on animal feeding studies, may cause reproductive and developmental abnormalities.

Diethylene glycol monoethyl ether: Did not cause embryotoxicity, fetotoxicity or developmental toxicity in laboratory animal studies. One study showed some toxic effects but only at the highest concentrations tested.

12. ECOLOGICAL INFORMATION

Mobility

No relevant studies identified.

Persistence/Degradability

Salicylic acid: Readily biodegradable

Bio-accumulation

No relevant studies identified.

Ecotoxicity

Salicylic acid: EC50 fresh water algae 100 mg/l 72 hr, EC50 Daphnia 180 mg/l 24hr

Diethylene glycol monoethyl ether: LC50, bluegill 21,400 mg/l 96 h

EC50, water flea Daphnia magna, 3,940 - 4,670 mg/l 48 h

13. DISPOSAL CONSIDERATIONS

Dispose of in accordance with all applicable local and national regulations.

14. TRANSPORT INFORMATION

DOT CFR 172.101 Data

UN Proper Shipping Name

Not Regulated

Not Regulated

UN Class None.
UN Number None.
UN Packaging Group None.

Classification for AIR Consult current IATA Regulations prior to shipping by air.

Transportation (IATA)

Revision Date: March 2, 2011 Page 4 of 6



15. REGULATORY INFORMATION

US REGULATIONS (Federal, State) and INTERNATIONAL CHEMICAL REGISTRATION LAWS

TSCA Listing

This product contains ingredients that are listed on or exempt from listing on the EPA Toxic Substance Control Act Chemical Substance (TSCA) Inventory.

DSL (Canadian) Listing

This product contains ingredients that have not been verified for listing on the Domestic Substance List (DSL).

WHMIS Classification

D.2.B

This product was classified in accordance with the hazard criteria of the Canadian Controlled Products Regulations and the MSDS contains all the information required by these regulations.

MA Right To Know Law

This product contains the following chemicals on the Massachusetts Right to Know Law: 2-phenoxyethanol (122-99-6) <0.5% - Triethanolamine (102-71-6)

PA Right To Know Law

This product contains the following chemicals on the Pennsylvania Hazardous Substance List: 2-phenoxyethanol (122-99-6) <0.5% - Diethylene glycol monoethyl ether(111-90-0) – Triethanolamine (102-71-6)

NJ Right To Know Law

This product contains the following chemicals on the New Jersey Workplace Hazardous Substance List: 2-phenoxyethanol (122-99-6) <0.5% - Diethylene glycol monoethyl ether(111-90-0)

California Proposition 65

This product contains the following materials which the State of California has found to cause cancer, birth defects or other reproductive harm: None

SARA Title III Sect. 311/312 Categorization

Immediate (acute) Delayed (chronic)

SARA Title III Sect. 313

This product contains the following chemicals that are listed in Section 313 at or above de minimis concentrations: Diethylene glycol monoethyl ether(111-90-0)

16. OTHER INFORMATION

NFPA Ratings

NFPA Code for Flammability - 0

NFPA Code for Health - 1

NFPA Code for Reactivity - 0

NFPA Code for Special Hazards - 0

HMIS Ratings

HMIS Code for Flammability - 0

HMIS Code for Health - 1*

HMIS Code for Reactivity - 0

HMIS Code for Personal Protection - See Section 8

Abbreviations

ACGIH: American Conference of Governmental Industrial Hygienists

BOD: Biological Oxygen Demand

CAS#: Chemical Abstracts Service Number

FIFRA: Federal Insecticide, Fungicide and Rodenticide Act

Revision Date: March 2, 2011 Page 5 of 6



(800) 338-3659

16. OTHER INFORMATION

Abbreviations

IARC: International Agency for Research on Cancer

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

N/A: Denotes no applicable information found or available

NTP: National Toxicology Program

OSHA: Occupational Safety and Health Administration

PEL: Permissible Exposure Limit STEL: Short Term Exposure Limit TLV: Threshold Limit Value

TSCA: Toxic Substance Control Act

For further Information call:

Prepared By: EnviroNet LLC

EPI-OTIC is a registered trademark of Virbac AH, Inc.

The information and recommendations presented in this MSDS are based on sources believed to be accurate. Virbac AH, Inc. assumes no liability for the accuracy or completeness of this information. It is the user's responsibility to determine the suitability of the **material** for their particular purposes. In particular, we make NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, with respect to such information, and we assume no liability resulting from its use. Users should ensure that any use **or disposal** of the material is in accordance with applicable Federal, State, and local laws and regulations.

Revision Date: March 2, 2011 Page 6 of 6