

# Material Safety Data Sheet

24 Hour Assistance  
1-847-367-7700  
Rust-Oleum Corporation  
www.rustoleum.com

## Section 1 – Chemical Product / Company Information

Product Name	Wood Putties - All Shades	Revision Date	December 1, 2008
Identification Number	215200, 215203, 215204, 215193, 215194, 215195, 215196, 215297, 223177, 223178, 223179, 223250, 223251, 223252, 223253, 223254		
Product Use/Class	Wood Putty/Varathane		
Supplier	Rust-Oleum Corporation 11 Hawthorn Parkway Vernon Hills, IL 60061 USA	Manufacturer	Rust-Oleum Corporation 11 Hawthorn Parkway Vernon Hills, IL 60061 USA
Preparer	Regulatory Department		

## Section 2 – Composition / Information on Hazardous Ingredients

<u>Chemical Name</u>	<u>CAS Number</u>	<u>Weight % Less Than</u>	<u>ACGIH TLV-TWA</u>	<u>ACGIH TLV-STEL</u>	<u>OSHA PEL-TWA</u>	<u>OSHA PEL-CEILING</u>
----------------------	-------------------	---------------------------	----------------------	-----------------------	---------------------	-------------------------

None

## Section 3 – Hazards Identification

### **Route(s) of Entry:**

**Inhalation:** Not acutely toxic by inhalation.

**Skin:** Non irritating if unbroken skin is contacted

**Ingestion:** Do not take internally. May cause gastrointestinal distress.

**Eye Contact:** May cause slight eye irritation. Avoid eye contact.

## Section 4 – First Aid Measures

### **Emergency and First Aid procedures:**

**Inhalation:** Remove patient to fresh air.

**Skin contact:** Wash affected area with soap and water.

**Ingestion:** Do not induce vomiting. Consult physician immediately.

**Eye contact:** Immediately flush eyes with water for 15 minutes. Consult physician if any irritation persists.

## Section 5 – Fire Fighting Measures

**Flash Point:** >201

**Noncombustible Flammable Limits:** LEL: N.A. UEL: N.A.

**Extinguishing Media:** Use extinguishing media appropriate for surrounding fire.

**Special fire fighting procedures:** Remain upwind. Avoid breathing smoke.

**Unusual Fire/Explosion Hazards:** Material can splatter above 100°C / 212°F.

## Section 6 – Accidental Release Measures

Scoop up, place product into waste container for solid waste disposal.

## Section 7 – Handling And Storage

Avoid eye contact. Use in well ventilated area. Wash contacted skin as soon as possible after exposure. Keep containers tightly closed when not in use. Store between 40 F and 90 F, away from foodstuffs or drinking water.

## Section 8 – Exposure Controls / Personal Protection

**Respiratory Protection:** Wear NIOSH approved respiratory protection when working in enclosed areas.

**Ventilation:** Apply product using adequate ventilation.

**Protective Gloves:** Plastic or rubber gloves may be used to avoid skin contact.

**Eye Protection:** Eye protection in the form of protective glasses or goggles is recommended if product contact is likely.

**Hygiene Practices:** Do not eat, drink or smoke when using this product. Wash hands and contacted areas with soap and water before taking breaks and after completing work.

## Section 9 – Physical and Chemical Properties

<b>Boiling point:</b>	Variable	<b>Specific Gravity:</b>	1.4-1.7 (water =1)
<b>Appearance &amp; Odor:</b>	Colored Paste/Slight Odor	<b>Evaporation Rate (Water =1):</b>	NA
<b>Vapor Pressure:</b>	NE	<b>VOC:</b>	0.4 % by wt.
<b>Water Solubility:</b>	Partial	<b>Vapor Density (Air =1):</b>	NE

## Section 10– Stability and Reactivity

**Stability:** Stable

**Incompatibility (Materials to avoid):** None known

**Hazardous Polymerization:** Will not occur.

**Reactivity with common materials:** Non reactive when product is used in accordance with intended use.

## Section 11 – Toxicological Information

Product LD<sub>50</sub>: N.D.

Product LC<sub>50</sub>: N.D.

## Section 12 – Ecological Information

N.E.

## Section 13 – Disposal Information

Disposal Information: Scoop up, place product into waste container for solid waste disposal. Dispose of material in accordance to local, state and federal regulations and ordinances. Do not allow to enter storm drains or sewer systems.

## Section 14 – Transportation Information

DOT Proper Shipping Name:	Paint	Packing Group	x
DOT Technical Name:	x	Hazard Subclass:	x
DOT Hazard Class:	x	Resp. Guide Page:	x
DOT UN/NA Number:	x		

## Section 15 – Regulatory Information

All ingredients within the product are listed on the Canadian Domestic Substances List where applicable.

US DOT considers the product NON REGULATED.

This product does not contain a chemical listed in Section 313 at or above de minimis concentrations.

Release of this material to air, land or water is not reportable to the National Response Center under CERCLA or SARA.

Discarded material is classified as a RCRA nonhazardous waste.

All components of this product are in compliance with the inventory listing requirements of the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

## Section 16 – Other Information

HMIS Health: 0 Flammability: 0 Physical Hazard: 0

Abbreviations: N.A. – Not Applicable N.D. – Not Determined N.E. – Not Established

The information contained on this MSDS has been checked and should be accurate. However, it is the responsibility of the user to comply with all Federal, State and Local laws and regulations.