


1. Product and Company Identification

Product Name AIR WICK® Air Freshener Solid Cone - All Scents
CAS # Mixture
Product use Air freshener
Distributed by Reckitt Benckiser
 Morris Corporate Center IV
 399 Interpace Parkway
 P.O. Box 225
 Parsippany, NJ 07054-0225
 In Case of Emergency: 1-800-338-6167
 Transportation Emergencies: 24 Hour Number:
 North America: CHEMTREC: 1-800-424-9300
 Outside North America: 1-703-527-3887

LEGEND HMIS/NFPA	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

Health	/ 1
Flammability	0
Physical Hazard	0
Personal Protection	B



2. Hazards Identification

Emergency overview Avoid placing near excessive heat.
 KEEP OUT OF REACH OF CHILDREN.

Potential short term health effects

Routes of exposure Eye, Skin contact, Inhalation, Ingestion.

Eyes There are no hazards associated with this product in normal use.
 May cause eye irritation upon direct contact with the eyes.

Skin None expected during normal conditions of use.
 Not expected to be a skin sensitizer.

Inhalation None expected during normal conditions of use.

Ingestion Health injuries are not known or expected under normal use.

Target organs Eyes.

Chronic effects The finished product is not expected to have chronic health effects.

Signs and symptoms May cause irritation.

OSHA Regulatory Status This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Potential environmental effects This product has not been tested.

3. Composition / Information on Ingredients

Ingredient(s)	CAS #	Percent
Carrageenan	9000-07-1	1 - 2.5
Isopropanol	67-63-0	1 - 2.5

4. First Aid Measures

First aid procedures

Eye contact Rinse thoroughly with plenty of water, also under the eyelids.
 If symptoms persist, call a physician.

Skin contact In keeping with good hygienic practices, wash exposed areas thoroughly with soap and water.

Inhalation Remove to fresh air.

Ingestion

Rinse mouth with water. Contact a physician or Poison Control Center. Take label or product name number with you when seeking medical attention. NEVER give an unconscious person anything to ingest.

Notes to physician

Symptoms may be delayed.

General advice

If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Keep out of reach of children.

5. Fire Fighting Measures

Flammable properties

Not flammable by OSHA criteria.

Extinguishing media**Suitable extinguishing media**

Treat for surrounding material.

Unsuitable extinguishing media

Not available

Protection of firefighters**Specific hazards arising from the chemical**

Not available

Protective equipment for firefighters

Firefighters should wear full protective clothing including self contained breathing apparatus.

Hazardous combustion products

May include and are not limited to: Oxides of carbon.

Explosion data**Sensitivity to mechanical impact**

Not available

Sensitivity to static discharge

Not available

6. Accidental Release Measures

Personal precautions

Ensure adequate ventilation. Keep unnecessary personnel away.

Environmental precautions

Do not discharge into lakes, streams, ponds or public waters.

Methods for containment

Prevent entry into waterways, sewers, basements or confined areas.

Methods for cleaning up

Pick up and discard.

7. Handling and Storage

Handling

Avoid contact with eyes and skin.
Use good industrial hygiene practices in handling this material.
When using do not eat or drink.
Wash hands before breaks and immediately after handling the product.

Storage

Avoid placing near excessive heat.
Store in area with appropriate exhaust ventilation.
Keep out of reach of pets.
Keep out of reach of children.

8. Exposure Controls / Personal Protection

Exposure limits**Ingredient(s)****Exposure Limits**

Carrageenan

ACGIH-TLV

TWA: 10 mg/m³

OSHA-PEL

Not established

Isopropanol

ACGIH-TLV

TWA: 200 ppm

STEL: 400 ppm

OSHA-PEL

TWA: 400 ppm

Engineering controls

General ventilation normally adequate.

Personal protective equipment**Eye / face protection**

Avoid contact with eyes.
Safety glasses if eye contact is possible.

Hand protection	Avoid contact with the skin. Wear as appropriate: PVC disposable gloves.
Skin and body protection	Usual safety precautions while handling the product will provide adequate protection against this potential effect.
Respiratory protection	Not normally required under normal use conditions.
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. Wash hands before breaks and immediately after handling the product.

9. Physical and Chemical Properties

Appearance	gel
Color	Variable
Form	Gel
Odor	Various
Odor threshold	Not available
Physical state	Solid
pH	Not applicable
Freezing point	Not available
Boiling point	Not available
Pour point	Not available
Evaporation rate	Not available
Flash point	> 200 °F (> 93.33 °C)
Auto-ignition temperature	Not available
Flammability limits in air, lower, % by volume	Not applicable
Flammability limits in air, upper, % by volume	Not applicable
Vapor pressure	Not available
Vapor density	Not available
Specific gravity	Not available
Octanol/water coefficient	Not available
Solubility (H2O)	Completely soluble

10. Stability and Reactivity

Reactivity	This product may react with strong oxidizing agents.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Chemical stability	Stable under recommended storage conditions.
Conditions to avoid	Direct heating, dirt, chemical contamination, sunlight, UV or ionising radiation. DO NOT MIX WITH BLEACH or use in conjunction with other household products.
Incompatible materials	Acids. Caustics.
Hazardous decomposition products	May include and are not limited to: Oxides of carbon.

11. Toxicological Information

Component analysis - LC50

Ingredient(s)	LC50
Carrageenan	Not available
Isopropanol	16970 mg/l/4h rat

Component analysis - Oral LD50

Ingredient(s)	LD50
Carrageenan	5000 mg/kg rat
Isopropanol	4396 mg/kg rat

Effects of acute exposure

Eye	There are no hazards associated with this product in normal use. May cause eye irritation upon direct contact with the eyes.
------------	---------------------------------------------------------------------------------------------------------------------------------

Skin	None expected during normal conditions of use. Not expected to be a skin sensitizer.
Inhalation	None expected during normal conditions of use.
Ingestion	Health injuries are not known or expected under normal use.
Sensitization	The finished product is not expected to have chronic health effects.
Chronic effects	The finished product is not expected to have chronic health effects.
Carcinogenicity	The finished product is not expected to have chronic health effects.
ACGIH - Threshold Limit Values - Carcinogens	
Isopropanol	67-63-0 A4 - Not Classifiable as a Human Carcinogen
IARC - Group 3 (Not Classifiable)	
Carrageenan	9000-07-1 Supplement 7 [1987] (native); Monograph 31 [1983]
Isopropanol	67-63-0 Monograph 71 [1999]; Supplement 7 [1987]; Monograph 15 [1977]
Mutagenicity	The finished product is not expected to have chronic health effects.
Reproductive effects	The finished product is not expected to have chronic health effects.
Teratogenicity	The finished product is not expected to have chronic health effects.
Name of Toxicologically Synergistic Products	Not available

12. Ecological Information

Ecotoxicity	See below
Ecotoxicity - Freshwater Algae - Acute Toxicity Data	
Isopropanol	67-63-0 96 Hr EC50 Desmodesmus subspicatus: >1000 mg/L; 72 Hr EC50 Desmodesmus subspicatus: >1000 mg/L
Ecotoxicity - Freshwater Fish - Acute Toxicity Data	
Isopropanol	67-63-0 96 Hr LC50 Pimephales promelas: 9640 mg/L [flow-through]; 96 Hr LC50 Pimephales promelas: 11130 mg/L [static]; 96 Hr LC50 Lepomis macrochirus: >1400000 µg/L
Ecotoxicity - Water Flea - Acute Toxicity Data	
Isopropanol	67-63-0 48 Hr EC50 Daphnia magna: 13299 mg/L
Persistence / degradability	Not available
Bioaccumulation / accumulation	Not available
Mobility in environmental media	Not available
Environmental effects	Not available
Aquatic toxicity	Not available
Partition coefficient	Not available
Chemical fate information	Not available

13. Disposal Considerations

Disposal instructions	Dispose in accordance with all applicable regulations.
Waste from residues / unused products	Not available
Contaminated packaging	Not available

14. Transport Information

UN/ID N.o.	Not applicable
U.S. Department of Transportation (DOT): Classification: Not regulated	
Proper shipping name	Not applicable
U.S. DOT Hazard Class	Not applicable
Subsidiary Risk	Not applicable
Packing group	Not applicable
DOT RQ (lbs)	Not applicable
ERG NO	Not applicable

Transportation of Dangerous Goods (TDG - Canada): Classification: Not regulated

Proper shipping name Not applicable
Status Not applicable
Packing group Not applicable

IMDG (Marine Transport): Classification: Not regulated

Proper shipping name Not applicable
Class Not applicable
Subsidiary Risk Not applicable
Packing group Not applicable
IMDG Page Not applicable
Marine pollutant Not applicable
EMS Not applicable
MFAG Not applicable
Maximum Quantity Not applicable

IATA/ICAO (Air): Classification: Not regulated

Proper shipping name Not applicable
Class Not applicable
Subsidiary Risk: Not applicable
Packing group Not applicable
Maximum Quantity Not applicable

15. Regulatory Information

Occupational Safety and Health Administration (OSHA)

29 CFR 1910.1200 hazardous chemical Yes

US Federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

U.S. - CERCLA/SARA - Section 313 - Emission Reporting

Isopropanol 67-63-0 1.0 % de minimis concentration (only if manufactured by the strong acid process, no supplier notification)

CERCLA (Superfund) reportable quantity

None

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories	Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No
Section 302 extremely hazardous substance	No
Section 311 hazardous chemical	No
Clean Air Act (CAA)	Not available
Clean Water Act (CWA)	Not available
State regulations	This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.
U.S. - California - 8 CCR Section 339 - Director's List of Hazardous Substances	
Isopropanol	67-63-0 Present
U.S. - Massachusetts - Right To Know List	
Carrageenan	9000-07-1 Carcinogen (listed under degraded); Extraordinarily hazardous (listed under degraded)
Isopropanol	67-63-0 Present
U.S. - Minnesota - Hazardous Substance List	
Carrageenan	9000-07-1 Carcinogen (degraded)
Isopropanol	67-63-0 Present
U.S. - New Jersey - Right to Know Hazardous Substance List	
Isopropanol	67-63-0 sn 1076
U.S. - Pennsylvania - RTK (Right to Know) - Special Hazardous Substances	
Carrageenan	9000-07-1 Present
U.S. - Pennsylvania - RTK (Right to Know) List	
Carrageenan	9000-07-1 Special hazardous substance
Isopropanol	67-63-0 Environmental hazard
U.S. - Rhode Island - Hazardous Substance List	
Isopropanol	67-63-0 Toxic; Flammable

Inventory status

Country(s) or region	Inventory name	On inventory (yes/no)*
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other Information

Disclaimer

This product should only be used as directed on the label and for the purpose intended. To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Further information

AIR WICK® Air Freshener (Solid Cone) - Crisp Breeze - 0016990v2.0
AIR WICK® Air Freshener (Solid Cone) - Blooming Lilac - 110852v9.0
AIR WICK® Air Freshener (Solid Cone) - Country Berries - 0017000v2.0
AIR WICK® Air Freshener (Solid Cone) - Sparkling Citrus - 375491v6.0
AIR WICK® Air Freshener (Solid Cone) - Hibiscus & Island Fruit - 110861v10.0
AIR WICK® Air Freshener (Solid Cone) - Rain Garden - 375489v5.0
AIR WICK® Air Freshener (Solid Cone) - Spring Blossoms - 110821v9.0

Issue date

29-May-2012

Effective date

15-May-2012

Prepared by

Reckitt Benckiser Regulatory Department 800-333-3899

Other information

For an updated MSDS, please contact the supplier/manufacturer listed on the first page of the document.